



BIOLOGY

BOOKS - CENGAGE BIOLOGY (ENGLISH)

HUMAN REPRODUCTION

Exercise

1. Temperature in scrotum necessary for sperm formation should be

- A. $2^{\circ}C$ above body temperature
- B. $2^{\circ}C$ below body temperature
- C. $8^{\circ}C$ above body temperature
- D. $8^{\circ}C$ below body temperature

Answer:



Watch Video Solution

2. Cryptorchidism is

- A. Non-development of testes
- B. Non-descent of testes into scrotum
- C. Removal of scrotum
- D. Breaking connection of vas deferens

Answer:



Watch Video Solution

3. Tubuli recti of seminiferous tubules open into

- A. Epididymis
- B. Vasa efferentia
- C. Vasa deferentia

D. Rete testis

Answer:



Watch Video Solution

4. The common duct formed by the union of vas deferens and duct from seminal vesicle is

A. Urethra

B. Tunica vasculosa

C. Ejaculatory

D. Spermatic duct

Answer:



Watch Video Solution

5. Accessory glands of male reproductive system are

- A. Prostate and seminal vesicles
- B. Prostate, Bartholin's glands, and seminal vesicles
- C. Seminal vesicles and Bartholin's glands
- D. Prostate, Cowper's glands, and seminal vesicles

Answer:



[Watch Video Solution](#)

6. Scrotal sacs are connected with abdominal cavity by

- A. Inguinal canal
- B. Haversian canal
- C. Spermatic canal
- D. Rete testis

Answer:



[Watch Video Solution](#)

7. Sperms are stored and nourished inside

- A. Cowper's gland
- B. Epididymis
- C. Seminiferous tubules
- D. Vasa efferentia

Answer:



[Watch Video Solution](#)

8. The role of Leydig cells of testis is

- A. To provide nourishment of sperms

- B. To provide motility to sperms
- C. To bring about maturation of sperms
- D. Synthesis of testosterone hormone

Answer:



[Watch Video Solution](#)

9. Vas deferens starts from which part of epididymis ?

- A. Cauda epididymis
- B. Caput epididymis
- C. Corpus epididymis
- D. Rete testis

Answer:



[Watch Video Solution](#)

10. Epididymis is

- A. Network of sinuses between seminiferous tubules and vasa efferentia
- B. Intermediate structure between rete testis and vasa efferentia
- C. A long coiled tube between vasa efferentia and vas deferens
- D. Connection between vas deferens and seminal vesicle

Answer:



[Watch Video Solution](#)

11. In mammals, failure of testes to descend into the scrotum is known as

- A. Impotency
- B. Castration
- C. Synorchidism

D. Cryptorchidism

Answer:



[Watch Video Solution](#)

12. Which of the following releases inhibin to control spermatogenesis ?

A. Rete testis

B. Follicular cells

C. Sustentacular cells

D. Leydig's cells

Answer:



[Watch Video Solution](#)

13. Testosterone is secreted by

- A. Sertoli cells
- B. Sustentacular cells
- C. Both (1) and (2)
- D. Leydig cell or interstitial cell

Answer: D

 [Watch Video Solution](#)

14. Vas deferens arises from

- A. Caput epididymis
- B. Corpus epididymis
- C. Cauda epididymis
- D. None of these

Answer:

 [Watch Video Solution](#)

15. Rete testis is a highly anastomosing labyrinth lined by

- A. Simple squamous epithelium
- B. Cuboidal epithelium
- C. Columnar epithelium
- D. Tesselated epithelium

Answer:



[Watch Video Solution](#)

16. Which of the following gland is a collection of 30-40 tubuloalveolar glands and surrounds the first part of urethra?

- A. Corpus spongiosum
- B. Corpus cavernosum
- C. Prostate

D. Cowper's gland

Answer:



Watch Video Solution

17. In man the sperms released from the testis take the following route to reach the urethra

- A. Vasa efferentia, Bidder's canal, uriniferous tubule
- B. Vasa efferentia, epididymis, vasa deferens
- C. Vasa efferentia, Bidder's canal, nephrostome
- D. Vasa efferentia, collecting tubules, and Bidder's canal

Answer:



Watch Video Solution

18. The life span of a human sperm in male genital duct is

- A. 24h
- B. 48h
- C. 72h
- D. Many weeks

Answer:



[Watch Video Solution](#)

19. Mesovarium is peritoneal covering of

- A. Ovary
- B. Testis
- C. Kidney
- D. Liver

Answer:



[Watch Video Solution](#)

20. Ostium is an aperture present in

- A. Ampulla Part
- B. Fallopian funnel
- C. Ovisac
- D. Cloaca

Answer:



[Watch Video Solution](#)

21. Lower narrow end of uterus is called

- A. Urethra

B. Cervix

C. Clitoris

D. Vulva

Answer:



[Watch Video Solution](#)

22. Which of the following is the group of external genitalia in human female?

A. Labium minora, labium majora, vagina

B. Labium majora, labium minora, oviduct

C. Labium minora, labium majora , cervix

D. Labium majora, labium minora, clitoris

Answer:



[Watch Video Solution](#)

23. Each of the following questions/statements has four suggested answers.

Choose the correct answer:

Layers of an ovum from outside inside are:-

- i. Corona radiata, zona pellucida and vitelline membrane
 - ii. Zona pellucida, corona radiata and vitelline membrane
 - iii. Vitelline membrane, zona pellucida and corona radiata
 - iv. Zona pellucida, vitelline membrane and corona radiata
-
- A. Corona radiata, zona pellucida, vitelline membrane
 - B. Zona pellucida, corona radiata, vitelline membrane
 - C. Vitelline membrane , zona pellucida, corona radiata
 - D. Zona pellucida, vitelline membrane, corona radiata

Answer:



Watch Video Solution

24. In human females ova are produced in

- A. Ovary
- B. Oviduct
- C. Uterus
- D. Vagina

Answer:



Watch Video Solution

25. Hormone responsible for ovulation and development of corpus luteum is

- A. FSH
- B. LH
- C. LTH
- D. ICSH

Answer:



Watch Video Solution

26. When egg is not fertilised yellow coloured corpus luteum degenerates to form

- A. Corpus albicans
- B. Corpus callosum
- C. Corpora bigemina
- D. Corpora quadrigemina

Answer:



Watch Video Solution

27. In the absence of pregnancy corpus luteum

A. Becomes active and secreteds FSH and LH

B. Produces a lot of oxytocin and relaxin

C. Degenerates after some time

D. Is maintained by progesterone

Answer:



[Watch Video Solution](#)

28. Egg is liberated from ovary and enters the fallopian tube in

A. Secondary oocyte stage

B. Primary oocyte stage

C. Oogonial stage

D. Mature ovum stage

Answer:



[Watch Video Solution](#)

29. Which one of the following is adapted for receiving the male's penis during copulation and for serving as the birth canal during parturition?

- A. Cervix
- B. Vagina
- C. Fundus
- D. Body

Answer:



[Watch Video Solution](#)

30. Clitoris in a human female is

- A. Vestigial organ
- B. Analogous to penis in male
- C. Homologous to penis in male

D. None of these

Answer:



[Watch Video Solution](#)

31. Which of the following is not true for clitoris ?

- A. It is the erectile part of female reproductive system.
- B. It ends in glans clitoridis
- C. It has three erectile bodies with it.
- D. Its end is covered with prepuce.

Answer:



[Watch Video Solution](#)

32. During spermatogenesis meiosis occurs in

- A. Primary spermatocytes
- B. Secondary spermatocytes
- C. Both (1) and (2)
- D. Spermatogonia

Answer:

 [Watch Video Solution](#)

33. Spermiogenesis changes

- A. Spermatogonium to primary spermatocytes
- B. Primary spermatocytes to secondary spermatocytes
- C. Secondary spermatocytes to spermatids
- D. Spermatids to sperms

Answer:

 [Watch Video Solution](#)

34. In spermatogenesis, a primary spermatocyte produce four similar sperms while in oogenesis a primary oocyte forms

- A. Four similar ova
- B. Three large ova and one polar body
- C. Two large ova and two polar bodies
- D. One large ova and 2-3 polar bodies

Answer:



[Watch Video Solution](#)

35. Minute cells spearating from ova are

- A. Primary oogonia
- B. Polar bodies
- C. Secondary oogonia

D. Primary spermatogonia

Answer:



[Watch Video Solution](#)

36. What are the diploid stages in spermatogenesis ?

- A. Spermatogonia and spermatids
- B. Spermatogonia and primary spermatocytes
- C. Spermatogonia and sperms
- D. primary spermatocytes and secondary spermatocytes

Answer:



[Watch Video Solution](#)

37. Extrusion of second polar body from egg nucleus occurs

- A. After the entry of sperm and before the completion of fertilization.
- B. After the completion of fertilization
- C. Before the entry of sperm
- D. Without any relation with sperm entry

Answer: A

 [Watch Video Solution](#)

38. Spermatogenesis and sperm differentiation are under the control of

- A. FSH only
- B. LH
- C. Testosterone and FSH
- D. Parathyroid hormone

Answer:

 [Watch Video Solution](#)

39. Middle piece of mammalian sperm possesses

- A. Mitochondria
- B. Centriole only
- C. Acrosome
- D. Parathyroid hormone

Answer:



[Watch Video Solution](#)

40. A change in ovum after penetration of sperm is

- A. Formation of first polar body
- B. Second meiosis start
- C. First meiosis

D. Formation of second polar body

Answer:



[Watch Video Solution](#)

41. Which of the following structures produces energy for the mobility of mature sperm?

- A. Nucleus in head region
- B. Mitochondria in head region
- C. Axial filament in tail
- D. Mitochondria in middle piece

Answer:



[Watch Video Solution](#)

42. The axial filament of the sperm arises from :

- A. Proximal centriole
- B. Distal centriole
- C. Acrosome
- D. Nucleus

Answer:



[Watch Video Solution](#)

43. Acrosome of sperm is formed from

- A. Mitochondria
- B. Golgi complex
- C. Ribosome
- D. Centriole

Answer:



Watch Video Solution

44. The phase of transformation of spermatide into sperm is called

- A. Spermiogenesis
- B. Spermateleosis
- C. Gametogenesis
- D. Both (1) and (2)

Answer:



Watch Video Solution

45. Amoeboid sperms or tail-less, non-flagellated sperms are found in

- A. Earthworm

- B. Taenia
- C. Ascaris
- D. All of these

Answer:

 [Watch Video Solution](#)

46. Oogenesis in a human female starts

- A. At puberty (8 years of age)
- B. At puberty (13 years of age)
- C. At menarche
- D. Before birth

Answer:

 [Watch Video Solution](#)

47. The hormone which is present in the greatest concentration in the blood during ovulation in a female is

- A. FSH
- B. LH
- C. Prolactin
- D. Progesterone

Answer:



[Watch Video Solution](#)

48. In menstrual cycle of 28 / 29 days ovum is released during

- A. Beginning of the cycle
- B. Middle of the cycle
- C. End of the cycle
- D. Any time during the cycle

Answer:



[Watch Video Solution](#)

49. Loss of reproductive capacity in women after the age of 45 years is

- A. Menstruation
- B. Ageing
- C. Menopause
- D. Menarche

Answer:



[Watch Video Solution](#)

50. The correct sequence of hormones secreted from the beginning of menstrual cycle is

A. FSH, estrogen, progesterone

B. Estrogen, FSH, progesterone

C. FSH,progesterone

D. Estrogen, progesterone, FSH

Answer:



[Watch Video Solution](#)

51. The phase of menstrual cycle in humans that lasts for 7-8 days, is

A. Follicular phase

B. Ovulatory phase

C. Luteal phase

D. Menstruation

Answer:



[Watch Video Solution](#)

52. Menstrual cycle occurs in

- A. All females
- B. mammalian females
- C. Primate females
- D. Rabbits

Answer:



[Watch Video Solution](#)

53. Withdrawal of which of the following hormones is the immediate cause of menstruation ?

- A. Estrongen
- B. FSH
- C. FSH-LH

D. Progesterone

Answer:



[Watch Video Solution](#)

54. LH surge occurs during which phase of menstrual cycle ?

- A. Menstrual phase
- B. Beginning of proliferative phase
- C. Secretory phase
- D. At the middle of the cycle

Answer:



[Watch Video Solution](#)

55. Estrous cycle is the characteristic of

- A. Human females
- B. mammalian females
- C. Mammalian females other than primates
- D. Primate females

Answer:

 [Watch Video Solution](#)

56. Monoestrous animals have one:

- A. One ovulation each month
- B. One heat period each month
- C. One breeding season in a year
- D. One menstrual cycle each month

Answer:

 [Watch Video Solution](#)

57. Which hormone level reaches its peak during the luteal phase of menstrual cycle ?

- A. Luteinising hormone
- B. Progesterone
- C. FSH
- D. Estrogen

Answer:



[Watch Video Solution](#)

58. Menses occurs in

- A. Human beings only
- B. Old world monkeys and apes (primates)
- C. Every mammal

D. Both (1) and (2)

Answer:



[Watch Video Solution](#)

59. Secondary oocyte is

A. Haploid

B. Diploid

C. Polyploid

D. None of these

Answer:



[Watch Video Solution](#)

60. Oral contraceptive check

- A. Ovulation
- B. Fertilization
- C. Implantation
- D. Entry of sperm into vagina

Answer:

 [Watch Video Solution](#)

61. Which part of the ovary in mammals acts as an endocrine gland after ovulation ?

- A. Vitelline membrane
- B. Graffian follicle
- C. Corpus luteum
- D. Germinal epithelium

Answer:

 [Watch Video Solution](#)

62. The transparent layer found around the outer surface of a developing ovm is called

- A. Zona radiata
- B. Zona pellucida
- C. Theca externa
- D. Theca interna

Answer:

 [Watch Video Solution](#)

63. Cessation of menstrual cycle is termed :

- A. Ovulation
- B. Puberty

C. Menopause

D. Implanation

Answer:



[Watch Video Solution](#)

64. Based on the distribution of yolk, the egg of humans is

A. Telolecithal

B. Centrocithal

C. megalecithal

D. Alecithal

Answer:



[Watch Video Solution](#)

65. Egg will be having moderate amount of yolk in case of

- A. Sea urchin
- B. Starfish
- C. Frog
- D. All of these

Answer:



[Watch Video Solution](#)

66. Vitelline layer around the egg is deposited by

- A. Ovary
- B. Oviduct
- C. Egg itself
- D. Coelom

Answer:



[Watch Video Solution](#)

67. In bony fishes, reptiles, and birds, the cleavage pattern is

- A. Meroblastic centrolecithal
- B. Holoblastic unequal
- C. Meroblastic discoidal
- D. Holoblastic radial

Answer:



[Watch Video Solution](#)

68. The eggs of insects are

- A. Homolecithal

B. Centrolecithal

C. Meiolecithal

D. Telolecithal

Answer:



[Watch Video Solution](#)

69. Spiral cleavage is not found in

A. Platyhelminthes

B. Annelids

C. Echinodermata

D. Mollusca

Answer:



[Watch Video Solution](#)

70. Leathery eggs are found in

- A. Amphibians
- B. Reptiles
- C. Birds
- D. Mammals

Answer:



Watch Video Solution

71. An avian blastula is called

- A. Coeloblastula
- B. Stereoblastula
- C. Discoblastula
- D. Periblastula

Answer:



[Watch Video Solution](#)

72. When blastomeres from the outer surface are rolled in, into the interior of developing embryo, it is called

- A. Invagination
- B. Involution
- C. Ingression
- D. Delamination

Answer:



[Watch Video Solution](#)

73. After a sperm has penetrated an ovum, entry of further sperm is prevented by

A. Development of the vitelline membrane

B. Development of the pigment coat

C. Condensation of yolk

D. Formation of fertilization membrane

Answer:



[Watch Video Solution](#)

74. Fertilization in human beings occurs in

A. Fallopian tube

B. Uterus

C. Ampulla part of oviduct

D. Isthmus part of oviduct

Answer:



[Watch Video Solution](#)

75. The function of hyaluronidase is

- A. To form cone of reception in egg
- B. To puncture the vitelline membrane of egg
- C. It is not produce in human sperm
- D. None of these

Answer:



Watch Video Solution

76. Fertilization proteins are associated with

- A. Corona radiata of the ovum
- B. Zone pellucida of the ovum
- C. Acrosome of the sperm

D. Tail part of the sperm

Answer:



[Watch Video Solution](#)

77. Blastocyst comes out of slit of zona pellucida in

- A. Ampulla part of fallopian tube
- B. Isthamus part of fallopian tube
- C. Uterine part of fallopian tube
- D. Uterus

Answer:



[Watch Video Solution](#)

78. Cervical gland starts secreting viscous mucus for filling the cervical canal to form a protective plug during pregnancy under the influence of

- A. FSH
- B. LH
- C. Progesterone
- D. Oxytocin

Answer:



[Watch Video Solution](#)

79. Skeleton and muscles in a vertebrate embryo develop from

- A. Ectoderm
- B. Mesoderm
- C. Endo-mesoderm
- D. Endoderm

Answer:



[Watch Video Solution](#)

80. The gestation period in human is about

- A. 10 weeks
- B. 28 weeks
- C. 36 weeks
- D. 38 weeks

Answer:



[Watch Video Solution](#)

81. Umbilical cord suspends embryo in amniotic cavity and is attached to the midgut region of the embryo. In eutherians, this umbilical cord is formed of the stalk of

- A. Yolk sac and amnion
- B. Allantois and chorion
- C. Yolk sac and chorion
- D. Allantois and yold sac

Answer:

 [Watch Video Solution](#)

82. If both the ovaries of a pregnant female are removed in the second trimester, it will lead to

- A. Abortion
- B. Slow development of fetus
- C. Normal development
- D. Premature birth

Answer:

 [Watch Video Solution](#)

83. Amniotic fluid comes out through vagina during which stage of parturition ?

- A. Dilation stage
- B. Expulsion stage
- C. After birth stage
- D. None of these

Answer:

 [Watch Video Solution](#)

84. Plaenta in human beings is formed by

- A. Allantois
- B. Amnion

C. Chorion

D. Both (1) and (2)

Answer:



Watch Video Solution

85. The placenta in man is

A. Haemochorial

B. Epitheliochorial

C. Syndesmochorial

D. Haemoendothelial

Answer:



Watch Video Solution

86. Stage of embryo development at which implantation occurs in human female is

- A. Morula
- B. Zygote
- C. Blastocyst
- D. Transient three-celled stage

Answer:



[Watch Video Solution](#)

87. In ectopic pregnancy foetus grown in

- A. Fundus part of uterus
- B. Fallopian tube
- C. Uterus
- D. Both (1) and (2)

Answer:



Watch Video Solution

88. Which of the following statements is incorrect ?

- A. Fertilization occurs in fallopian tube.
- B. Fertilization is a physio -chemical process / event.
- C. Cleavage produces morula.
- D. Cleavage leads to increased mass of protoplasma

Answer:



Watch Video Solution

89. Cortical granules are associated with

- A. Oogenesis

B. Spermatogenesis

C. Cleavage

D. Fertilization

Answer:



[Watch Video Solution](#)

90. Termination of gastrulation is marked by

A. Closure of primitive gut

B. Obliteration of archenteron

C. Obliteration of blastocoel

D. Closure of neural tube

Answer:



[Watch Video Solution](#)

91. Onset of pregnancy

- A. Stimulates testosterone secretion
- B. Leads to degeneration of ovary
- C. Inhibits further ovulation
- D. Inhibits fusion of egg and sperm nuclei

Answer:



[Watch Video Solution](#)

92. Site of fertilization in a mammal is

- A. Ovary
- B. Uterus
- C. Vagina
- D. Fallopian tube

Answer:



[Watch Video Solution](#)

93. Placenta is

- A. Channel for providing essential requirements for growth of embryo
- B. Storage organ
- C. Conductor for nerve impulse
- D. Meant for protection of embryo from shocks

Answer:



[Watch Video Solution](#)

94. After a sperm has penetrated an ovum, entry of further sperm is prevented by

- A. Condensation of yold
- B. Formation of pigment coat
- C. Development of vitelline
- D. Development of fertilization membrane

Answer:

 [Watch Video Solution](#)

95. Two offsprings developed in the same uterus from f fertilisation of two different ova are

- A. Monozygotic twins
- B. Dizygotic twins
- C. Fraternal twins
- D. Both (2) and (3)

Answer:

 [Watch Video Solution](#)

96. Type of perthenogenesis in the honey bee is

- A. Complete, the lytoky
- B. Incomplete, thelytoky
- C. Complete , arrhenotoky
- D. Incomplete, arrhenotoky

Answer:

 [Watch Video Solution](#)

97. The main white fibrous cover around the testes is called

- A. Tunica vasculosa
- B. Tunica albuginea
- C. Tunica vaginalis

D. Tunica media

Answer:



Watch Video Solution

98. The muscles playing major role in the positioning of the testis are

A. Cremaster

B. Dartos

C. Detrusor

D. Both (1) and (2)

Answer:



Watch Video Solution

99. Which of the following is not the part of intratesticular genital duct system?

- A. Rete testis
- B. Tubuli recti
- C. Vas deferens
- D. Vas efferens

Answer:



[Watch Video Solution](#)

100. Ampulla part in the male reproductive system is related to

- A. Epididymis
- B. Vas deferens
- C. Fallopian tube
- D. Tubuli recti

Answer:



[Watch Video Solution](#)

101. The inhibin hormone is released by

- A. Medulla
- B. Granulosa cells
- C. Theca cells
- D. Zona pellucida

Answer:



[Watch Video Solution](#)

102. Ostium is an aperture present in

- A. Oviduct

B. Fallopian funnel

C. Ovisac

D. Cloaca

Answer:



[Watch Video Solution](#)

103. In humans, perineum refers to the space between

A. Incisor and premolar teeth

B. Mouth and nostril

C. Upper and lower lips

D. Anus and vulva

Answer:



[Watch Video Solution](#)

104. The scrotal sac of a male mammal is homologous to which part of female genitalia ?

- A. Vagina
- B. Uterus
- C. Clitoris
- D. Labia majora

Answer:



Watch Video Solution

105. The function fo Bartholin's gland in a female is

- A. To nourish the growing embryo
- B. The neutralize the acidity of vagina
- C. Secretion of fructose
- D. To render the vagina slimy

Answer:



[Watch Video Solution](#)

106. If in a sperm the proximal centriole becomes non-functional , which of the following shall not occur?

- A. First cleavage
- B. Second cleavage
- C. Maturation of oocyte
- D. Spermiogenesis

Answer:



[Watch Video Solution](#)

107. Which of the following plays important role in concentrating testosterone in the seminiferous tubules?

- A. Leydig's cells
- B. Sertoli cells (ABP)
- C. Granulosa cells
- D. Tubuli recti

Answer:

 [Watch Video Solution](#)

108. The fall in the number of sperms per millimeter of semen causes sterility. This is due to insufficient amount of

- A. Acid phosphates
- B. Alkaline phosphates
- C. Testosterone
- D. Hyaluronidase

Answer:

 [Watch Video Solution](#)

109. Anestrus state is

- A. Non-ovulation in human female
- B. Suspension of menstrual cycle in human female
- C. Suspension of estrous cycle in non-primates
- D. "Period of heat" in non-primates

Answer:

 [Watch Video Solution](#)

110. The principle chemical components of egg yolk are

- A. Proteins and carbohydrates
- B. Proteins, phospholipids, and fats
- C. Proteins and vitamins

D. Carbohydrates and lipids

Answer:



[Watch Video Solution](#)

111. Vitelline membrane is a

- A. Primary egg membrane
- B. Secondary egg membrane
- C. Tertiary egg membrane
- D. None of these

Answer:



[Watch Video Solution](#)

112. Which of the following around a hen's egg is a tertiary membrane ?

- A. Albumen
- B. Shell membranes
- C. Calcareous shell
- D. All of these

Answer:

 [Watch Video Solution](#)

113. When cleavage furrow bisects both poles of the egg passing through the animal-vegetal axis, the plane of cleavage is called

- A. Meridional
- B. Equatorial
- C. Vertical
- D. Horizontal

Answer:

 [Watch Video Solution](#)

114. Which one of the following is not a characteristic of cleavage ?

- A. Mitotic divisions
- B. Increase in the synthesis of DNA
- C. Increase of protoplasm
- D. Cells of continuously smaller size

Answer:

 [Watch Video Solution](#)

115. Right and left sides of an embryo become apparent during

- A. Radial cleavage
- B. Bilateral cleavage
- C. Spiral cleavage

D. Biradial cleavage

Answer:



[Watch Video Solution](#)

116. A blastula consisting of a blastoderm of one or several layers of cells arranged around a spacious blastocoel is termed as

- A. Periblastula
- B. Coeloblastula
- C. Stereoblastula
- D. Discoblastula

Answer:



[Watch Video Solution](#)

117. The evolution resulting in the formation of new species is known as

- A. Divergence
- B. Convergence
- C. Involution
- D. Epiboly

Answer:



Watch Video Solution

118. Blastodisc is restricted to a small area in

- A. Eurtherian egg
- B. Avian egg
- C. Ascaris egg
- D. Amphibian egg

Answer:



[Watch Video Solution](#)

119. Mosaic or determinate cleavage is found in

- A. Sponges, echinoderms, and eutherian mammals
- B. Cyclostomes, elasmobranchs, dipnoi, amphibian, and cephalopod molluscs
- C. Coelenterates
- D. Nematodes and amphioxus

Answer:



[Watch Video Solution](#)

120. Which of the following is involved in capacitation ?

A. Removal of membrane cholesterol present over acrosome

B. Entry of Ca^{2+} into sperms

C. Dilution of decapacitation factors

D. All of these

Answer:



Watch Video Solution

121. The function of cortical granules in the cortex of the ovum is the formation of

A. Vitelline membrane

B. Perivitelline membrane

C. Fertilization membrane

D. Plasma membrane

Answer:



[Watch Video Solution](#)

122. The fertilization membrane is secreted because

- A. It checks the entry of more sperms after fertilization
- B. It checks the entry of antigens in ovum
- C. It checks syngamy
- D. None of these

Answer:



[Watch Video Solution](#)

123. Which of the following is involved in slow block to the polyspermy ?

- A. Cortical reaction
- B. Zona reaction
- C. Depolarization starting at the fertilization cone

D. Both (1) and (2)

Answer:



[Watch Video Solution](#)

124. Cells of Rauber's are

- A. Trophoblast cells in contact with embryonal knob
- B. Cells of inner cell mass
- C. Cells present in the blastocoel
- D. Uterine epithelial cells making contact with blastocyst

Answer: A



[Watch Video Solution](#)

125. The part of decidua present between embryo and the lumen of uterus is called

- A. Decidua basalis
- B. Decidua capsularis
- C. Decidua parietalis
- D. Perimetrium

Answer:



[Watch Video Solution](#)

126. Which of the following is true regarding the first germinal layer to differentiate during embryonic development ?

- A. Endoderm, epiblast
- B. Endoderm, hypoblast
- C. Mesoderm, epiblast

D. Mesoderm, hypoblast

Answer:



[Watch Video Solution](#)

127. Ontogenetically liver and pancreas are

- A. Ectodermal
- B. Mesodermal
- C. Endodermal
- D. None of these

Answer:



[Watch Video Solution](#)

128. The mesoderm gives rise to all structures except

- A. Nervous system
- B. Muscles
- C. Circulatory system
- D. Gonads

Answer:

 [Watch Video Solution](#)

129. The effect of teratogens is maximum during

- A. First trimester
- B. Second trimester
- C. Third trimester
- D. Both (2) and (3)

Answer:

 [Watch Video Solution](#)

130. Hormone administered for hastening child birth is meant for

- A. Stimulating striped muscles
- B. Raising blood pressure
- C. Increasing energy availability
- D. Contraction of smooth muscles

Answer:



Watch Video Solution

131. Gestation period in a man is about

- A. 10 weeks
- B. 28 weeks
- C. 32 weeks

D. 38 weeks

Answer:



Watch Video Solution

132. Extra -embryonic membrane amnion provides

- A. Cells to embryo
- B. Protection to embryo
- C. Nutrition to embryo
- D. Both (1) and (2)

Answer:



Watch Video Solution

133. Active inrolling of endodermal and mesodermal cells into interior of embryo is

- A. Ingression
- B. Involution
- C. Inversion
- D. Epiboly

Answer:



[Watch Video Solution](#)

134. Gastrulation comprises

- A. Morphogenetic movements
- B. Differentiation of archenteron
- C. Differentiation of three germ layers
- D. All of these

Answer:



[Watch Video Solution](#)

135. During embryonic development , which of the following organs is formed first ?

A. Heart

B. Brain

C. Neural tube

D. Skin

Answer:



[Watch Video Solution](#)

136. Which of the following are the derivatives of endoderm?

- A. Muscles and blood
- B. Alimentary canal and respiratory organs
- C. Excretory and reproductive organs
- D. Skin and nerve cord

Answer:

 [Watch Video Solution](#)

137. Fetal ejection reflex in human females is induced by

- A. Release of oxytocin from pituitary gland
- B. Pressure exerted by amniotic fluid
- C. Differentiation of mammary glands
- D. Fully developed fetus and placenta

Answer:

 [Watch Video Solution](#)

138. Find the incorrect match with respect to increase in the levels of following hormones :

- A. Oxytocin-Uterine contraction during labor
- B. Prolactin-Lactation after child birth
- C. Progesterone-Uterine contraction
- D. Luteinizing hormone-Stimulates ovulation

Answer:



[Watch Video Solution](#)

139. Kidneys , heart and gonads are formed from

- A. Ectoderm
- B. Endoderm, hypoblast
- C. Inner cell mass

D. Mesoderm

Answer:



[Watch Video Solution](#)

140. The lytic enzyme present in semen is :-

A. Ligase

B. Estrogenase

C. Androgenase

D. Hyaluronidase

Answer:



[Watch Video Solution](#)

141. Progesterone is secreted by

- A. Corppus aorta
- B. Corpus albicans
- C. Corpus luteum
- D. Corpus callosum

Answer:

 [Watch Video Solution](#)

142. Which of the following causes abortion in ladies?

- A. Virus
- B. Bacteria
- C. Mycoplasma
- D. None of these

Answer:

 [Watch Video Solution](#)

143. Accessory sexual character in female is promoted by

- A. Androgen
- B. Progesterone
- C. Estrogen
- D. Testosterone

Answer:



Watch Video Solution

144. Sertoli cells are found in testis. These cells are

- A. Nurse cell
- B. Reproductive cell
- C. Receptor cell

D. None of these

Answer:



Watch Video Solution

145. Cryptorchidism is a condition in which

- A. Testis does not descend into scrotal sac
- B. Sperm is not found
- C. Male hormones are not reactive
- D. Ovaries are removed

Answer:



Watch Video Solution

146. The cellular layer that disintegrates and regenerates again and again in human skin is:

- A. Endometrium of uterus
- B. Cornea of eye
- C. Dermis of skin
- D. Endothelium of blood vessels

Answer:



Watch Video Solution

147. The functional maturation of sperms takes place in :-

- A. Oviduct
- B. Epididymis
- C. Vagina
- D. All of these

Answer:



[Watch Video Solution](#)

148. The surgical removal or cutting and ligation of the ends of oviduct is known as :

- A. Tubectomy
- B. Oviductomy
- C. Castration
- D. Vasectomy

Answer:



[Watch Video Solution](#)

149. The follicle that ruptures at the time of ovulation promptly fills with blood , forming :-

A. Corpus haemorrhagicum

B. Corpus luteum

C. Corpus albicans

D. Corpus callosum

Answer:



Watch Video Solution

150. In mammals the estrogens are secreted by the Graafian follicle from its :-

A. External theca

B. Internal theca

C. Zona pellucida

D. Corona radiata

Answer:

 [Watch Video Solution](#)

151. Supporting cells found in the germinal epithelium of testis are called

- A. Interstitial cells of Leydig
- B. Sertoli cells
- C. Granular cells
- D. Phagocytes

Answer:

 [Watch Video Solution](#)

152. Cryptorchidism is

- A. a.Unable to descent in scrotal sac
- B. b.Unable to produce sperms
- C. c.Having been surgically removed

D. d.Having remained undeveloped

Answer:



Watch Video Solution

153. During differentiation the spermatids remain associated with

A. a.Leydig's cells

B. b.Kupffer's cells

C. c.Spermatogonia

D. d.Sertoli cell

Answer:



Watch Video Solution

154. What would happen if vasa deferentia of man are cut?

- A. a.Sperms will be non-nucleate.
- B. b.Spermatogenesis will not occur.
- C. c.Semen will be without sperms.
- D. d.Sperm will be none-motile

Answer:

 [Watch Video Solution](#)

155. Sertoli cells occur in

- A. Human testis
- B. Frog testis
- C. Human ovary
- D. Frog ovary

Answer:

 [Watch Video Solution](#)

156. Which of the following is a primary sex organ?

A. Scrotum

B. Penis

C. Testis

D. Prostrate

Answer:



[Watch Video Solution](#)

157. Somatic chromosome number is 40. what shall be chromosome number in the cells of seminiferous tubule?

A. 40

B. 20

C. 10

D. 40 and 20

Answer:



Watch Video Solution

158. Eggs liberated from ovary in human in

- A. Secondary oocyte stage
- B. Primary oocyte stage
- C. Oogonial stage
- D. Mature ovum stage

Answer:



Watch Video Solution

159. Graafian follicles are found in:

- A. Testis of mammal
- B. Ovary of frog
- C. Ovary of cockroach
- D. Ovary of mammals

Answer:

 [Watch Video Solution](#)

160. Site of fertilization in a mammal is

- A. Ovary
- B. Uterus
- C. Vagina
- D. Fallopian tube

Answer:

 [Watch Video Solution](#)

161. A secondary sexual character is

- A. Breast
- B. Ovary of frog
- C. Testis
- D. Thyroid

Answer:



Watch Video Solution

162. Expanded proximal part of oviduct is:

- A. Uterus
- B. Fallopian tube
- C. Fimbriated funnel

D. Vestibule

Answer:



[Watch Video Solution](#)

163. Which gland in female correspond to prostate of the male?

- A. Bartholin's gland
- B. Bulbourethral gland
- C. Clitories
- D. None

Answer:



[Watch Video Solution](#)

164. The secretory phase in the human menstrual cycle is also called

- A. Luteal phase and lasts for about 6 days
- B. Follicular phase and lasts for about 6 days
- C. Luteal phase and lasts for about 13 days
- D. Follicular phase and lasts for about 13 day

Answer:

 [Watch Video Solution](#)

165. In the absence of pregnancy, corpus luteum

- A. Becomes active, secretes FSH and LH
- B. Produces lot of oxytocin and relaxin
- C. Degenerates after some time
- D. Is maintained by progesterone

Answer:

 [Watch Video Solution](#)

166. 10 oogonia yield 10 primary oocytes, then how many ova are produced on completion of oogenesis

- A. 5
- B. 10
- C. 20
- D. 40

Answer:



[Watch Video Solution](#)

167. Parturition canal in female is called :

- A. Uterus
- B. Oviduct
- C. Vagina

D. Cervix

Answer:



[Watch Video Solution](#)

168. A temporary endocrine gland formed in ovary after ovulation is

- A. Corpus callosum
- B. Corpus albicans
- C. Corpus luteum
- D. Corpus striatum

Answer:



[Watch Video Solution](#)

169. In mammals maturation of sperms take place at a temperature

- A. Equal to that of body
- B. Higher than that of body
- C. Lower than that of body
- D. At any piece of mammalian sperm

Answer:

 [Watch Video Solution](#)

170. Onset of pregnancy

- A. Stimulates testosterone secretion
- B. Inhibits further ovulation
- C. Leads to degeneration of ovary
- D. Inhibits fusion of egg and sperm nuclei

Answer:

 [Watch Video Solution](#)

171. Graafian follicles contain

- A. Corpus luteum
- B. Corpus albicans
- C. Theca externa and theca interna
- D. Oogonial cells

Answer:



Watch Video Solution

172. Bartholin's glands occur in:

- A. Females and help in vesitibular lubrication
- B. Females and produce oestrogen for regulating secondary sexual characters

C. Males and form liquid part of spermatid field

D. Males and produce alkaline fluid for neutralizing urethral acidity

Answer:



[Watch Video Solution](#)

173. Which is correct ?

A. Menstrual cycle is present in all mammals.

B. Menstrual cycle is present in all primates

C. Estrous cycle occurs in all mammals.

D. Most mammals are ovoviviparous.

Answer:



[Watch Video Solution](#)

174. Yellow corpus luteum occurs in a mammals in

- A. Heart to initiate heartbeat
- B. Skin to function as pain receptor
- C. Brain and connects cerebral hemisphere
- D. Ovary for secretion of progesterone

Answer: D



[Watch Video Solution](#)

175. Human sperm discovered by

- A. Leeuwenhoek
- B. Aristotle
- C. Graaf
- D. Pander

Answer:



[Watch Video Solution](#)

176. Corpus luteum secretes

- A. LH
- B. Aristotle
- C. Progesterone
- D. FSH

Answer:



[Watch Video Solution](#)

177. The correct sequence of hormones secreted from the beginning of menstrual cycle is

A. FSH, progesterone, estrogen

B. Estrogen, FSH, progesterone

C. FSH, estrogen, progesterone

D. Esterogen, progesterone, FSh

Answer:



Watch Video Solution

178. Graafian follicle contains

A. Many oocytes

B. Many sperms

C. A single oocyte

D. Site for egg fertilization

Answer:



Watch Video Solution

179. Progesterone level fall leads to

- A. Gestation
- B. Menopause
- C. Lactation
- D. Menstruation

Answer:



Watch Video Solution

180. Human female reaches menopause at the age of about

- A. 25 years
- B. 35 years
- C. 50 years

D. 70 years

Answer:



[Watch Video Solution](#)

181. Glands secreting male sex hormone are

A. Leydig cells

B. Seminiferous tubules

C. Vasa deferentia

D. Testes

Answer:



[Watch Video Solution](#)

182. Estrogen is secreted by

- A. Corpus luteum
- B. Graafian follicle
- C. Germinal epithelium of ovary
- D. Pituitary

Answer:

 [Watch Video Solution](#)

183. Testes descend into scrotum in mammals for

- A. Spermatogenesis
- B. Fertilization
- C. Development of sex organs
- D. Development of visceral organs

Answer:

 [Watch Video Solution](#)

184. Phase of menstrual cycle in human that lasts for 10 days is

- A. Follicular phase
- B. Ovulatory phase
- C. Luteal phase
- D. Menstruation

Answer:



Watch Video Solution

185. Menstruation is caused by

- A. Increase in FSH levels
- B. Fall in oxytocin level
- C. Fall in progesterone level

D. Increase in oestrogen level

Answer:



[Watch Video Solution](#)

186. In human females, ova are produced in

A. Ovarian follicles

B. Oviduct

C. Uterus

D. Vagina

Answer:



[Watch Video Solution](#)

187. Which is correctly matched in a normal menstrual cycle?

A. a.Endometrium regenerates -5 to 10 days

B. b.Release of egg -5th day

C. c.Endometrium secretes nutrients for implanation - 11 to 18 days

D. d.Rise in progesterone level - 1 to 15 days

Answer:



[Watch Video Solution](#)

188. Spermatogonia develop into the

A. Ovary

B. Ovum

C. Sperm

D. Zygote

Answer:



[Watch Video Solution](#)

189. Spermatogonia develop through division

- A. Amitosis
- B. Mitosis
- C. Meiosis I
- D. Meiosis II

Answer:



Watch Video Solution

190. The Graafian follicles are found in

- A. Ovary
- B. Testis
- C. Egg

D. Sperm

Answer:



Watch Video Solution

191. Ovulation occurs in and on

A. Ovary

B. About 14 th day

C. Both (1) and (2)

D. None of these

Answer:



Watch Video Solution

192. Blastopore occurs in

A. Gastrula

B. Blastula

C. Blastocoel

D. Morula

Answer:



[Watch Video Solution](#)

193. Mesoderm is formed through invagination of

A. Ectoderm

B. Endoderm, hypoblast

C. Inner mass of cells

D. Primitive streak

Answer:



[Watch Video Solution](#)

194. Secretion of which structure prepares the inner wall of uterus for implanatation

- A. Ovary
- B. Corpus luteum
- C. Pituitary gland
- D. Ovarian follicle

Answer:



Watch Video Solution

195. Energy centre of sperm is

- A. Head
- B. Middle piece
- C. Entire sperm

D. Tail

Answer:



[Watch Video Solution](#)

196. Fusion of sperm and ovum is

A. Amphimixis

B. Regeneration

C. Fertilization

D. None of the above

Answer:



[Watch Video Solution](#)

197. In which phase of cell division is oocyte arrested ?

A. Anaphase II

B. Anaphase I

C. Interphase

D. Both (1) and (2)

Answer:



[Watch Video Solution](#)

198. Capacitation occurs in

A. Female genital tract

B. Vagina

C. Vas efferens

D. Vas deferens

Answer:



[Watch Video Solution](#)

199. Fertilization of ovum occurs in

- A. Fimbriae of oviduct
- B. Isthmus of oviduct
- C. Ampulla of oviduct
- D. None of the above

Answer:



Watch Video Solution

200. Which of the following controls the function of Sertoli cells ?

- A. Estrogen
- B. FSH
- C. Testosterone

D. ACTH

Answer:



Watch Video Solution

201. Corpus spongiosum occurs in

A. Ovary

B. Pensi

C. Testis

D. Uterin wall

Answer:



Watch Video Solution

202. Cytoplasm of ovum doesnot contain

- A. Golgi complex
- B. Mitochondria in head region
- C. Centrosome
- D. Ribosomes

Answer:

 [Watch Video Solution](#)

203. Mammalian blastula is known as

- A. Trophoderm
- B. Blastocyst
- C. Fetal blastula
- D. Oedema

Answer:

 [Watch Video Solution](#)

204. Acrosome of sperm contains

- A. Hydrolytic enzymes
- B. DNA
- C. Fructose
- D. Mitochondria

Answer:



Watch Video Solution

205. Radial cleavage is found in

- A. Tunicates
- B. Protozoans
- C. Coelenterates

D. Annelids

Answer:



[Watch Video Solution](#)

206. Cavity formed during gastrulation is

- A. Primitive gut
- B. Gastrocoel
- C. Archenteron
- D. All of the above

Answer:



[Watch Video Solution](#)

207. Menstrual phase is followed by

- A. Luteal phase
- B. Follicular phase
- C. Fertilization
- D. Implananation

Answer:

 [Watch Video Solution](#)

208. Human placenta is

- A. Haemochorial
- B. Syndesmochorial
- C. Yolk sac
- D. Haemo-endothelial

Answer:

 [Watch Video Solution](#)

209. Human eggs are

- A. Alecithal
- B. Microlecithal
- C. Mesolecithal
- D. Macrolecithal

Answer:



Watch Video Solution

210. Human egg has :

- A. One Y- chromosome
- B. One X-chromosome
- C. Two Y-chromosome

D. One X-chromosome and one Y-chromosome

Answer:



[Watch Video Solution](#)

211. Fertilisins are emitted by

A. Immature eggs

B. Mature eggs

C. Sperms

D. Polar bodies

Answer:



[Watch Video Solution](#)

212. At the end of first meiotic division, male germ cell differentiates into

A. Secondary spermatocyte

B. Primary spermatocyte

C. Spermatogonium

D. Spermatids to sperms

Answer:



[Watch Video Solution](#)

213. A mature sperm has

A. A pair of flagella

B. A nucleus, an acrosome, and a centriole

C. A nucleus, an acrosome, a pair of centrioles

D. A nucleus, an acrosome, a pair of centrioles and a tail

Answer:



[Watch Video Solution](#)

214. Ovulation occurs under the influence of

- A. LH
- B. FSH
- C. Estrogen
- D. Progesterone

Answer:



Watch Video Solution

215. Part of sperm involved in penetrating egg membrane is

- A. Tail
- B. Acrosome
- C. Allosome

D. Autosome

Answer:



[Watch Video Solution](#)

216. Type of cleavage in an egg is determined by

- A. Amount and distribution of yolk
- B. Number of egg membranes
- C. Size and location of nucleus
- D. Shape and size of sperm

Answer:



[Watch Video Solution](#)

217. Fertilization is fusion of

- A. Diploid spermatozoan with diploid ovum to form diploid zygote
- B. Haploid spermatozoan with diploid ovum to form diploid zygote
- C. Diploid spermatozoan with haploid ovum to form diploid zygote
- D. Haploid spermatozoan with haploid ovum to form diploid zygote

Answer:

 [Watch Video Solution](#)

218. The middle piece of mammalian sperm possesses

- A. Nucleus
- B. Vacuoles
- C. Mitochondria
- D. Centriole

Answer:

 [Watch Video Solution](#)

219. Immediately after ovulation, the mammalian egg is covered by a membrane called

- A. Chorion
- B. Zona pellucida
- C. Corona raidata
- D. Both (1) and (2)

Answer:



Watch Video Solution

220. What is true about cleavage in fertilized egg in humans?

- A. Starts in uterus
- B. Is meroblastic
- C. Starts when egg is in fallopian tube

D. Is discoidal

Answer:



[Watch Video Solution](#)

221. Polar body is produced during the formation of :

- A. Sperm
- B. Secondary oocyte
- C. Oogonia
- D. Spermatocytes

Answer:



[Watch Video Solution](#)

222. The head of mature mammalian sperm is made of

- A. An acrosome
- B. Elongated nucleus covered by acrosome
- C. Two centrioles and an axial filament
- D. Nucleus, acrosome, cytoplasm, and mitochondrial sheath

Answer:

 [Watch Video Solution](#)

223. Oocyte is liberated from ovary under the influence of LH, after completing

- A. Mitosis and before liberating polar bodies
- B. Meiosis I and before liberating secondary polar bodies
- C. Meiosis I
- D. Meiosis II after the release of the first polar body

Answer:

 [Watch Video Solution](#)

224. Which cell division is found during cleavage

- A. Amitosis
- B. Mitosis
- C. Closed mitosis
- D. Meiosis

Answer:

 [Watch Video Solution](#)

225. 10 oogonia yield 10 primary oocytes, then how many ova are produced on completion of oogenesis

- A. a.5
- B. b.10

C. c.20

D. d.40

Answer:



[Watch Video Solution](#)

226. (a) What do you call the area of an ovum from where the sperm makes its entry?

(b) Name the enzyme produced by the sperm to facilitate its entry.

A. Anywhere

B. Animal pole

C. Vegetal pole

D. Lateral side of egg

Answer:



[Watch Video Solution](#)

227. In which stage of development the embryonic cells form the germinal layers by the movement

- A. Morula
- B. Blastula
- C. Gastrula
- D. Neurula

Answer:



Watch Video Solution

228. In mammals egg are microlecithal and isolecithal because these are :-

- A. Oviparous
- B. Viviparous
- C. Ovoviviparous

D. None of these

Answer:



[Watch Video Solution](#)

229. Which of the following is not the correct for gastrulation ?

A. a. Archenteron is formed.

B. b. All germinal layers are formed

C. c. Morphogenetic movements

D. d. Some blastomeres and blastocoel degenerate.

Answer:



[Watch Video Solution](#)

- 230.** (a) Give a schematic representation of spermatogenesis in humans .
- (b) At which stage of life does gametogenesis begin in human male and female respectively ?
- (c) Name the organs where gametogenesis gets completed in male and female respectively.

- A. Spermiogenesis
- B. Growth phase
- C. Multiplication phase
- D. Maturation phase

Answer:



[Watch Video Solution](#)

231. Sperm enters the egg from

- A. anywhere in unfertilized egg from vegetal pole

B. b.From animal pole in unfertilized egg

C. c.In unfertilized egg from vegetal pole

D. d.None

Answer:



[Watch Video Solution](#)

232. Termination of gastrulation is marked by

A. Obliteration of archenterone

B. Obliteration of blastocoel

C. Closing of blastopore

D. Closing of neural tube

Answer:



[Watch Video Solution](#)

233. In mammals , egg is fertilised in :-

- A. Ovary
- B. Fallopian tube
- C. Uterus
- D. Vagina

Answer:



Watch Video Solution

234. What is formed at the time of gastrulation ?

- A. Gills
- B. Heart
- C. Myotome
- D. Archenteron

Answer:



[Watch Video Solution](#)

235. Which part of the spermatid forms acrosome of sperm ?

A. Mitochondria

B. Golgi body

C. Nucleus

D. Lysosome

Answer:



[Watch Video Solution](#)

236. How many sperms are formed by one primary spermatocyte ?

A. 4

B. 3

C. 2

D. 1

Answer:



Watch Video Solution

237. Which chemical of the egg attracts and holds sperm?

A. Fertilizin

B. Antifertilizin

C. Agglutinin

D. Thrombin

Answer:



Watch Video Solution

238. During embryonic development , which of the following organs is formed first ?

- A. Heart
- B. Skin to function as pain receptor
- C. Brain
- D. Neural tube

Answer:



Watch Video Solution

239. In a vertebrate which germ layer forms the skeletal muscles ?

- A. Ectoderm
- B. Endoderm
- C. Mesoderm
- D. Both (1) and (2)

Answer:



[Watch Video Solution](#)

240. Which germ layer develops first during embryonic development?

- A. Ectoderm
- B. Mesoderm
- C. Endodermal
- D. Both (1) and (2)

Answer:



[Watch Video Solution](#)

241. The whole nervous system including neuron in a frog and other vertebrates is derived from

- A. Ectoderm
- B. Endoderm
- C. Mesoderm
- D. All of these

Answer:

 [Watch Video Solution](#)

242. In a sperm, the mitochondria occur:

- A. In tail
- B. In acrosome
- C. In middle piece
- D. In head

Answer:

 [Watch Video Solution](#)

243. Which set of enzymes is found in the acrosome of mammalian spermatozoa :

- A. Hyaluronidase, corona penetrating enzyme (CPE)
- B. Hyaluronidase, CPE, zona lysine
- C. Hyaluronidase, CPE, peptidase
- D. Hyaluronidase only

Answer:



Watch Video Solution

244. Fixing up of the blastocyst in the wall of the uterus is known as:

- A. Fertilization
- B. Implantation
- C. Impregnation

D. Placentration

Answer:



Watch Video Solution

245. The type of placenta found in human beings is of type :

A. Diffuse

B. Zonary

C. Cotyledonary

D. Discoidal

Answer:



Watch Video Solution

246. Number of foetal membranes in humans is

A. 1

B. 3

C. 4

D. 0

Answer:



Watch Video Solution

247. Placenta in human beings is formed by

A. Amnion

B. Chorion

C. Allantois

D. Allantois, chorion, and uterine wall

Answer:



Watch Video Solution

248. The phenomenon of nuclear fusion of sperm and egg is known as :

- A. Karyogamy
- B. Parthenogenesis
- C. Vitellogenesis
- D. Oogenesis

Answer:



Watch Video Solution

249. Archenteron cavity is found in :

- A. Blastula
- B. Gastrula
- C. Morula

D. Planula

Answer:



Watch Video Solution

250. Mammalian placenta originates from :

A. Allantois and chorion

B. Yolk sac

C. Allantois

D. Amnion

Answer:



Watch Video Solution

251. What is true for cleavage ?

- A. Size of cell increases
- B. Size of embryo increases
- C. Size of cell decreases
- D. Size of embryo decreases

Answer:

 [Watch Video Solution](#)

252. A blastopore is found in

- A. Blastula and is the opening of blastocoel
- B. Gastrula and is the opening of blastocoel
- C. Blastula and is the opening of archenteron
- D. Gastrula and is the opening of archenteron

Answer:

 [Watch Video Solution](#)

253. The extraembryonic membranes of mammalian embryo are derived from

- A. Trophoblast
- B. Follicle cells
- C. Formative cells
- D. Inner cell mass

Answer:



[Watch Video Solution](#)

254. Find out the wrong statement

- A. In mammals, allantois is not excretory in function
- B. Amnion is the outer layer containing amniotic fluid that acts as shock absorber to the soft embryo

C. Yolk sac is a fetal membrane that helps in the nourishment of the embryo in general.

D. Chorio-allantoic membrane develops villi and contributes much to the development of placenta

Answer:

 [Watch Video Solution](#)

255. Women who consumed the drug thalidomide for relief from vomiting during early months of pregnancy gave birth to children with

A. Harelip

B. No spleen

C. Extra fingers and toes

D. Underdeveloped limbs

Answer:



[Watch Video Solution](#)

256. The chemical substances released by activated spermatozoa that acts on the ground substances of the follicle cells is known as

- A. Relaxin
- B. Teratogen
- C. Progesterone
- D. Hyaluronidase

Answer:



[Watch Video Solution](#)

257. The endocrinal structure formed after ovulation (release of ovum from the Graafian follicle) is

- A. Corpus albicans

B. Corpus callosum

C. Corpus luteum

D. Corpus striatum

Answer:



[Watch Video Solution](#)

258. In between spermatogonia are found

A. Germinal cells

B. Sertoli cells

C. Epithelial cells

D. Lymph space

Answer:



[Watch Video Solution](#)

259. Spermatogenesis and sperm differentiation are under the control of

- A. FSH
- B. LH
- C. Progesterone
- D. Parathyroid hormone

Answer:



[Watch Video Solution](#)

260. Endometrium is lining of

- A. Testis
- B. Urinary bladder
- C. Uterus
- D. Ureter

Answer:



[Watch Video Solution](#)

261. Which accessory genital gland occurs only in mammalian male?

- A. Bartholin's gland
- B. Perineal gland
- C. Prostate gland
- D. All

Answer:



[Watch Video Solution](#)

262. Corpus luteum is

- A. Excretory

B. Endocrine

C. Digestive

D. Reproductive

Answer:



[Watch Video Solution](#)

263. During pregnancy , the urine of female would contain

A. LH

B. Progesterone

C. FSH

D. HCG

Answer:



[Watch Video Solution](#)

264. In case of non-fertilization, corpus luteum

- A. Stops secreting progesterone
- B. Changes to corpus albicans
- C. Starts producing progesterone
- D. Stops secreting progesterone and changes to corpus albicans

Answer:

 [Watch Video Solution](#)

265. Correct sequence in development is :

- A. Fertilization → Zygote → Cleavage → Morula → Blastula →
Gastrula
- B. Fertilization → Zygote → Blastula → Morula → Cleavage →
Gastrula

C. Fertilization → Cleavage → Morula → Zygote → Blastula →

Gastrula

D. Cleavage → Zygote → Fertilization → Morula → Blastula →

Gastrula

Answer:

 [Watch Video Solution](#)

266. During cleavage , what is true about embryo ?

A. Nucleocytoplasmic ratio remains unchanged

B. Size does not increase

C. There is less consumption of oxygen

D. The division is like meiosis

Answer:

 [Watch Video Solution](#)

267. The head of the epididymis at the head of the testis is called

- A. Caput epididymis
- B. Cauda epididymis
- C. Vas deferens
- D. Gubernaculum

Answer:



[Watch Video Solution](#)

268. In the urinogenital organs of human which one of following part is present in male but not in female

- A. Urethra
- B. Fallopian tube
- C. Vagina

D. Vas deferens

Answer:



Watch Video Solution

269. Sperms formed from four primary spermatocytes are:

A. 4

B. 1

C. 16

D. 32

Answer:



Watch Video Solution

270. Layers of ovum from outside to inside are

A. Corona radiata, zona pellucida, vitelline membrane

B. Zona pellucida, corona radiata, vitelline membrane

C. Vitelline membrane, zona pellucida, corona radiata

D. Zona pellucida, vitelline membrane, corona radiata

Answer:



[Watch Video Solution](#)

271. Embryo at 16-celled stage is called

A. Morula

B. Blastula

C. Blastomers

D. Gastrula

Answer:



[Watch Video Solution](#)

272. Which provides nutrition to maturing sperms?


- A. Leydig cell
- B. Scrotum
- C. Epididymis
- D. Sertoli cells

Answer:



Watch Video Solution

273. The given diagram is of



A. A - ii, B - iii, C - iv, D - x, E - vii, F - i, G - iii

B. A - v, B - iv, C - iii, D - vi, E - i, F - x, G - vii

C. A - i, B - iv, C - x, D - iii, E - ii, F - vi, G - viii

D. A - i, B - vi, C - iv, D - iii, E - v, F - x, G - ix

Answer:



Watch Video Solution

274. Read the following statements about the given diagram carefully and state which of them are correct.



- (i) A carries urine and C stores sperm.
- (ii) B secretes a fluid that helps in the lubrication of penis.
- (iii) D produces testosterone but not sperms.
- (iv) C stores sperms.

A. i and ii

B. ii and iii

C. ii and iv

D. I and iv

Answer:



Watch Video Solution

275. Below is given the unorganised list of some important events in the human female reproductive cycle. Identify the correct sequence of these events and select the correct option.

- (i). Secretion of FSH
- (ii). Growth of corpus luteum
- (iii). Growth of the follicle
- (iv). Ovulation
- (v) Sudden increase in the levels of LH

A. $iii \rightarrow i \rightarrow iv \rightarrow ii \rightarrow v$

B. $i \rightarrow iii \rightarrow v \rightarrow iv \rightarrow ii$

C. $i \rightarrow iv \rightarrow iii \rightarrow v \rightarrow ii$

D. $ii \rightarrow i \rightarrow iii \rightarrow iv \rightarrow v$

Answer:



Watch Video Solution

276. Given diagram is showing a human ovum surrounded by sperms. Identify A,B and C in his diagram.



- A. A-Zona pellucida, B-Perivitelline space, C-Chorion
- B. A-Zona pellucida, B-Vitelline membrane, C-Corona radiata
- C. A-Zona pellucida, B-Perivitelline space, C-Corona radiata
- D. A-Oolemma, B-Perivitelline space, C-Corona radiata

Answer:



[Watch Video Solution](#)

277. Given figure is a diagrammatic section view of human ovary. Identify the parts labelled as A,B,C and D, and choose the correct option ?



A.

	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
1	Primary follicle	Graafian follicle	Tertiary follicle	Corpus luteum

B.

	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
2	Graafina follicle	Primary follicle	Tertiary follicle	Corpus luteum

C.

	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
3	Corpus follicle	Tertiary follicle	Primary follicle	Graffian luteum

D.

	<i>A</i>	<i>B</i>	<i>C</i>	<i>D</i>
4	Tertiary follicle	Corpus follicle	Graafian follicle	Primary luteum

Answer:



[Watch Video Solution](#)

278. Identify the correct match of column-I, II and III:

	Column-I	Column-II	Column-III
1	Sertoli cells	<i>a.</i> LH	<i>i.</i> Spermiogenesis
2	Leydig's cells	<i>b.</i> Inhibin	<i>ii.</i> Formation of stratum func
3	Anteriors pituitary	<i>c.</i> Testeron	<i>iii.</i> Suppress FSH
4	Ovary	<i>d.</i> Estrogen	<i>iv.</i> Ovulation

A. $A - b - iii, B - a - iii, C - c - i, D - d - iv$

B. $A - b - iii, B - c - i, C - a - iv, D - d - ii$

C. $A - c - ii, B - b - iii, C - a - i, D - d - iv$

D. $B - a - iv, A - d - i, C - b - iii, D - c - ii$

Answer:



Watch Video Solution

279. Which one of the following options gives the correct answer regarding to histology of oviduct ?

- A.
- | | | | |
|----|---------------|--------------|-----------------|
| 1. | Sertoli cells | Myometrium | Perimetrium |
| | | Muscle layer | Mucous membrane |
- B.
- | | | | | |
|----|--------------|-----------------|--------------|-------------|
| 2. | Serosa layer | Endometrium | Myometrium | Perimetrium |
| | | Mucous membrane | Muscle layer | |
- C.
- | | | | |
|----|--------------------------------|--------------|--------------|
| 3. | Endometrium | Myometrium | Perimetrium |
| | Epithelium + Connective tissue | Muscle layer | Serosa layer |
- D.
- | | | | |
|----|--------------|--------------|-----------------|
| 4. | Endometrium | Myometrium | Perimetrium |
| | Muscle layer | Serosa layer | Mucous membrane |

Answer:



Watch Video Solution

280. Identify the correct match from the column I,II and III :

Column-I	Column-II	Column-III
A. Proliferative phase	a. 14 th day	i. Formation of corpus luteum
B. secretory phase	b. 1 st – 4 th day	ii. Development of graafian follicle
C. Menstruation	c. 15 th – 28 th day	iii. Shedding of stratum functionalis
D. Ovulatory phase	d. 5 th – 13 th day	iv. Release of secondary oocyte

A. $A - d - iii, B - c - i, C - b - ii, D - a - iv$

B. $A - c - ii, B - b - iii, C - a - i, D - d - iv$

C. $A - d - ii, B - c - i, C - b - iii, D - a - iv$

D. $A - d - iii, B - b - iv, C - a - ii, D - c - i$

Answer:



Watch Video Solution

281. The first sign of growing foetus may be noticed by

- A. Movement of fetus
- B. Appearance of hair on head
- C. Listening to the heart sound carefully through the stethoscope
- D. Fromation of limbs

Answer:



Watch Video Solution

282. Match the following and choose the corrcrct answer :

- | | | |
|---------------------------|------------|----------------|
| <i>A</i> Implantation | <i>I</i> | Vagina |
| <i>B</i> Capacitation | <i>II</i> | Ovary |
| <i>C</i> Folliculogenesis | <i>III</i> | Uterus |
| <i>D</i> Fertilisation | <i>IV</i> | Fallopian tube |

A. *A – iv, b – I, C – iii, D – ii*

B. *A – iii, B – ii, C – iv, D – i*

C. $A - iii, B - I, C - ii, D - iv$

D. $A - iii, B - iv, C - ii, D - i$

Answer:



Watch Video Solution

283. Identify the parts labelled as A to F from the given diagram of human female reproductive system



A. A-Cervix,B-Vagina,C-Uterus, D-Urinary bladder, E-Clitoris, F-Vaginal orifice

B. A-Vagina,B-Cervix,C-Urinary bladder, D-Uterus, E-Vaginal orifice, F-Clitoris

C. A-Urethra, B-Vagina,C-Urinary bladder, D-Cervix,E-Uterus,F-Clitoris

D. A-Vaginal orifice,B-Cervix,C-Uterus,D-Urethra,E-Clitoris,F-Urinary bladder

Answer:



[Watch Video Solution](#)

284. Given below is an incomplete flowchart showing influence of hormones on gametogenesis in human females. Study it carefully and identify A, B, C and D



- A. FSH, LH, Ovary, Progesterone
- B. GnRH, FSH and LH, Ovary, Estrogen and progesterone
- C. GnRH, FSH, Testis, Testosterone
- D. LH, FSH, Testis, Testosterone

Answer:



[Watch Video Solution](#)

285. Given below is an incomplete flowchart showing influence of hormones on gametogenesis in males. Observe the flowchart carefully and identify A,B and C.



- A. Progesterone,Follicular,Spermatogenesis
- B. GnRH,Follicular,Spermiogenesis
- C. GnRH,Sertoli,Spermatogenesis
- D. Androgens,Sertoli,Spermatogenesis

Answer:



Watch Video Solution

286. At what stage of life is oogenesis initiated in a human female?

- A. At puberty
- B. During menarch

C. During menopause

D. During embryonic development

Answer:



Watch Video Solution

287. The given table shows differences between spermatogenesis and spermiogenesis. Select the incorrect option.

A.

	Spermatogenesis	Spermiogenesis
1.	Process of formation of spermatozoa	Process of differentiation of

B.

	Spermatogenesis	Spermiogenesis
2.	It changes a haploid structure into another haploid structure	It

C.

	Spermatogenesis	Spermiogenesis
3.	Growth and divisions occur	Divisions and growth are absent

D.

Spermatogenesis

Spermiogenesis

4. A spermatogonium forms four spermatozoa A spermatid forms

Answer:



[Watch Video Solution](#)

288. Read the following statements about menstrual cycle and select two correct statements.

- (i) Lack of menstruation may be indicative of pregnancy.
- (ii) The changes in the ovary and the uterus are induced by changes in the levels of ovarian hormones only.
- (iii) LH surge induces ovulation.
- (iv) If fertilization occurs, corpus luteum degenerates immediately

A. I and ii

B. ii and iii

C. I and iii

D. ii and iv

Answer:



[Watch Video Solution](#)

289. The following graph shows the levels of ovarian hormones during a menstrual cycle. What do 1 and 2 represent ?




- A. Progesterone, Estrogen
- B. FSH,LH
- C. LH,FSH
- D. Estrogen,Progesterone

Answer:



[Watch Video Solution](#)

Cycle begins here ↓



290.

The given figure shows schematic representation of a menstrual cycle in human female. Identify the three phases (A, B and C) of menstrual cycle.

- A. Proliferative phase, Menstrual phase, Secretory phase
- B. Menstrual phase, Proliferative phase, Secretory phase
- C. Secretory phase, Menstrual phase, Proliferative phase
- D. Menstrual phase, secretory phase, Proliferative phase

Answer:



[Watch Video Solution](#)

291. The accompanying diagram shows the changes that take place in the endometrium during a normal menstrual cycle. Identify the changes and select the correct option.



A. A,B

B. A,C

C. C,A

D. B,D

Answer:



[Watch Video Solution](#)

292. Identify the labelled parts A-D in the given figure of human foetus within the uterus.



- A. Umbilical,Placental cord,Yolk villi,Embryo sac
- B. Yold sac,Umbilical cord,Placental villi,Embryo
- C. Placental villi, Yolk sac, Embryo,Umbilical cord
- D. Placental villi , Embryo, Yolk sac , Umbilical cord

Answer:



Watch Video Solution

293. Match column I (terms) with column II (definitions) and select the correct option from the codes given below.

Column I

Column II

- | | | |
|------------------|-------|---|
| (A) Parturition | (i) | Attachment of embryo to endometrium |
| (B) Gestation | (ii) | Release of ovum from Graafian follicle |
| (C) Ovulation | (iii) | Delivery of baby from uterus |
| (D) Implantation | (iv) | Duration between pregnancy and birth |
| (E) Conception | (v) | Formation of zygote by fusion of the ovum and sperm
Stoppage of ovulation and menstruation |

A. $A - ii, B - iv, C - I, D - v, E - vi$

B. $A - iv, B - iii, C - I, D - v, E - ii$

C. $A - v, B - vi, C - ii, D - iii, E - iv$

D. $A - iii, B - iv, C - ii, D - I, E - v$

Answer:



[Watch Video Solution](#)

294. Match Column-I with column-II and select the correct option from the codes given below.

	Column-I		Column-II
A	Hypothalamus	i.	Sperm lysins
B	Acrosome	ii.	Estrogen
C	Graafian follicle	iii.	Relaxin
D	Leydig's cells	iv.	GnRH
E	Parturition	v.	Testosterone

A. $A - iv, B - i, C - ii, D - iii, E - v$

B. $A - ii, B - i, C - iv, D - iii, E - v$

C. $A - ii, B - i, C - v, D - iv, E - iii$

D. $A - iv, B - i, C - ii, D - v, E - iii$

Answer:



Watch Video Solution

295. Consider the following four statements and select the correct option stating which ones are true (T) and which ones are false (F).

- (i) The scrotum acts as a thermoregulator, maintaining the testes at a temperature 2° lower than that of the body
- (ii) Corona radiate layer of the ovum prevents polyspermy.

(iii) Middle part of ear is derived from the endoderms layer.

(iv) The hormone, human chorionic gonadotropin facilitates parturition by softening the connective tissue of the public symphysis.

A. T,T,F,F

B. F,T,F,T

C. T,F,T,F

D. F,F,T,T

Answer:



[Watch Video Solution](#)

Assertion Reasoning Question

1. Assertion: Scrotum provides optimum temperature conditions for spermatogenesis.

Reason : Dartos and cremaster muscles in scrotum contract and relax involuntarily in response to temperature.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)
- B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)
- C. If Assertion is true but Reason is false, then mark (3)
- D. If both Assertion and Reason are false, then marks (4)

Answer:



Watch Video Solution

2. Assertion : The process of reproduction does not suffer if one ovary is removed.

Reason : The other enlarges to take over the function of the missing ovary too.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)

B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)

C. If Assertion is true but Reason is false, then mark (3)

D. If both Assertion and Reason are false, then mark (4)

Answer:

 [Watch Video Solution](#)

3. Nothing lives for ever, yet life continues. What does it mean?

A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)

B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)

C. If Assertion is true but Reason is false, then mark (3)

D. If both Assertion and Reason are false, then marks (4)

Answer:



[Watch Video Solution](#)

4. Assertion : Placenta is connected to the fetus by an umbilical cord.

Reason : Fetal components of placenta are derived from endometrium.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)
- B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)
- C. If Assertion is true but Reason is false, then mark (3)
- D. If both Assertion and Reason are false, then marks (4)

Answer:



[Watch Video Solution](#)

5. Assertion: Placenta is contra-deciduate and even the fetal placenta is absorbed in mole.

Reason: Mole's egg contain abundant yolk in ooplasm

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)
- B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)
- C. If Assertion is true but Reason is false, then mark (3)
- D. If both Assertion and Reason are false, then marks (4)

Answer:



[Watch Video Solution](#)

6. Assertion: Polar bodies have small amount of cytoplasm.

Reason: It is formed by unequal mitotic division.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)
- B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)
- C. If Assertion is true but Reason is false, then mark (3)
- D. If both Assertion and Reason are false, then marks (4)

Answer:

 [Watch Video Solution](#)

7. Assertion: Ovulation takes place when the blood level of luteinizing hormone is high.

Reason: Leutinizing hormone is responsible for ovulation.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)

B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)

C. If Assertion is true but Reason is false, then mark (3)

D. If both Assertion and Reason are false, then mark (4)

Answer:

 [Watch Video Solution](#)

8. Assertion : Umbilical cord contain 100 % fetal blood.

Reason : It has single umbilical artery and single umbilical vein.

A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)

B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)

C. If Assertion is true but Reason is false, then mark (3)

D. If both Assertion and Reason are false, then marks (4)

Answer:



[Watch Video Solution](#)

9. Assertion: The activation of sperm is called capacitation

Reason: Capacitation takes about 5-6 h.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)
- B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)
- C. If Assertion is true but Reason is false, then mark (3)
- D. If both Assertion and Reason are false, then marks (4)

Answer:



[Watch Video Solution](#)

10. Assertion: Before fusion, spermatozoa have to penetrate egg membrane.

Reason: The activated spermatozoa undergo acrosomal reactions and release sperm lysin.

A. a.If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)

B. b.If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)

C. c.If Assertion is true but Reason is false, then mark (3)

D. d.If both Assertion and Reason are false, then marks (4)

Answer:



Watch Video Solution

11. Assertion : In post natal life , oocyte development occurs in mature follicle

Reason : After ovulation , Graafian follicle transforms in corpus luteum

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)
- B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)
- C. If Assertion is true but Reason is false, then mark (3)
- D. If both Assertion and Reason are false, then mark (4)

Answer:



[Watch Video Solution](#)

12. Assertion : Placenta is combined structure of foetal tissue & maternal tissue

Reason : Placenta formation is completed before 6 weeks of pregnancy .

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)
- B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)
- C. If Assertion is true but Reason is false, then mark (3)
- D. If both Assertion and Reason are false, then marks (4)

Answer:



[Watch Video Solution](#)

13. Assertion : Seminal vesicle is known as the accessory sex organ of males.

Reason : Seminal vesicle conserves sperm energy and provides fuel to sperm.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)
- B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)
- C. If Assertion is true but Reason is false, then mark (3)
- D. If both Assertion and Reason are false, then marks (4)

Answer:



[Watch Video Solution](#)

14. Assertion : Testes are retroperitoneal organ in man.

Reason : Peritoneal layer covers the testes on the dorsal side.

- A. a.If both Assertion and Reason are true and the reason is the correct explanation of the assertion

B. b.If both Assertion and Reason are true but the reason is not the correct explanation of the assertion

C. c.If Assertion is true but Reason is false

D. d.If both Assertion and Reason are false.

Answer:

 [Watch Video Solution](#)

15. Assertion: Cervix contains the largest and the most powerful sphincter muscle in the body.

Reason: Cervix opens into the vagina by external OS.

A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)

B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)

C. If Assertion is true but Reason is false, then mark (3)

D. If both Assertion and Reason are false, then marks (4)

Answer:



[Watch Video Solution](#)

16. Assertion : In ovarian cycle, corpus luteum is exocrine gland.

Reason : It secretes pheromones.

- A. If both Assertion and Reason are true and the reason is the correct explanation of the assertion, then mark (1)
- B. If both Assertion and Reason are true but the reason is not the correct explanation of the assertion, then mark (2)
- C. If Assertion is true but Reason is false, then mark (3)
- D. If both Assertion and Reason are false, then marks (4)

Answer:



[Watch Video Solution](#)

Choose The Correct Option

1. In the human female , menstruation can be deferred by the administration of :-

- A. FSH only
- B. LH only
- C. Combination of FSH and LH
- D. Combination of estrogen and progesterone

Answer:



[Watch Video Solution](#)

2. Which one of the following statements is incorrect about menstruation?

- A. At menopause in the female , there is especially abrupt increase in gonadotropic hormones
- B. The beginning of the cycle of menstruation is called menarche
- C. During normal menstruation about 40 ml blood is lost
- D. The menstrual fluid can easily clot

Answer:



Watch Video Solution

3. Which extraembryonic membrane in humans prevents desiccation of the embryo inside the uterus?

- A. Yolk sac
- B. Amnion
- C. Chorion
- D. Allantois

Answer:



[Watch Video Solution](#)

4. State True or False

(i) Chromosomal aberrations are commonly observed in cancer cells

(ii) Mutation is the only phenomenon that leads to variation in DNA.

A. spermatids

B. spermatogonia

C. primary spermatocytes

D. secondary spermatocytes

Answer:



[Watch Video Solution](#)

5. Fill in the blanks

- (i) _____ is the degree by which progeny differs from their parents .
- (ii) *Pisum sativum* produces a _____ number of offspring and completes its life cycle in _____ season .

- A. Fertilization
- B. Formation of zygote
- C. Pattern of cleavage
- D. Number of blastomeres produced

Answer:



[Watch Video Solution](#)

6. Which one of the following is the most likely root cause why menstruation is not taking place in regularly cycling human female ?

- A. Retention of well-developed corpus luteum

B. Fertilization of the ovum

C. Maintenance of the hypertrophical endometrial lining

D. Maintenance of high concentration of sexhormones in the blood stream

Answer:

 [Watch Video Solution](#)

7. The correct sequence of spermatogenetic stages leading to the formation of sperms in a mature human testis is

A. Spermatogonia-spermatid-spermatocytesperms

B. Spermatocyte-spermatogonia-spermatidsperms

C. Spermatogonia-spermatocyte-spermatidsperms

D. Spermatid-spermatocyte-spermatogoniasperms

Answer:

 [Watch Video Solution](#)

8. Foetal ejection reflex in human female is induced by


- A. Differentiation of mammary glands
- B. Pressure exerted by amniotic fluid
- C. Release of oxytocin from pituitary
- D. Fully developed fetus and placenta

Answer:

 [Watch Video Solution](#)

9. Given below is a diagrammatic sketch of a portion of human male reproductive system. Select the correct set of the names of the parts

labelled A,B,C,D:-



A. Ureter, Seminal vesicle, Prostate, Bulbourethral gland

B. Ureter, Prostate, Seminal vesicle, Bulbourethral gland

C. Vas deferens, Seminal vesicle, Prostate, Bulbourethral gland

D. Vas deferens, Seminal vesicle, Bulbourethral gland, Prostate

Answer:



[Watch Video Solution](#)

10. Seminal plasma in humans is rich in

- A. Fructose and certain enzymes but poor calcium
- B. Fructose and calcium but has no enzyme
- C. Fructose, calcium and certain enzymes
- D. Glucose and certain enzymes but has no Calcium

Answer:



[Watch Video Solution](#)

11. Which one of the following is the correct matching of the events occurring during menstrual cycle?

- A. Menstruation Breakdown of myometrium and ovum not fertilized
- B. Ovulation LH and FSH attain peak level and sharp fall in the secretion of progesterone

C. Proliferative phase Rapid regeneration of myometrium and maturation of Graafian follicle

D. Development of corpus Secretory phase and increased secretion of progesterone, luteum.

Answer:

 [Watch Video Solution](#)

12. The part of Fallopian tube closest to the ovary is

A. Isthmus

B. Infundibulum

C. Cervix

D. Ampulla

Answer:

 [Watch Video Solution](#)

13. Which one of the following statements about morula in humans is correct?

- A. It has almost equal quantity of cytoplasm as an uncleaved zygote but much more DNA
- B. It has far less cytoplasm as well as less DNA than in an uncleaved zygote
- C. It has more or less equal quantity of cytoplasm and DNA as in uncleaved zygote
- D. It has more cytoplasm and more DNA than an uncleaved zygote

Answer:



Watch Video Solution

14. Which one of the following statements about human sperm is correct?

- A. Acrosome has a conical pointed structure used for piercing and penetrating the egg, resulting in fertilisation
- B. The sperm lysins in the acrosome dissolve the egg envelope facilitating fertilisation
- C. Acrosome serves as a sensory structure leading the sperm towards the ovum
- D. Acrosome serves no particular function

Answer:



[Watch Video Solution](#)

15. The second maturation division of the mammalian ovum occurs

- A. Shortly after ovulation before the ovum has been penetrated by a sperm
- B. Until the nucleus of the sperm has fused with that of the ovum
- C. In the Graafian follicle following the first maturation division
- D.

Answer:



Watch Video Solution

16. The first movements of the foetus and appearance of hair on its head are usually observed during which month of pregnancy?

- A. Fourth month
- B. Fifth month
- C. Sixth month
- D. Third month

Answer:



[Watch Video Solution](#)

17. The permissible use of the technique aminocentesis is for

- A. detecting sex of the unborn foetus
- B. artificial insemination
- C. transfer of embryo into the uterus of a surrogate mother
- D. Detecting any genetic abnormality

Answer:



[Watch Video Solution](#)

18. Seminal plasma in human males is rich in –

- A. fructose and calcium

- B. glucose and calcium
- C. DNA and testosterone
- D. ribose and potassium

Answer:

 [Watch Video Solution](#)

19. Vasa efferentia are the ductules leading from

- A. Testicular lobules to rete testis
- B. Rete testis to vas deferens
- C. Vas deferens to epididymis
- D. Epididymis to urethra

Answer:

 [Watch Video Solution](#)

20. Sertoli cells are found in:-

- A. ovaries and secrete progesterone
- B. adrenal cortex and secrete adrenalin
- C. seminiferous tubules and provide nutrition to germ cells
- D. pancreas and secrete cholecystokinin

Answer:



[Watch Video Solution](#)

21. In vitro fertilization is a technique that involves the transfer of which one of the following into the fallopian tube ?

- A. Embryo only, upto 8 cell stage
- B. Either zygote or early embryo upto 8 cell stage
- C. Zygote only
- D.

Answer:



Watch Video Solution

22. If for some reason, the vasa efferentia in the human reproductive system get blocked, the gametes will not be transported from

- A. Testes to epididymis
- B. Epididymis to vas deferens
- C. Ovary to uterus
- D. Vagina to uterus

Answer:



Watch Video Solution

23. The testes in humans are situated outside the abdominal cavity inside a pouch called scrotum. The purpose served is for

- A. Maintaining the scrotal temperature lower than the internal body temperature
- B. Escaping any possible compression by the visceral organs
- C. Providing more space for the growth of epididymis
- D. Providing a secondary sexual feature for exhibiting the male sex.


Answer:



Watch Video Solution

24. The figure given below depicts a diagrammatic sectional view of the female reproduction system of humans. Which one set of three parts out

of I-VI have been correctly identified?



- A. (II) endometrium , (III) infundibulum, (IV) fimbriae
- B. (III) infundibulum, (IV) fimbriae , (V) cervix
- C. (IV) oviducal funnel , (V) uterus, (VI) cervix
- D. (I) perimetrium, (II) myometrium, (III) fallopian tube

Answer:



Watch Video Solution

25. Signals for parturition originate from

- A. Oxytocin released from maternal pituitary
- B. Placenta only
- C. Fully developed fetus only
- D. Both placenta as well as fully developed fetus

Answer:



[Watch Video Solution](#)

26. In a normal pregnant woman, the amount of total gonadotropin activity was assessed.

The result expected was

- A. High levels of FSH and LH in uterus to stimulate endometrial thickening

B. High level of circulating HCG to stimulate estrogen and progesterone synthesis

C. High level of circulating FSH and LH in the uterus to stimulate implantation of the embryo

D. High level of circulating HCG to stimulate endometrial thickening

Answer:



Watch Video Solution

27. which one of the following statements is false in respect of viability of mammalian sperm ?

A. Viability of sperm is determined by its motility

B. Sperms must be concentrated in a thick suspension

C. Sperm is viable for only upto 24 hours

D. Survival of sperm depends on the pH of the medium and is more active in alkaline medium

Answer:



[Watch Video Solution](#)

28. Menstrual flow occurs due to lack of

A. FSH

B. Oxytocin

C. Vasopressin

D. Progesterone

Answer:



[Watch Video Solution](#)

29. What is the correct sequence of sperm formation?

- A. Spermatogonia, spermatocyte, spermatozoa, spermatid
- B. Spermatogonia, spermatozoa, spermatocyte, spermatid
- C. Spermatogonia, spermatocyte, spermatid, spermatozoa
- D. Spermatid, spermatocyte, spermatogonia, spermatozoa

Answer:



[Watch Video Solution](#)

30. Which one of the following is not the function of placenta? It

- A. Secretes estrogen
- B. Facilitates removal of carbon dioxide and waste material from embryo
- C. Secretes oxytocin during parturition

D. Facilitates supply of oxygen and nutrients to embryo

Answer:



Watch Video Solution

31. Select the correct option describing gonadotropin activity in a normal pregnant female

- A. High level of FSH and LH stimulates the thickening of endometrium
- B. High level of LSH and LH facilitate implantation of the embryo
- C. High level of HCG stimulates the synthesise of estrogen and progesterone
- D. High level of hCG stimulates the thickening of endometrium

Answer:



Watch Video Solution

32. The main function of mammalian corpus luteum is to produce

- A. estrogen only
- B. progesterone
- C. human chorionic gonadotropin
- D. relaxin only

Answer:



[Watch Video Solution](#)

33. The shared terminal duct of the reproductive and urinary system in the human male is

- A. Urethra
- B. Ureter, Prostate, Seminal vesicle, Bulbourethral gland
- C. Vas deferens
- D. Vasa efferentia

Answer:



[Watch Video Solution](#)

34. Which of the following cells during gametogenesis is normally diploid?

- A. Secondary polar body
- B. Primary polar body
- C. Spermatid
- D. Spermatogonia

Answer:



[Watch Video Solution](#)

35. Capacitation refers to changes in the

- A. sperm after fertilization
- B. sperm before fertilization
- C. ovum before fertilization
- D. ovum after fertilization

Answer:

 [Watch Video Solution](#)

36. Which of these is not an important component of initiation of parturition in humans?

- A. Release of prolactin
- B. Increase in estrogen and progesterone ratio
- C. Synthesis of prostaglandins
- D. Release of oxytocin

Answer:

 [Watch Video Solution](#)

37. Ectopic pregnancies are referred to as

- A. Pregnancies terminated due to hormonal imbalance
- B. Pregnancies with genetic abnormality.
- C. Implantation of embryo at site other than uterus.
- D. Implantation of defective embryo in the uterus

Answer:

 [Watch Video Solution](#)

38. Which of the following events is not associated with ovulation in human female?

- A. LH surge
- B. Decrease in estradiol

C. Full development of Graafian follicle

D. Release of secondary oocyte

Answer:



Watch Video Solution

39. In human females, meiosis-II is not completed until

A. birth

B. puberty

C. fertilization

D. uterine implantation

Answer: C



Watch Video Solution

40. Which of the following layers in an antral follicle is acellular?

- A. Zona pellucida
- B. Granulosa cells
- C. Theca interna
- D. Stroma

Answer:



Watch Video Solution

41. Fertilisation in humans is practically feasible only if

- i. The ovum and sperm are transported simultaneously to ampullary-isthmic junction of the cervix.
- ii. The sperm are transported into cervix within 48 hours of release of ovum in uterus.
- iii. The sperm are transported into vagina just after the release of ovum in fallopian tube.

iv. The ovum and sperm are transported simultaneously to ampullary-isthmic junction of the fallopian tube.

- A. the sperms are transported into vagina just after the release of ovum in fallopian tube
- B. the ovum and sperms are transported simultaneously to ampullary-isthmic junction of the fallopian tube
- C. the ovum and sperms are transported simultaneously to ampullary-isthmic junction of the cervix
- D. the sperms are transported into cervix within 48 hrs of release of ovum in uterus

Answer:



[Watch Video Solution](#)

42. Select the incorrect statement :

- A. FSH stimulates the sertoli cells which help in spermiogenesis
- B. LH triggers ovulation in ovary
- C. LH and FSH decrease gradually during the follicular phase
- D. LH triggers secretion of androgens from the Leydig cells

Answer:

 [Watch Video Solution](#)

43. Changes in GnRH pulse frequency in females is controlled by circulating levels of

- A. estrogen and progesterone
- B. estrogen and inhibin
- C. progesterone only
- D. progesterone and inhibin

Answer:

 [Watch Video Solution](#)

44. Identify the correct statement on 'inhibin'

- A. Inhibits the secretion of LH, FSH and Prolactin.
- B. Is produced by granulose cells in ovary and inhibits
- C. Is produced by granulose cells in ovary and inhibits the secretion of LH
- D. Is produced by nurse cells in testes and inhibits the secretion of LH.

Answer:

 [Watch Video Solution](#)

45. Which of the following depicts the correct pathway of transport of sperms?

- A. Rete testis → Vas deferens → Efferent ductules → Epididymis

B. Efferent ductules → Rete testis → Vas deferens → Epididymis

C. Rete testis → Efferent ductules → Epididymis → Vas deferens

D. Rete testis → Epididymis → Efferent ductules → Vas deferens

Answer:



Watch Video Solution

46. Match Column-I with Column-II and select the correct option using the codes given below :

Column I

Column II

a. Mons pubis

i. Embryo formation

a Antrum

ii. Sperm

c Trophoderm

iii. Female external genitalia

d Nebenkern

iv. Graffian follicle

Codes :

A. iii,i,iv,ii

B. i,iv,iii,ii

C. iii,iv,ii,i

D. iii,iv,i,ii

Answer:



[Watch Video Solution](#)

47. Several hormones like hCG, hPL, estrogen, progesterone are produced by

A. Fallopian tube

B. Pituitary

C. Ovary

D. Placental villi , Embryo, Yolk sac , Umbilical cord

Answer:



[Watch Video Solution](#)

48. In majority of angiosperms

- A. reduction division occurs in the megaspore mother cells
- B. a small central cell is present in the embryo sac
- C. egg has a filiform apparatus
- D. there are numerous antipodal cells

Answer:



Watch Video Solution

49. Pollination in water hyacinth and water lily is brought about by the agency of:

- A. birds
- B. bats
- C. water
- D. insects or wind

Answer:



[Watch Video Solution](#)

50. The ovule of an angiosperm is technically equivalent to

- A. megaspore mother cell
- B. megaspore
- C. megasporangium
- D. megasporophyll

Answer:



[Watch Video Solution](#)