



MATHS

BOOKS - ARIHANT PUBLICATION

CHSE ODISHA EXAMINATION PAPER 2020

Group A Answer All Questions

1. A is a square matrix of order 3. write the value n, $|2A| = n|A|$.



[Watch Video Solution](#)

2. A discrete random variable X has the probability distribution as given below:

X	0.5	1	1.5	2
$P(X)$	k	k^2	$2k^2$	k

Then, find the value of k .

 [Watch Video Solution](#)

3. Write the differentiate coefficient of $\tan^{-1}\left(\frac{\sin x + \cos x}{\cos x - \sin x}\right)$ with respect to x .

 [Watch Video Solution](#)

4. If $f(x) = \sin x + 2$ in the interval $[(-\pi)/2, (\pi)/2]$, what can you say about the greatest value of $f(x)$?

 [Watch Video Solution](#)

5. If $\int_{-\frac{1}{2}}^{\frac{1}{2}} \cos x \ln \frac{1+x}{1-x} dx = k \ln^2$ then write the value of k .



Watch Video Solution

6. Write the differential equation of all non-horizontal lines in a plane.



Watch Video Solution

7. If \vec{a} and \vec{b} are unit vectors and $\vec{a} - \vec{b}$ is also a unit vector, then write the measure of the angle between \vec{a} and \vec{b} .



Watch Video Solution

8. Write the axis to which the plane $by+cz+d=0$ is parallel.



Watch Video Solution

9. Write down all the partitions of the set $\{a,b,c\}$.



Watch Video Solution

10. Write the domain of the function defined by $f(x) = \sin^{-1} x + \cos x$

 [Watch Video Solution](#)

Group B Answer Any Three Questions

1. A man plans to start a poultry farm by investing at most ₹ 3000. He can buy old hens for ₹80 each and young ones for ₹ 140 each, but he cannot house more than 30 hens. Old hens lay 4 eggs per week, each egg being sold at ₹5. It costs ₹ 5 to feed an old hen and ₹8 to feed a young hen per week. Formulate his problem determining the number of hens of each type he should buy so as to earn a profit of more than ₹ 300 per week.

 [Watch Video Solution](#)

2. Test whether the relation : $R = \{(m, n) : 2 \mid (m + n)\}$ on \mathbb{Z} is reflexive, symmetric or transitive.



Watch Video Solution

3. Prove that for any $f: X \rightarrow Y$, $f \circ id_x = f = id_Y \circ f$.



Watch Video Solution

4. Solve equation $3 \tan^{-1} \frac{1}{(2 + \sqrt{3})} - \tan^{-1} \frac{1}{x} = \tan^{-1} \frac{1}{3}$



Watch Video Solution

5. Prove that $\tan \left\{ \frac{\pi}{4} + \frac{1}{2} \cos^{-1} \frac{a}{b} \right\} + \tan \left\{ \frac{\pi}{4} - \frac{1}{2} \cos^{-1} \left(\frac{a}{b} \right) \right\} = \frac{2b}{a}$.



Watch Video Solution

6. Four cards are drawn successively with replacement from a well shuffled pack of 52 cards. Find the probability distribution of the number of aces. Calculate the mean and variance of the number of aces.



[Watch Video Solution](#)

7. Find the inverse of the matrix $\begin{bmatrix} 4 & -2 \\ 3 & 1 \end{bmatrix}$



[Watch Video Solution](#)

8. There are two families A and B. There are 4 men, 6 women and 2 children in family A and 2 men, 2 women and 4 children in family B. The recommended daily amount of calories is 2400 for men, 1900 for women and 1800 for children, and 45 g of proteins for men, 55 g for women and 33 g for children. Represent the above information by matrices. Using matrices multiplication, calculate the total requirement of calories and proteins for each of the 2 families.



[Watch Video Solution](#)

9. Eliminate x, y, z from

$$a = x/y - z, \quad b = y/z - x, \quad c = z/x - y$$

 [Watch Video Solution](#)

10. There are 25 girls and 15 boys in class XI and 30 boys and 20 girls in class XII. If a student chosen from a class, selected at random, happens to be a boy, find the probability that he has been chosen from class XII.

 [Watch Video Solution](#)

11. Show that the tangent to the curve

$$x = a(t - \sin t), \quad y = at(1 + \cos t) \text{ at}$$

$$t = \frac{\pi}{2} \text{ has slope } (1 - \pi/2)$$

 [Watch Video Solution](#)

12. Examine the continuity of the following function at $x = 0$:

$$f(x) = \begin{cases} 2x + 1 & \text{if } x \leq 0 \\ x & \text{if } 0 < x \leq 1 \\ 2x - 1 & \text{if } x \geq 1 \end{cases}$$



[Watch Video Solution](#)

13. If $\sin(x + y) = y \cos(x + y)$ then prove that

$$\frac{dy}{dx} = -\frac{1 + y^2}{y^2}$$



[Watch Video Solution](#)

14. What is the derivative of $\sec^{-1}\left(\frac{1}{2x^2 - 1}\right)$, with respect to $(\sqrt{1 - x^2})$?



[Watch Video Solution](#)

15. Find the approximate value of $\sqrt{48.96}$



 [Watch Video Solution](#)

16. Solve : $In\left(\frac{dy}{dx}\right) = 3x + 4y$ given that $y=0$, when $x=0$.

 [Watch Video Solution](#)

17. Evaluate the following integrals $\int \frac{3 \sin x + 28 \cos x}{5 \sin x + 6 \cos x} dx$

 [Watch Video Solution](#)

18. Evaluate the following integrals :

$$\int_0^{\pi/2} \log \left| \frac{4 + 3 \sin x}{4 + 3 \cos x} \right| dx.$$

 [Watch Video Solution](#)

19. The area between $x = y^2$ and $x = 4$ is divided into two equal parts by the line $x = a$. Find the value of a.



Watch Video Solution

20. Solve: $x \frac{dy}{dx} + y = y^2 \ln x$



Watch Video Solution

21. Prove that the measure of the angle between two main diagonals of a cube is $\cos^{-1} \frac{1}{3}$.



Watch Video Solution

22. Prove that the four points with position vectors $2\vec{a} + 3\vec{b} - \vec{c}$, $\vec{a} - 2\vec{b} + 3\vec{c}$, $3\vec{a} + 4\vec{b} - 2\vec{c}$ and $\vec{a} - 6\vec{b} + 6\vec{c}$ are coplanar.



Watch Video Solution

23. If $\vec{a} = 3\hat{i} + \hat{j} - 2\hat{k}$, $\vec{b} = 2\hat{i} - 3\hat{j} + 4\hat{k}$ then verify that $\vec{a} \times \vec{b}$ is perpendicular to both \vec{a} and \vec{b} .

 [Watch Video Solution](#)

24. Passing through the point $(2, -3, 1)$ and $(-1, 1, -7)$ and perpendicular to the plane $x - 2y + 5z + 1 = 0$.

 [Watch Video Solution](#)

25. Find the perpendicular distance of the point $(-1, 3, 9)$ from the line

$$\frac{x - 13}{5} = \frac{y + 8}{-8} = \frac{z - 31}{1}$$

 [Watch Video Solution](#)

Group C Answer Any One Questions

1. Find the solution of the following differential equations:

$$(4x+6y+5)dx-(2x+3y+4)dy=0$$

 [Watch Video Solution](#)

2. Find the area of the smaller region bounded by the ellipse

$$\frac{x^2}{9} + \frac{y^2}{4} = 1 \text{ and the line } \frac{x}{3} + \frac{y}{2} = 1.$$

 [Watch Video Solution](#)

3. Evaluate :
$$\int \frac{x^5 + x^4 + x^3 + x^2 + 4x + 1}{x^2 + 1} dx$$

 [Watch Video Solution](#)

4. Show that \vec{a} , \vec{b} and \vec{c} are coplanar

if $\vec{a} + \vec{b}$, $\vec{b} + \vec{c}$ and $\vec{c} + \vec{a}$ are coplanar.

 [Watch Video Solution](#)

5. Find the shortest distance between the lines

$$\frac{x-1}{2} = \frac{y-2}{3} = \frac{z-3}{4} \text{ and } \frac{x-2}{3} = \frac{y-3}{4} = \frac{z-5}{5}$$



[Watch Video Solution](#)

6.

If

$$\sin^{-1}x + \sin^{-1}y + \sin^{-1}z = \pi \text{ prove that } x^4 + y^4 + z^4 + 4x^2y^2z^2 = 2(x^2y^2 + y^2z^2 + z^2x^2)$$



[Watch Video Solution](#)

7. The probability of a shooter hitting a target is $\frac{3}{4}$. Find the minimum number of times he must fire, so that the probability of hitting the target atleast once is greater than 0.999.



[Watch Video Solution](#)

8. Prove the following:

$$\begin{bmatrix} (b+c)^2 & a^2 & bc \\ (c+a)^2 & b^2 & ca \\ (a+b)^2 & c^2 & ab \end{bmatrix}$$
$$=(a^2 + b^2 + c^2)(a + b + c)(b - c)(c - a)(a - b)$$

 [Watch Video Solution](#)

9. If A,B,C are matrices of order 2×2 each and $2A + B + C = \begin{bmatrix} 1 & 2 \\ 3 & 0 \end{bmatrix}$

$$A + B + C = \begin{bmatrix} 0 & 1 \\ 2 & 1 \end{bmatrix}$$

$$A + B - C = \begin{bmatrix} 1 & 2 \\ 1 & 0 \end{bmatrix} \text{ find A,B and C.}$$

 [Watch Video Solution](#)

10. If $y = x^{\sin^{-1}x} + x^3 \left(\frac{\sqrt{x^2 + 4}}{\sqrt{x^3 + 3}} \right)$ then find $\frac{dy}{dx}$.

 [Watch Video Solution](#)

11. Show that the semivertical angle of a cone of given slant height is $\tan^{-1} \sqrt{2}$ when its volume is maximum.



[Watch Video Solution](#)