



MATHS

BOOKS - ARIHANT PUBLICATION

JHARKHAND

VOLUME AND SURFACE AREA

Solved Examples

1. The number of 6 m cubes can be cut from a cuboid measuring $36\text{ m} \times 15\text{ m} \times 8\text{ m}$ is

equal to

A. 10

B. 15

C. 20

D. 25

Answer: C



Watch Video Solution

2. The volume of a cylinder is $448 \pi \text{cm}^3$ and height 7 cm. Then, Its lateral surface area and total surface area is

A. 352cm^2 , 754.286cm^2

B. 252cm^2 , 755.286cm^2

C. 259cm^2 , 457.206cm^2

D. None of the above

Answer: A



Watch Video Solution

3. The radius and vertical height of a cone are 5 cm and 12 cm, respectively. Then, its lateral surface area

A. 204.3cm^2

B. 205.4cm^2

C. 200.3cm^2

D. None of these

Answer: A



Watch Video Solution

4. The number of balls each of radius 2 cm can be made by melting a big ball whose radius is 8 cm is equal to

A. 60

B. 64

C. 70

D. 74

Answer: B



Watch Video Solution

5. The height of a right prism is 10 cm. Its base is a triangle with sides measuring 10 cm, 17 cm and 9 cm. Then, the volume of the prism is

A. 360 cm^3

B. 260 cm^3

C. 450 cm^3

D. 300 cm^3

Answer: A



Watch Video Solution

1. The surface area of a cube is 486 sq cm. Find its volume.

A. $729m^3$

B. $781 m^3$

C. $625 m^3$

D. $879 m^3$

Answer: A



Watch Video Solution

2. The volume of a rectangular box whose area of three adjacent faces are 50 cm^2 , 30 cm^2 and 20 cm^2 is

A. 600 cm^3

B. 1500 cm^3

C. 173 cm^3

D. 371 cm^3

Answer: C



Watch Video Solution

3. If the surface area of a cuboid is 3328 m^2 .

Its dimensions are in the ratio $4 : 3 : 2$, then
the volume of the cuboid is

A. 12288 m^3

B. 11288 m^3

C. 12882 m^3

D. 18388 m^3

Answer: A



Watch Video Solution

4. If the volume of a cuboid is 440 cm^3 , the area of its base is 88 cm^2 , then its height is

A. 5 cm

B. 10 cm

C. 11 cm

D. 6 cm

Answer: A



Watch Video Solution

5. If the sum of the length, breadth and depth of a cuboid is 20 cm and its diagonal is $4\sqrt{5}$ cm, then its surface area is

A. 400 cm^2

B. 420 cm^2

C. 300 cm^2

D. 320 cm^2

Answer: D



Watch Video Solution

6. A metal cube of edge 12 cm, is melted and casted into three small cubes. If the edges of two small cubes be 6 cm and 8 cm, then the edge of the third small cube is

A. 9 cm

B. 25 cm

C. 20 cm

D. 10 cm

Answer: D



Watch Video Solution

7. If each edge of a cube is doubled, then its volume: (a) is doubled (b) becomes 4 times (c) becomes 6 times (d) becomes 8 times

A. becomes 4 times

B. becomes 8 times

C. is doubled

D. becomes 6 times

Answer: B



Watch Video Solution

8. A solid cube of side 12 cm is cut into eight cubes of equal volume. What will be the side of the new cube?

A. 6 cm

B. 7 cm

C. 9 cm

D. 5 cm

Answer: A



Watch Video Solution

9. The breadth of a room is twice its height and half its length and its volume is 1000 m^3
Its dimensions are

A. $20 \text{ m} \times 10 \text{ m} \times 5 \text{ m}$

B. $10 \text{ m} \times 10 \text{ m} \times 1 \text{ m}$

C. $40 \text{ m} \times 5 \text{ m} \times 5 \text{ m}$

D. None of these

Answer: A



Watch Video Solution

10. Three equal cubes are placed adjacently in a row. Find the ratio of total surface area of the new cuboid to that of the sum of the surface areas of the three cubes.

A. 3:1

B. 6:5

C. 7:9

D. 6 : 7

Answer: C



Watch Video Solution

11. The total surface area of a right circular cylinder whose height is 15 cm and the radius of the base is 7 cm, is

A. 968 cm^2

B. 2310 cm^2

C. 488 cm^2

D. 1860 cm^2

Answer: A



Watch Video Solution

12. The pillars of a temple are cylindrically shaped. If each pillar has a circular base of radius 20cm and height 10m. How much concrete mixture would be required to build 14 such pillars?

A. 17.6 m^3

B. 17.9 m^3

C. 15.6 m^3

D. 15.5 m^3

Answer: A



Watch Video Solution

13. A metal pipe is 77 cm long. If the inner diameter of a cross section is 4 cm and the

outer diameter being 4.4 cm. Then, its outer curved surface area is

A. 1164.8 cm^2

B. 1440.8 cm^2

C. 123.8 cm^2

D. 1064.8 cm^2

Answer: D



Watch Video Solution

14. If the curved surface area of a cylinder is 1320 cm^2 and its base has diameter 21 cm, then the height of the cylinder is

A. 10 cm

B. 20 cm

C. 22 cm

D. 25 cm

Answer: B



Watch Video Solution

15. If a right circular cylinder tunnel of diameter 2 m and length 40 m is to be instructed from a sheet of iron. Then, the area of iron sheet required (in m^2) is

- (a) 40π
- (b) 60π
- (c) 80π
- (d) 100π

A. 40π

B. 60π

C. 80π

D. 100π

Answer: C



Watch Video Solution

16. A conical tent of a diameter 24 m at the base and its height 16 m. The canvas required to make it is

A. $\frac{5280}{7} m^2$

B. $\frac{5180}{7} m^2$

C. $\frac{4180}{7}m^2$

D. $\frac{3480}{7}m^2$

Answer: A



Watch Video Solution

17. A right angled \triangle ABC with sides 5 cm, 12 cm and 13 cm is revolved about the side 12 cm.

The volume of the solid so obtained is

A. $200 \pi cm^3$

B. $211 \pi cm^3$

C. $100 \pi cm^3$

D. $101 \pi cm^3$

Answer: C



Watch Video Solution

18. The radius and height of a right circular cone are in the ratio of 5 : 12 and its volume is $2512 cm^3$. The slant height of the cone is

A. 24 cm

B. 25 cm

C. 26 cm

D. 27 cm

Answer: C



Watch Video Solution

19. If the height of a cone is doubled then its volume is increased by

A. 1

B. 2

C. 3

D. 4

Answer: A



Watch Video Solution

20. If the height and the radius of a cone are doubled, the volume of the cone becomes

A. 2 times

B. 4 times

C. 6 times

D. 8 times

Answer: D



Watch Video Solution

21. If the ratio of volumes of two spheres is 1 : 8, then the ratio of their surface areas is

A. 1 : 2

B. 1 : 4

C. 1 : 6

D. 1 : 8

Answer: B



Watch Video Solution

22. A spherical ball of lead 3cm in diameter is melted and recast into three spherical balls. If

the diameters of two balls be $\frac{3}{2}cm$ and $2cm$,
find the diameter of the third ball.

A. 3.5 cm

B. 2.5 cm

C. 2.59 cm

D. 3.59 cm

Answer: B



Watch Video Solution

23. A copper sphere of radius 3 cm is beaten and drawn into a wire of diameter 0.2 cm. The length of the wire is

- (a) 9 m
- (b) 18 m
- (c) 27 m
- (d) 36 m

A. 9 m

B. 18 m

C. 27 m

D. 36 m

Answer: D



Watch Video Solution

24. The dimensions of a cinema hall are 100m, 50m and 18m. How many persons can sit in the hall, if each person requires $150m^3$ of air?

A. 500

B. 350

C. 600

D. 150

Answer: C



Watch Video Solution

25. A class room is 7 m long, 6.5 m wide and 4 m high. It has one door 3 m x 1.5 m and three windows, each measuring 2 m x 1 m. The interior walls are to be colour washed. The

contractor charges Rs 5.25 per sq. m. Find the cost of colour washing.

A. Rs 97.8

B. Rs 513.45

C. Rs 5 .25

D. None of these

Answer: B



Watch Video Solution

26. How many bricks each measuring $25\text{ cm} \times 15\text{ cm} \times 8\text{ cm}$ will be required to build a wall $10\text{ m} \times \frac{4}{10}\text{ m} \times 5\text{ m}$ when $\frac{1}{10}$ of its volume is occupied by mortar?

A. 600

B. 6000

C. 3200

D. None of these

Answer: B



Watch Video Solution

27. One cubic metre piece of copper is melted and recast into a square cross-section bar, 36 m long. An exact cube is cut off from this bar. If cubic metre of copper cost Rs. 108, then the cost of this cube is :

A. Rs 0.50

B. Rs 0.17

C. Rs 0.004

D. None of these

Answer: A



Watch Video Solution

28. Two cylinder cans have bases of the same size. The diameter of each is 14cm. One of the canes is 10cm high and the other is 20cm high. Find the ratio of their volumes.

A. 1 : 2

B. 1 : 3

C. 2 : 1

D. None of these

Answer: A



Watch Video Solution

29. A solid cylinder has the total surface area 231 sq. cm. If its curved surface area is $\frac{2}{3}$ of the total surface area, then the volume of the cylinder is:

A. $269 m^3$

B. $269\frac{1}{2}m^3$

C. $539 m^3$

D. None of these

Answer: B



Watch Video Solution

30. The volume of a metallic cylindrical pipe is $784cm^3$. Its length is 14 cm and its external radius is 9 cm. Find its thickness

A. 1 cm

B. 2 cm

C. 81 cm

D. 17 cm

Answer: A



Watch Video Solution

31. Given a solid cylinder of radius 10 cm and length 1000 cm a cylinder hole is made into it to obtain a cylindrical shell of uniform

thickness and having a volume equal to one-fourth of original volume. The thickness of the cylindrical shell is:

a. $\sqrt{5} - 2$ cm

b. $5\sqrt{5}$ cm

c. $4(\sqrt{5} - 2)$ cm

d. $5(2 - \sqrt{3})$ cm

A. $(\sqrt{5} - 2)$ cm

B. $5\sqrt{5}$ cm

C. $4(\sqrt{5} - 2)$ cm

D. $5(\sqrt{5} - 2)$ cm

Answer: D



Watch Video Solution

32. The radius of base and slant height of a cone are in the ratio 4 : 7. If its curved surface area is 792 cm^2 , then the radius (in cm) of its base is [Use $\pi = 22/7$]

A. 3 cm

B. 4 cm

C. 12 cm

D. 5 cm

Answer: C



Watch Video Solution

33. How many metres of cloth 5m wide will be required to make a conical tent, the radius of whose base is 7m and whose height is 24m?

$$\left(Take \pi = \frac{22}{7} \right)$$

A. 11 m

B. 50 m

C. 550 m

D. None of these

Answer: A



Watch Video Solution

34. A sector containing an angle of 90° is cut from a circle of radius 42 cm and folded into a cone. Then, the curved surface area of cone is

A. 138 cm^2

B. 1386 cm^2

C. 32 cm^2

D. 42 cm^2

Answer: B



Watch Video Solution

35. If the area of the base of a cone is 770 cm^2 and the area of the curved surface is 814 cm^2 , then its volume (in cm^3) is :

A. 616 cm^3

B. $616\sqrt{5} \text{ cm}^3$

C. $616\sqrt{5} \text{ m}^3$

D. None of these

Answer: B



Watch Video Solution

36. A hollow sphere of internal and external diameters 4cm and 8cm respectively is melted

into a cone of base diameter 8cm. What is the height of the cone

A. 16 cm

B. 14 cm

C. 32 cm

D. None of these

Answer: B



Watch Video Solution

37. A solid metallic cylinder of base 3 cm and height 5 cm is melted to make n solid cones of height 1 mm and base radius 1 mm. Then, is the value of n is

A. 1350

B. 135000

C. 45

D. None of these

Answer: B



Watch Video Solution

38. A solid consists of a circular cylinder with an exact fitting right circular cone placed at the top. The height of the cone is h . If the total volume of the solid is 3 times the volume of the cone, then the height of the circular cylinder is $2h$ (b) $\frac{2h}{3}$ (c) $\frac{3h}{2}$ (d) $4h$

A. $\frac{2}{3}h$

B. $\frac{1}{3}h$

C. $\frac{1}{2}h$

D. None of these

Answer: A



Watch Video Solution

39. The radius of the internal and external surface of a hollow spherical shell are 3cm and 5cm respectively. If it is melted and recast into a solid cylinder of height $2\frac{2}{3}cm$. Find the diameter of the cylinder.

A. 12 cm

B. 7 cm

C. 14 cm

D. None of these

Answer: C



Watch Video Solution

40. The height of a right prism is 15 cm. Its base is a triangle with sides measuring 10 cm, 17 cm and 9 cm. The volume of the prism is

A. 360 cm^3

B. 540 cm^3

C. 540 m^3

D. None of these

Answer: B



Watch Video Solution

41. The base of a prism is a right angled triangle, the length of whose hypotenuse is 10 cm. If the lateral surface area of the prism be

384 cm^2 and its height be 16 cm. The other two sides of its base is

A. 8 cm, 6 cm

B. 12 cm, 14 cm

C. 12 cm, 12 cm

D. None of the above

Answer: A



Watch Video Solution

42. A vessel in the form of a hemisphere surrounded by a cylinder (open at the other end) of same radius is full of liquid of whose volume is $432 \pi \text{ cm}^3$. If water is filled into a level which is 1 cm below the top of vessel the volume of the water is $396 \pi \text{ cm}^3$ The radius of the circular end is

A. 16 cm

B. 36 cm

C. 6 cm

D. 396 cm

Answer: C



Watch Video Solution