



## MATHS

### BOOKS - JMD MATHS (PUNJABI ENGLISH)

#### Probability

#### Example

1. The length of the perpendicular drawn from the origin to

$$2x - 3y + 6z + 21 = 0$$

A. 21

B. 5

C. 3

D. 7

**Answer: C**



Watch Video Solution

2. Find the distance of plane  $3x + 4z + 15 = 0$  from  $(5, 0, 0)$

A. 6

B. 5

C. 7

D. 3

Answer: D



Watch Video Solution

3. The intercept cut off by plane  $2x + 3y - z = 6$  on y-axis

A. 3

B. 6

C.  $-3$

D. 2

**Answer: D**



[Watch Video Solution](#)

4. Find d.r. of the line  $\frac{4-x}{2} = \frac{y}{6} = \frac{1-z}{3}$

A.  $\leftarrow 2, 6, -3 \rightarrow$

B.  $\langle 2, 6, -3 \rangle$

C.  $\langle 2, 6, 3 \rangle$

D.  $\langle 2, -6, -3 \rangle$

**Answer: A**



[Watch Video Solution](#)

5. If  $P = (1, 5, 4)$  and  $Q = (4, 1, -2)$  then find the d.r. of  $PQ$ .

A.  $\langle 3, 4, 6 \rangle$

B.  $\langle 3, -4, -6 \rangle$

C.  $\langle -3, -4, -6 \rangle$

D.  $\langle 3, 4, -6 \rangle$

**Answer: B**

 [Watch Video Solution](#)

6. Direction cosines of the line parallel to line  $\frac{x-5}{2} = \frac{y+3}{-3} = \frac{z-5}{6}$

A.  $\langle 2, -3, 6 \rangle$

B.  $\langle 5, -3, 5 \rangle$

C.  $\langle \frac{2}{7}, \frac{-3}{7}, \frac{6}{7} \rangle$

D.  $\langle -5, 3, -5 \rangle$

**Answer: C**

 [Watch Video Solution](#)

7. Find distance of  $(-2, 3, 4)$  from x-axis is

A.  $-2$

B.  $5$

C.  $2$

D.  $3$

**Answer: B**



[Watch Video Solution](#)

8. Find the d.r. of the normal to the plane  $4x + 3y - z + 6 = 0$  and

A.  $\langle -4, -3, 1 \rangle$

B.  $\langle 4, -3, -1 \rangle$

C.  $\langle 4, -3, -1 \rangle$

D.  $\langle 4, 3, -1 \rangle$

**Answer: D**



[Watch Video Solution](#)

9. The distance between the planes,  $3x + 2y - 6z - 14 = 0$  and  $3x + 2y - 6z + 21 = 0$  is,

A. 35

B. 5

C. 7

D. 0

**Answer: B**



[Watch Video Solution](#)

10. The point which lies in the plane given by the equation  $5x + y - z = 7$  is

A.  $(0, -7, 0)$

B.  $(-7, 0, 0)$

C.  $(0, 0, -7)$

D.  $(0, 0, 0)$

**Answer: C**



[Watch Video Solution](#)

11. If  $\cos \alpha, \cos \beta, \cos \gamma$  are the direction-cosines of a line, then the value of  $\sin^2 \alpha + \sin^2 \beta + \sin^2 \gamma =$



[Watch Video Solution](#)

12. Fill in the blanks :

The direction cosines of the line joining points (1, 0, 0) and (0, 1, 1) are .....

.



Watch Video Solution

13. Fill in the blanks :

The direction ratios of the line  $\frac{2x - 1}{3} = \frac{4 - y}{1} = \frac{3z + 6}{6}$  are .....



Watch Video Solution

14. Fill in the blanks :

The equation of the line passing through (1, 2, 3) and parallel to

$3\hat{i} - \hat{j} + 2\hat{k}$  is .....



Watch Video Solution



15. Fill in the blanks :

The x-intercept of the plane  $2x - 3y + 5z + 4 = 0$  is .....

 [Watch Video Solution](#)

16. State whether it is true or false: If a line makes angles  $\alpha$ ,  $\beta$ ,  $\gamma$  which are positive direction angles then  $\cos 2\alpha + \cos 2\beta + \cos 2\gamma = 1$ .

 [Watch Video Solution](#)

17. State True/False.

the x-intercept of  $3x - 4y + 6z = 12$  is 3.

 [Watch Video Solution](#)

18. State True/False.

the length of perpendicular from origin to plane  $4x + 3y + z = 13$  is  $\sqrt{13}$  units.

 [Watch Video Solution](#)

19. Find the length of the perpendicular drawn from the point  $(2, 3, 7)$  to the plane  $3x - y - z = 7$ . Also find the coordinates of the foot of the perpendicular.

 [Watch Video Solution](#)

20. Show that the lines

$\vec{r} = 3\hat{i} + 2\hat{j} - 4\hat{k} + \lambda(\hat{i} + 2\hat{j} + 2\hat{k})$  and  $\vec{r} = 5\hat{i} - 2\hat{j} + \mu(3\hat{i} + 2\hat{j} + 6\hat{k})$

are intersecting. Also, find the point of intersection.

 [Watch Video Solution](#)

21. Find the equation of the plane passing through the points  $(-1, 2, 0)$ ,  $(2, 2, -1)$  and parallel to the line  $\frac{x - 1}{1} = \frac{2y + 1}{2} = \frac{z + 1}{-1}$ .



Watch Video Solution

22. Find the equation of the line passing through the point  $P(4, 6, 2)$  and the point of intersection of the line  $\frac{x - 1}{3} = \frac{y}{2} = \frac{z + 1}{7}$  and the plane  $x + y - z = 8$ .



Watch Video Solution

23. Find the shortest distance between the lines whose equations are :

$$\vec{r} = \hat{i} + 2\hat{j} + \hat{k} + \lambda(\hat{i} - \hat{j} + \hat{k}) \quad \text{and}$$

$$\vec{r} = 2\hat{i} - \hat{j} - \hat{k} + \mu(2\hat{i} + \hat{j} + 2\hat{k}).$$



Watch Video Solution

24. Find the distance of the point  $(-1, -5, -10)$  from the point of intersection of the line  $\vec{r} = 2\hat{i} - \hat{j} + 2\hat{k} + \lambda(3\hat{i} + 4\hat{j} + 2\hat{k})$  and the plane  $\vec{r} \cdot (\hat{i} - \hat{j} + \hat{k}) = 5$ .

 [Watch Video Solution](#)

25. Find the coordinates of the foot of perpendicular drawn from the point  $A(1, 8, 4)$  to the line joining the points  $B(0, -1, 3)$  and  $C(2, -3, -1)$ . Hence find the image of the point  $A$  in the line  $BC$ .

 [Watch Video Solution](#)

26. Find the equation of the plane passing through the point  $(1, -1, 2)$  and perpendicular to the planes  $2x + 3y - 2z = 5$  and  $x + 2y - 3z = 8$ .

 [Watch Video Solution](#)

27. A variable plane which is at a constant distance  $3p$  from the origin meets the axes in points A, B and C respectively. Show that the locus of the centroid of  $\triangle ABC$  is  $\frac{1}{x^2} + \frac{1}{y^2} + \frac{1}{z^2} = \frac{1}{p^2}$

 [Watch Video Solution](#)

28. Find the equation of the plane passing through the points (3,4,1) and (0,1,0) and parallel to the line  $\frac{x+3}{2} = \frac{y-3}{7} = \frac{z-2}{5}$ .

 [Watch Video Solution](#)

29. Find the equation of the plane determined by the points A(3, -1, 2), B(5, 2, 4) and C(-1, -1, 6). Also find the distance of the point P(6, 5, 9) from the plane.

 [Watch Video Solution](#)

30. Find the equation of the plane passing through the point  $(-1, 3, 2)$  and perpendicular to each of the planes  $x + 2y + 3z = 5$  and  $3x + 3y + z = 0$ .

 [Watch Video Solution](#)

31. Find the coordinates of the foot of the perpendicular and the perpendicular distance of the point  $P(3, 2, 1)$  from the plane  $2x - y + z + 1 = 0$ . Find also, the image of the point in the plane.

 [Watch Video Solution](#)

32. Find the vector equation of the line passing through  $(1, 2, 3)$  and parallel to the planes  $\vec{r} \cdot (\hat{i} - \hat{j} + 2\hat{k}) = 5$  and  $\vec{r} \cdot (3\hat{i} + \hat{j} + \hat{k}) = 6$ .

 [Watch Video Solution](#)

**33.** Choose the correct answer :

If E and F are events such that  $P(E) = 0.6$ ,  $P(F) = 0.3$ ,  $P(E \cap F) = 0.2$  then

$P(E/F)$  is :

A.  $1/3$

B.  $1/2$

C.  $3/4$

D.  $2/3$

**Answer:**



[Watch Video Solution](#)

**34.** Choose the correct answer :

If  $2P(A) = P(B) = 5/13$ ,  $P(A/B) = 2/5$ , then  $P(A \cap B)$  is :

A.  $11/26$

B.  $11/13$

C.  $2/13$

D.  $2/15$

**Answer:**



[Watch Video Solution](#)

**35.** Choose the correct answer :

If  $P(A) = 0.8$ ,  $P(B) = 0.5$   $P(B/A) = 0.4$ , find  $P(A \cap B)$

A. 0.32

B. 0.13

C. 0.032

D. 0.2

**Answer:**



[Watch Video Solution](#)



**36.** Choose the correct answer :

If A and B are independent sets such that  $P(A) = 0.3$ ,  $P(B) = 0.6$  then find

$P(A \cap B)$

A. 0.018

B. 0.009

C. 0.9

D. 0.18

**Answer:**



[Watch Video Solution](#)

**37.** Fill in the Blanks :

A and B are two events such that  $P(A) = 1/2$ ,  $P(B) = 1/3$ ,  $P(A \cap B) = 1/4$ , then

$P(A/B) = ..$



[Watch Video Solution](#)

**38. Fill in the Blanks :**

If  $E_1$  and  $E_2$  are independent events, then  $P(E_1 \cap E_2) = ..$



[Watch Video Solution](#)

**39. Fill in the Blanks :**

If  $P(A) = 6/11$ ,  $P(B) = 5/11$ ,  $P(A \cup B) = 7/11$ , then  $P(A \cap B) = ..$



[Watch Video Solution](#)

**40. State True/False**

If A and B are independent events then  $P(A \cap B) = P(A).P(B/A)$



[Watch Video Solution](#)

**41. State True/False**

If A and B are mutually exclusive events then  $P(A \cap B) = P(A) + P(B)$



[Watch Video Solution](#)

 Watch Video Solution

**42.** State True/False

$P(A) = 0.6$ ,  $P(B) = 0.7$  and  $P(A/B) = 0.3$ , then  $P(A \cap B)$  is 0.21



Watch Video Solution

**43.** TWO cards are drawn simultaneously from a well shuffled pack of 52 cards. Find the mean and standard deviation of the number of kings.



Watch Video Solution

**44.** A man is known to speak truth 3 out of 4 times. He throws a die and reports that it is a 6. Find the probability that it is actually 6.



Watch Video Solution

**45.** In a bolt factory, three machines A, B and C manufacture 25, 35 and 40 per cent of the total bolts manufactured. Of their output, 5, 4, and 2 per cent are defective respectively. A bolt is drawn at random and is found to be defective. Find the probability that it was manufactured by either machine B.



[Watch Video Solution](#)

**46.** In a class having 60% boys, 5% of the boys and 10% of the girls have an I.Q. of more than 150. A student is selected at random and found to have an I.Q. of more than 150. Find the probability that the selected student is a boy.



[Watch Video Solution](#)

**47.** An insurance company insured 3000 scooter drivers, 5000 car drivers and 7000 truck drivers. The probabilities of their meeting with an

accident respectively are 0.04, 0.05 and 0.15. One of the insured persons meets with an accident. Find the probability that he is a car driver.

 [Watch Video Solution](#)

**48.** A candidate has to reach the examination centre in time. Probability of him going by bus or scooter by other means of transport are  $\frac{3}{10}$ ,  $\frac{1}{10}$ ,  $\frac{3}{5}$  respectively. The probability that he will be late is  $\frac{1}{4}$  and  $\frac{1}{3}$  respectively, if he travels by bus or scooter. But he reaches in time if he uses any other mode of transport. He reached late at the centre. Find the probability that he travelled by bus

 [Watch Video Solution](#)

**49.** Three bags contain balls as shown in the table below :

Bag	Number of White balls	Number of Black balls	Number of Red balls
I	1	2	3
II	2	1	1
III	4	3	2

A bag is chosen at random and two balls are drawn from it. They happen to be white and red. What is the probability that they came from the III bag ?

 [Watch Video Solution](#)

50. A letter is known to have come from either TATANAGAR or CALCUTTA. On the envelope just two consecutive letters TA are visible. What is the probability that the letter has come from (i) Tatanagar (ii) Calcutta.

 [Watch Video Solution](#)

51. There are three coins, one is a two-headed coin (having head on both the faces), another is a biased coin that comes up heads 75% of the time and the third is an unbiased coin. One of the three coins is chosen at random and tossed. If it shows head, what is the probability that it was the two-headed coin?

 [Watch Video Solution](#)

**52.** Find the probability distribution of the number of white balls drawn in a random draw of 3 balls without replacement from a bag containing 4 white and 6 red balls. Also find the mean and variance of the distribution.



[Watch Video Solution](#)

**53.** Two cards are drawn (without replacement) from a well shuffled deck of 52 cards. Find the probability distribution and mean of number of cards numbered.



[Watch Video Solution](#)

**54.** From a lot of 30 bulbs which includes 6 defectives, a sample of 4 bulbs is drawn at random with replacement. Find the mean and variance of the number of defective bulbs



[Watch Video Solution](#)

55. Three persons A, B and C apply for a job of Manager in a Private Company. Chances of their selection (A, B and C) are in the ratio 1 : 2 : 4. The probabilities that A, B and C can introduce changes to improve profits of the company are 0.8, 0.5 and 0.3 respectively. If the change does not take place, find the probability that it is due to the appointment of C.



[Watch Video Solution](#)

56. An unbiased coin is tossed 4 times. Find the mean and variance of the number of heads obtained.



[Watch Video Solution](#)

57. Of the students in a college, it is known that 60% reside in hostel and 40% are day-scholars (not residing in hostel). Previous year results report that 30% of all students who reside in hostel attain A grade and 20% of day-scholars attain A grade in their annual examination. At the end of the



year, one student is chosen at random from the college and he has an A grade. What is the probability that the student is a hostlier ?

 [Watch Video Solution](#)

**58.** Suppose a girl throws a die. If she gets a 5 or 6, she tosses a coin three times and notes the number of heads. If she gets 1, 2, 3 or 4, she tosses a coin once and notes whether a head or tail is obtained. If she obtained exactly one head, what is the probability that she threw 1, 2, 3 or 4 with the die ?

 [Watch Video Solution](#)