

India's Number 1 Education App

# **PHYSICS**

# **BOOKS - PSEB**

# **MOVING CHARGES AND MAGNETISM**



1. A circular coil of wire consisting of 100 turns,

each of radius 8.0 cm carries a current of 0.40

A. What is the magnitude of the magnetic field

B at the centre of the coil?



2. A long straight wire carries a current of 35 A.

What is the magnitude of the field B at a point

20 cm from the wire?



**3.** A long straight wire in the horizontal plane carries a current of 50 A in north to south direction. Give the magnitude and direction of

B at a point 2.5 m east of the wire.



**4.** A horizontal overhead power line carries a current of 90 A in east to west direction. What is the magnitude and direction of the

magnetic field due to the current 1.5 m below

the line?



5. What is the magnitude of magnetic force per unit length on a wire carrying a current of 8 A and making an angle of  $30^{\circ}$  with the direction of a uniform magnetic field of 0.15 T?

**6.** A 3.0 cm wire carrying a current of 10 A is placed inside a solenoid perpendicular to its axis. The magnetic field inside the solenoid is given to be 0.27 T. What is the magnetic force on the wire?

**Watch Video Solution** 

**7.** Two long and parallel straight wires A and B carrying currents of 8.0 A and 5.0 A in the same direction are separated by a distance of

4.0 cm. Estimate the force on a 10 cm section

of wire A.



**8.** A closely wound solenoid 80 cm long has 5 layers of windings of 400 turns each. The diameter of the solenoid is 1.8 cm. If the current carried is 8.0 A. estimate the magnitude of B inside the solenoid near its centre.

**9.** A square coil of side 10 cm consists of 20 turns and carries a current of 12 A. The coil is suspended vertically and the normal to the plane of the coil makes an angle of  $30^{\circ}$  with the direction of a uniform horizontal magnetic field of magnitude 0.80 T. What is the magnitude of torque experienced by the coil?

10. Two moving coil meters,  $M_1$  and  $M_2$  have the following particulars:  $R_1 = 10\Omega$ , N\_1 = 30.  $A_1 = 3.6 \times 10^{-3}m^2$ ,  $B_1 = 0.25 \text{ T} R_2 = 14\Omega$ ,  $N_2 =$ 42,  $A_2 = 1.8Xx10^{-3}m^2$ ,  $B_2=0.50T$  (The spring constants are identical for the two meters). Determine the ratio of current sensitivity



**11.** Two moving coil meters,  $M_1$  and  $M_2$  have the following particulars:  $R_1$  =  $10\Omega$  , N\_1 = 30.

 $A_1$ = 3.6 × 10<sup>-3</sup> $m^2$ ,  $B_1$  = 0.25 T  $R_2$  = 14 $\Omega$ ,  $N_2$  = 42,  $A_2$  = 1.8Xx10<sup>-3</sup> $m^2$ , $B_2$ =0.50T (The spring constants are identical for the two meters). Determine the ratio of voltage sensitivity of  $M_2$  and  $M_1$ .

Watch Video Solution

12. In a chamber, a uniform magnetic field of 6.5 G  $(1G = 10^{-4}T)$  is maintained. An electron is shot into the field with a speed of  $4.8 imes 10^6 m s^{-1}$  normal to the field. Explain why the path of the electron is a circle. Determine the radius of the circular orbit. $\left(e=1.5 imes10^{-19}C.\ m_e=9.1x10^{-31}kg
ight)$ 

## Watch Video Solution

**13.** In a chamber, a uniform magnetic field of 6.5 G (1 G = 10–4 T) is maintained. An electron is shot into the field with a speed of  $4.8 \times 106$  m s–1 normal to the field. (e =  $1.6 \times 10-19$  C, me=  $9.1 \times 10-31$  kg). Obtain the frequency of revolution of the electron in its circular orbit.

Does the answer depend on the speed of the

electron? Explain



**14.** A circular coil of 30 turns and radius 8.0 cm carrying a current of 6.0 A is suspended vertically in a uniform horizontal magnetic field of magnitude 1.0 T. The field lines make an angle of  $60^{\circ}$  with the normal of the coil. Calculate the magnitude of the counter

torque that must be applied to prevent the

coil from turning.



**15.** A circular coil of 30 turns and radius 8.0 cm carrying a current of 6.0 A is suspended vertically in a uniform horizontal magnetic field of magnitude 1.0 T. The field lines make an angle of  $60^{\circ}$  with the normal of the coil. Calculate the magnitude of the counter torque that must be applied to prevent the

coil from turning. Would your answer change, if the circular coil in (a) were replaced by a planar coil of some irregular shape that encloses the same area? (All other particulars are also unaltered.)

Watch Video Solution

**16.** Two concentric circular coils X and Y of radii 16 cm and 10 cm, respectively, lie in the same vertical plane containing the north to south direction. Coil X has 20 turns and carries a current of 16 A, coil Y has 25 turns and carries a current of 18 A. The sense of the current in X is anticlockwise, and clockwise in Y, for an observer looking at the coils facing west. Give the magnitude and direction of the net magnetic field due to the coils at their centre.

**Watch Video Solution** 

17. A magnetic field of 100 G  $\left(1G=10^{-4}T
ight)$  is required which is uniform in a region of linear dimension about 10 cm and area of crosssection about  $10^{-3}m^2$ . The maximum currentcarrying capacity of a given coil of wire is 15 A and the number of turns per unit length that can be wound round a core is at most 1000 turns  $m^{-1}$  . Suggest some appropriate design particulars of a solenoid for the required purpose. Assume the core is not ferromagnetic.

**18.** For a circular coil of radius R and N turns carrying current I, the magnitude of the magnetic field at a point on its axis at a distance x from its centre is given by,  $B = \frac{\mu_0 I R^2 N}{2(x^2 + R^2)^{\frac{3}{2}}}.$  Show that this reduces to the familiar result for field at the centre of the

coil.



19. For a circular coil of radius R and N turns carrying current I, the magnitude of the magnetic field at a point on its axis at a distance x from its centre is given by,  $B = rac{\mu_0 I R^2 N}{2(x^2 + R^2)^{rac{3}{2}}}$ . Consider two parallel coaxial circular coils of equal radius R, and number of turns N, carrying equal currents in the same direction, and separated by a distance R. Show that the field on the axis around the mid-point between the coils is uniform over a distance that is small as



# Watch Video Solution

**20.** A toroid has a core (non-ferromagnetic) of inner radius 25 cm and outer radius 26 cm, around which 3500 turns of a wire are wound. If the current in the wire is 11 A, what is the magnetic field outside the toroid.



**21.** A toroid has a core (non-ferromagnetic) of inner radius 25 cm and outer radius 26 cm, around which 3500 turns of a wire are wound. If the current in the wire is 11 A, what is the magnetic field inside the core of the toroid.

Watch Video Solution

**22.** A toroid has a core (non-ferromagnetic) of inner radius 25 cm and outer radius 26 cm, around which 3500 turns of a wire are wound. If the current in the wire is 11 A, what is the

magnetic field in the empty space surrounded

by the toroid.



**23.** Answer the following questions: A magnetic field that varies in magnitude from point to point but has a constant direction (east to west) is set up in a chamber. A charged particle enters the chamber and travels undeflected along a straight path with

constant speed. What can you say about the

initial velocity of the particle?



**24.** Answer the following questions: A charged particle enters an environment of a strong and non-uniform magnetic field varying from point to point both in magnitude and direction, and comes out of it following a complicated trajectory. Would its final speed

equal the initial speed if it suffered no

collisions with the environment?



**25.** Answer the following questions:An electron travelling west to east enters a chamber having a uniform electrostatic field in north to south direction. Specify the direction in which a uniform magnetic field should be set up to prevent the electron from deflecting from its straight line path.



**26.** An electron emitted by a heated cathode and accelerated through a potential difference of 2.0 kV, enters a region with uniform magnetic field of 0.15 T. Determine the trajectory of the electron if the field is transverse to its initial velocity.

27. An electron emitted by a heated cathode and accelerated through a potential difference of 2.0 kV, enters a region with uniform magnetic field of 0.15 T. Determine the trajectory of the electron if the field makes an angle of  $30^{\circ}$  with the initial velocity.

Watch Video Solution

**28.** A magnetic field set up using Helmholtz coils is uniform in a small region and has a

magnitude of 0.75 T. In the same region, a uniform electrostatic field is maintained in a direction normal to the common axis of the coils. A narrow beam of (single species) charged particles all accelerated through 15 kV enters this region in a direction perpendicular to both the axis of the coils and the electrostatic field. If the beam remains undeflected when the electrostatic field is  $9.0 imes 10^5 Vm^{-1}$  make a simple guess as to what the beam contains. Why is the answer not unique?

**29.** A straight horizontal conducting rod of length 0.45 m and mass 60 g is suspended by two vertical wires at its ends. A current of 5.0 A is set up in the rod through the wires. What magnetic field should be set up normal to the conductor in order that the tension in the wires is zero?

**30.** A straight horizontal conducting rod of length 0.45 m and mass 60 g is suspended by two vertical wires at its ends. A current of 5.0 A is set up in the rod through the wires. What will be the total tension in the wires if the direction of current is reversed keeping the magnetic field same as before? (Ignore the mass of the wires.)  $g = 9.8 m s^{-2}$ .

**31.** The wires which connect the battery of an automobile to its starting motor carry a current of 300 A (for a short time). What is the force per unit length between the wires if they are 70 cm long and 1.5 cm apart? Is the force attractive or repulsive?

Watch Video Solution

**32.** A uniform magnetic field of 1.5 T exists in a cylindrical region of radius10.0 cm, its

direction parallel to the axis along east to west. A wire carrying current of 7.0 A in the north to south direction passes through this region. What is the magnitude and direction of the force on the wire if, the wire intersects the axis.

**33.** A uniform magnetic field of 1.5 T exists in a cylindrical region of radius10.0 cm, its direction parallel to the axis along east to

west. A wire carrying current of 7.0 A in the north to south direction passes through this region. What is the magnitude and direction of the force on the wire if, the wire is turned from N-S to northeast-northwest direction,

Watch Video Solution

**34.** A uniform magnetic field of 1.5 T exists in a cylindrical region of radius10.0 cm, its direction parallel to the axis along east to west. A wire carrying current of 7.0 A in the

north to south direction passes through this region. What is the magnitude and direction of the force on the wire if, the wire in the N-S direction is lowered from the axis by a distance of 6.0 cm?

Watch Video Solution

**35.** A uniform magnetic field of 3000 G is established along the positive z-direction. A rectangular loop of sides 10 cm and 5 cm carries a current of 12 A. What is the torque on

the loop shown in Fig. 4.28? What is the force?

Is case corresponds to stable equilibrium? :



**36.** A uniform magnetic field of 3000 G is established along the positive z-direction. A

rectangular loop of sides 10 cm and 5 cm carries a current of 12 A. What is the torque on the loop shown in Fig. 4.28? What is the force ? is case corresponds to stable equilibrium? :



**37.** A uniform magnetic field of 3000 G is established along the positive z-direction. A rectangular loop of sides 10 cm and 5 cm carries a current of 12 A. What is the torque on the loop shown in Fig. 4.28? What is the force ? is case corresponds to stable equilibrium? :





**38.** A uniform magnetic field of 3000 G is established along the positive z-direction. A rectangular loop of sides 10 cm and 5 cm carries a current of 12 A. What is the torque on the loop shown in Fig.? What is the force ? is case corresponds to stable equilibrium? :



established along the positive z-direction. A

rectangular loop of sides 10 cm and 5 cm carries a current of 12 A. What is the torque on the loop shown in fig.? What is the force ? is case corresponds to stable equilibrium? :



**40.** A uniform magnetic field of 3000 G is established along the positive z-direction. A rectangular loop of sides 10 cm and 5 cm carries a current of 12 A. What is the torque on the loop shown in Fig. 4.28? What is the force

### ?is case corresponds to stable equilibrium? :



41. A circular coil of 20 turns and radius 10 cm

is placed in a uniform magnetic field of 0.10 T

normal to the plane of the coil. If the current in the coil is 5.0 A, what is the total torque on the coil, (The coil is made of copper wire of cross-sectional area  $10^{-5}m^2$ , and the free electron density in copper is given to be about  $10^{29}m^{-3}$ .)



**42.** A circular coil of 20 turns and radius 10 cm is placed in a uniform magnetic field of 0.10 T normal to the plane of the coil. If the current

in the coil is 5.0 A, what is the total force on the coil, (The coil is made of copper wire of cross-sectional area  $10^{-5}m^2$ , and the free electron density in copper is given to be about  $10^{29}m^{-3}$ .)

Watch Video Solution

**43.** A circular coil of 20 turns and radius 10 cm is placed in a uniform magnetic field of 0.10 T normal to the plane of the coil. If the current in the coil is 5.0 A, what is the average force on each electron in the coil due to the magnetic field? (The coil is made of copper wire of cross-sectional area  $10^{-5}m^2$ , and the free electron density in copper is given to be about  $10^{29}m^{-3}$ .)

Watch Video Solution

**44.** A solenoid 60 cm long and of radius 4.0 cm has 3 layers of windings of 300 turns each. A 2.0 cm long wire of mass 2.5 g lies inside the solenoid (near its centre) normal to its axis,

both the wire and the axis of the solenoid are in the horizontal plane. The wire is connected through two leads parallel to the axis of the solenoid to an external battery which supplies a current of 6.0 A in the wire. What value of current (with appropriate sense of circulation) in the windings of the solenoid can support the weight of the wire?  $g = 9.8 m s^{-2}$ .

**45.** A galvanometer coil has a resistance of  $12\Omega$  and the metre shows full scale deflection for a current of 3 mA. How will you convert the metre into a voltmeter of range 0 to 18 V?

**Watch Video Solution** 

**46.** A galvanometer coil has a resistance of  $15\Omega$  and the metre shows full scale deflection for a current of 4mA. How will you convert the metre into an ammeter of range 0 to 6 A?



