



## MATHS

### BOOKS - RD SHARMA MATHS (ENGLISH)

#### PROBABILITY

##### Others

1. Find the probability that in a random arrangement of the letters of the word UNIVERSITY the two I's do not come together.

 [Watch Video Solution](#)

2. In a hand at Whist, what is the probability that four kings are held by a specified player?

 [Watch Video Solution](#)

3. A bag contains 8 red, 3 white and 9 blue balls. If three balls are drawn at random, determine the probability that the ball is red.



[Watch Video Solution](#)

4. How many different words can be formed with the letters of the word CLIFTON.



[Watch Video Solution](#)

5. A card is drawn from a full pack of cards. Find the probability that it will be king.



[Watch Video Solution](#)

6. Five cards are drawn from a pack of 52 cards. What is the chance that these 5 will contain: (i) just one ace (ii) at least one ace?

 [Watch Video Solution](#)

7. A and B throw a pair of dice. If A throws 9, find B's chance of throwing a higher number.

 [Watch Video Solution](#)

8. A class consists of 10 boys and 8 girls. Three students are selected at random. What is the probability that the selected group has (i) all boys? (ii) all girls? (iii) at least one girl?

 [Watch Video Solution](#)

9. A box contains 6 red marbles numbered 1 through 6 and 4 white marbles numbered from 12 through 15. Find the probability that a marble drawn is (i) white (ii) white and odd numbered (iii) even numbered (iv) red or even numbered.

 [Watch Video Solution](#)

10. 20 cards are numbered from 1 to 20. One card is drawn at random. What is the probability that the number on the cards is: (i) a multiple of 4 ? (ii) not a multiple of 4?

 [Watch Video Solution](#)

11. A card is drawn at random from a pack of 52 cards. Find the probability that the card drawn is a black king.

 [Watch Video Solution](#)

12. A bag contains 7 white, 5 black and 4 red balls, find the probability that the balls is white.

 [Watch Video Solution](#)

13. If  $n$  persons are seated on a round table, what is the probability that two named individuals will be neighbours?

 [Watch Video Solution](#)

14. There are 4 letters and 4 addressed envelopes. Find the probability that all the letters are not dispatched in right envelopes.

 [Watch Video Solution](#)

15. Each coefficient in the equation  $ax^2 + bx + c = 0$  is determined by throwing an ordinary six faced die. Find the probability that the

equation will have real roots.



Watch Video Solution

16. Prove that

$$a^3 + b^3 + c^3 - 3abc = \frac{1}{2}(a + b + c) \left\{ (a - b)^2 + (b - c)^2 + (c - a)^2 \right\}$$



Watch Video Solution

17. Three squares of Chess board are selected at random. Find the probability of getting 2 squares of one colour and other of a different colour.

A.  $\frac{13}{21}$

B.  $\frac{14}{21}$

C.  $\frac{8}{21}$

D.  $\frac{16}{21}$

**Answer: D**



[Watch Video Solution](#)

**18.** In a simultaneous throw of a pair of dice, find the probability of getting: i) 8 as the sum ii) A doublet iii) A doublet of prime numbers iv) A doublet of odd numbers v) A sum greater than 9 vi) An even number on first vii) An even number on one and a multiple of 3 on the other



[Watch Video Solution](#)

**19.** In a single throw of three dice, find the probability of getting a total of 17 or 18.



[Watch Video Solution](#)

**20.** A bag contains 8 red and 5 white balls. Three balls are drawn at random. Find the probability that: (i) All the three balls are white. (ii) All

the three balls are red. (iii) One ball is red and two balls are white.



[Watch Video Solution](#)

**21.** If a person visits his dentist, suppose the probability that he will have his teeth cleaned is 0.48, the probability that he will have cavity filled is 0.25, probability that he will have a tooth extracted is 0.20, the probability that he will have teeth cleaned and cavity filled is 0.09, the probability that he will have his teeth cleaned and a tooth extracted is 0.12, the probability that he will have as cavity filled and tooth extracted is 0.07, and the probability that he will have his teeth cleaned, cavity filled, and tooth extracted is 0.03. What is the probability that a person visiting his dentist will have at least one of these things done to him?



[Watch Video Solution](#)

**22.** A die has two faces each with number 1, three faces each with number 2 and one face with number 3. If the die rolled once, determine



(i)  $P(1)$  (ii)  $P(1 \text{ or } 3)$  (iii)  $P(\text{not } 3)$



[Watch Video Solution](#)

**23.** One of the four persons John, Rita, Aslam or Gurpreet will be promoted next month. Consequently the sample space  $S$  consists of four elementary outcomes as given below.  $S = \{\text{John promoted, Rita promoted, Aslam promoted, Gurpreet promoted}\}$  You are told that the chances of John's promotion is same as that of Gurpreet. Rita's chances of promotion are twice as likely as John's. Aslam's chances are four times that of John. Determine  $P(\text{John promoted})$ ,  $P(\text{Rita promoted})$ ,  $P(\text{Aslam promoted})$ ,  $P(\text{Gurpreet promoted})$ . If  $A = \{\text{John promoted or Gurpreet promoted}\}$ , find  $P(A)$



[Watch Video Solution](#)

**24.** In a town of 6000 people 1200 are over 50 years old and 2000 are female. It is known that 30% of the females are over 50 years. What is

the probability that a random chosen individual from the town either female or over 50 year?

 [Watch Video Solution](#)

**25.** An urn contains twenty white slips of paper numbered from 1 through 20, ten red slips of paper numbered from 1 through 10, forty yellow slips of paper numbered from 1 through 40 and ten blue slips of paper numbered from 1 through 10. If these 80 slips of paper are thoroughly shuffled so that each slip has the same probability of being drawn. find the probabilities of drawing a slip of paper that is (i) blue or white (ii) number 1, 2, 3 4, or 5 (iii) red or yellow and numbered 1, 2,3 or 4. (iv) numbered 5, 15, 25, or 35. (v) white and numbered higher than 12 or yellow and numbered higher than 26.

 [Watch Video Solution](#)

**26.** An integer is chosen at random from the numbers ranging from 1 to 50. What is the probability that the integer chosen is a multiple of 2 or 3 or 10?



[Watch Video Solution](#)

**27.** A basket contains 20 apples and 10 oranges out of which 5 apple and 3 orange are defective. If a person takes out 2 at random. What is the probability that either both are apples or both are good?



[Watch Video Solution](#)

**28.** One cards are drawn from a pack of 52 cards. What is the probability that the card is red of kings?



[Watch Video Solution](#)

29. If  $A$  and  $B$  are any two events such that  $P(A \cup B) = \frac{1}{2}$  and  $P(A) = \frac{2}{3}$ , find  $P(A \cap B)$ .

 [Watch Video Solution](#)

30. Let  $A, B, C$  be three events such that  $P(A) = 0.3$ ,  $P(B) = 0.4$ ,  $P(C) = 0.8$ ,  $P(A \cap B) = 0.08$ ,  $P(A \cap C) = 0.28$ ,  $P(A \cap B \cap C) = 0.09$ . If  $P(A \cup B \cup C) \geq 0.75$ , then show that  $0.23 \leq P(B \cap C) \leq 0.48$ .

 [Watch Video Solution](#)

31.  $A$  and  $B$  are two non-mutually exclusive events. If  $P(A) = \frac{1}{4}$ ,  $P(B) = \frac{2}{5}$  and  $P(A \cup B) = \frac{1}{2}$ , find the value of  $P(A \cap B)$ .

 [Watch Video Solution](#)

32. If  $E$  and  $F$  are events such that  $P(E) = \frac{1}{4}$ ,  $P(F) = \frac{1}{2}$  and  $P(E \text{ and } F) = \frac{1}{8}$ , find  $P(E \text{ or } F)$

 [Watch Video Solution](#)

33. Give  $P(A) = \frac{3}{5}$  and  $P(B) = \frac{1}{5}$ . Find  $P(A \text{ or } B)$ , if  $A$  and  $B$  are mutually exclusive events.

 [Watch Video Solution](#)

34.  $A$  and  $B$  are two mutually exclusive events of an experiment. If  $P(A) = 0.35$ ,  $P(A \cup B) = 0.65$  and  $P(B) = p$ , find the value of  $p$ .

 [Watch Video Solution](#)

35. Give  $P(A) = \frac{3}{4}$  and  $P(B) = \frac{1}{4}$ . Find  $P(A \text{ or } B)$ , if  $A$  and  $B$  are mutually exclusive events.



[Watch Video Solution](#)

**36.** One number is chosen from numbers 1 to 200. Find the probability that it is divisible by 4 or 6?

[Watch Video Solution](#)

**37.** A, B, C are three mutually exclusive and exhaustive events associated with a random experiment. Find  $P(A)$ , it being given that  $P(B) = \frac{3}{2}P(A)$  and  $P(C) = \frac{1}{2}P(B)$ .

[Watch Video Solution](#)

**38.** Four candidates A, B, C, D have applied for the assignment to coach a school cricket team. If A is twice as likely to be selected as B, and B and C are given about the same chance of being selected, while C is twice as likely to be selected as D, what are the probability that (i) C will be selected ? (ii) A will not be selected?



[Watch Video Solution](#)

**39.** A card is drawn from a deck of 52 cards. Find the probability of getting a Jack.



[Watch Video Solution](#)

**40.** Four cards are drawn at a time from a pack of 52 playing cards. Find the probability of getting all the four cards of the same suit.



[Watch Video Solution](#)

**41.** An urn contains 9 red, 7 white and 4 black balls. If two balls are drawn at random, find the probability that: (i) both the balls are red, (ii) one ball is white (iii) the balls are of the same colour (iv) one is white and other red.



[Watch Video Solution](#)

42. One card is drawn from a pack of 52 cards, each of the 52 cards being equally likely to be drawn. Find the probability that the card drawn is: an ace(ii) red card (iii) either red or king (iv) red and a king.



[Watch Video Solution](#)

43. Suppose each child born is equally likely to be a boy or a girl. Consider the family with exactly three children. List the eight elements in the sample space whose outcome are all possible gender of three children. Write each of the following event as a set and find its probability: The event that exactly one child is girl. The event that at least two children are girls. The event that no child is a girl.



[Watch Video Solution](#)

44. Three dice are thrown together. Find the total number of samples space.





[Watch Video Solution](#)

**45.** One urn contains two black balls (labelled B1 and B2) and one white ball. A second urn contains one black ball and two white balls (labelled W1 and W2). Suppose the following experiment is performed. One of the two urns is chosen at random. Next a ball is randomly chosen from the urn. Then a second ball is chosen at random from the same urn without replacing the first ball. Write the sample space showing all possible outcomes. What is the probability that two black balls are chosen? What is the probability that two balls of opposite colour are chosen?



[Watch Video Solution](#)

**46.** A coin is tossed. If head comes up, die is thrown but if tail comes up, the coin is tossed again. Find the probability of obtaining: (i) two tails (ii) head and number 6 (iii) head and an even number,



[Watch Video Solution](#)

**47.** Two dice are thrown simultaneously: Find the probability of its occurrence is (1) An even number as the sum (2) The sum as a prime number (3) A total of at least 10 (4) A doublet of even number (5) A multiple of 2 on one dice and a multiple of 3 on the other dice. (6) Same number on both dice (7) A multiple of 3 as the sum



[Watch Video Solution](#)

**48.** Three coins are tossed once. Find the probability of getting: all heads (ii) at least two heads (iii) at most two heads (iv) no heads (v) exactly one tail (vi) exactly 2 tails (vii) a head on first coin.



[Watch Video Solution](#)

**49.** In a lottery of 50 tickets numbered 1 to 50, two tickets are drawn simultaneously. Find the probability that: (a) both the tickets drawn have

prime numbers. (b) none of the tickets drawn has prime number. (c) one ticket has prime number.



[Watch Video Solution](#)

**50.** Four cards are drawn at random from a pack of 52 playing cards. Find the probability of getting all the four cards of the same suit. all the four cards of the same number. one card from each suit. two red cards and two black cards. all cards of the same colour. all face cards.



[Watch Video Solution](#)

**51.** A sample space consists of 9 elementary event  $E_1, E_2, E_3, \dots, E_8, E_9$  whose probabilities are  $P(E_1) = P(E_2) = 0.08$ ,  $P(E_3) = P(E_4) = P(E_5) = 0.1$ ,  $P(E_6) = P(E_7) = 0.2$ ,  $P(E_8) = P(E_9) = 0.07$ . Suppose  $A = \{E_1, E_5, E_8\}$ ,  $B = \{E_2, E_5, E_8, E_9\}$ . Compute  $P(A)$ ,  $P(B)$  and  $P(A \cap B)$ . Using the addition law of probability, find  $P(A \cup B)$ . List the composition of the

event  $A \cup B$ , and calculate,  $P(A \cup B)$  by adding the probabilities of the elementary events. Calculate  $P(\overline{B})$  from  $P(B)$ , also calculate  $P(\overline{B})$  directly from the elementary events of  $\overline{B}$ .



[Watch Video Solution](#)

**52.** In a random sampling three items are selected from a lot. Each item is tested and classified as defective (D) or non-defective (N). Write the sample space of this experiment.



[Watch Video Solution](#)

**53.** A box contains 1 white and 3 identical black balls. Two balls are drawn at random in succession without replacement. Write the sample space for this experiment.



[Watch Video Solution](#)

54. An experiment consists of rolling die until a 2 appears. (i)How many elements of the sample space correspond to the event that 2 appears on the  $k^{th}$  roll of the die? (ii)How many element of the sample space correspond to the event that 2 appears not later than the  $k^{th}$  roll of the die?



[Watch Video Solution](#)

55. From a group of 2 boy and 3 girls, two children are selected at random. Describe the events. A = both selected children are girls. B= the selected group consists of one boy and one girl. C= at least one boy is selected. Which pairs (s) of events is (are) mutually exclusive?



[Watch Video Solution](#)

56. From a group of 2 boys and 3 girls, two children are selected. Find the sample space associated to this random experiment.



 [Watch Video Solution](#)

57. Consider the experiment in which a coin is tossed repeatedly until a head comes up. Describe the sample space.

 [Watch Video Solution](#)

58. A pair of dice is rolled. If the outcome is a doublet, a coin is tossed. Determine the total number of elementary events associated to this experiment.

 [View Text Solution](#)

59. A die is thrown twice. Each time the number appearing on it is recorded. Describe the following events:  $A$  = both numbers are odd.  $B$  = both numbers are even.  $C$  = sum of the numbers is less than 6. Also, find  $A \cup B$ ,  $A \cap B$ ,  $A \cup C$ ,  $A \cap C$ . Which pairs of events are mutually exclusive?



[Watch Video Solution](#)

60. A card is picked up from a deck of 52 playing cards. What is the sample space of the experiment? What is the event that the chosen card is black faced card?



[Watch Video Solution](#)

61. In a large metropolitan area, the probabilities are 0.87, 0.36, 0.30 that a family (randomly chosen for a sample survey) owns a colour television set, a black and white television set, or both kinds of sets. What is the probability that a family owns either any one or both kinds of sets?



[Watch Video Solution](#)

62. If  $A$  and  $B$  are mutually exclusive events such that  $P(A) = 0.35$  and  $P(B) = 0.45$ , find  $P(A \cup B)$



[Watch Video Solution](#)

63. If  $A$  and  $B$  are mutually exclusive events such that  $P(A) = 0.20$  and  $P(B) = 0.30$ , find  $P(A \cup B)$



[Watch Video Solution](#)

64. A team of medical students doing internship have to assist during surgeries at a city hospital. The probabilities of surgeries rated as very complex, complex, routine simple or very simple are 0.15, 0.20, 0.31, 0.26, 0.08. Find the probabilities that a particular surgery will be rated a) complex or very complex b) neither very complex nor very simple c) routine or complex d) routine or simple



[Watch Video Solution](#)

65. Suppose an integer from 1 through 1000 is chosen at random, find the probability that the integer is a multiple of 2 or a multiple of 9.





[Watch Video Solution](#)

66. Figure shows three events  $A, B, C$  and also the probabilities of the various intersections (for instance  $P(A \cap B) = 0.07$ ) determine  $P(A)$   
(ii)  $P(B \cap C)$  (iii)  $P(A \cap B)$  (iv)  $P(A \cap B)$  (v)  $P(B \cap C)$  (vi) probability of exactly one of the three events.



[Watch Video Solution](#)

67. Let  $A, B, C$  be three events. If the probability of occurring exactly one event out of  $A$  and  $B$  is  $1 - x$ , out of  $B$  and  $C$  is  $1 - 2x$ , out of  $C$  and  $A$  is  $1 - x$  and that of occurring three events simultaneously is  $x^2$ , then prove that the probability that at least one out of  $A, B, C$  will occur is greater than  $1/2$ .



[Watch Video Solution](#)

**68.** For the three events  $A$ ,  $B$  and  $C$ ,  $P(\text{exactly one of the events } A \text{ or } B \text{ occurs}) = P(\text{exactly one of the events } B \text{ or } C \text{ occurs}) = P(\text{exactly one of the events } C \text{ or } A \text{ occurs}) = p$  and  $P(\text{all the three events occur simultaneously}) = p^2$ , where  $0 < p < \frac{1}{2}$ . Then, find the probability of occurrence of at least one of the events  $A$ ,  $B$  and  $C$ .



[Watch Video Solution](#)

**69.** A box contains 6 red, 4 white and 5 black balls. A person draws 4 balls from the box at random. Find the probability that among the balls drawn there is atleast one ball of each colour.



[Watch Video Solution](#)

**70.** A bag contains tickets numbered 1 to 30. Three tickets are drawn at random from the bag. What is the probability that the maximum number on the selected tickets exceeds 25?



 [Watch Video Solution](#)

71. A bag contains 50 tickets numbered 1, 2, 3, ..., 50 of which five are drawn at random and arranged in ascending order of magnitude  $(x_1 < x_2 < x_3 < x_4 < x_5)$  find the probability that  $x_3 = 30$ .

 [Watch Video Solution](#)

72. Find the probability that the birth days of six different persons will fall in exactly two calendar months.

 [Watch Video Solution](#)

73. Twelve balls are distributed among three boxes, find the probability that the first box will contains three balls.

 [Watch Video Solution](#)

74. What is the probability that in a group of (i) 2 people, both will have the same birth-day? (ii) 3 people, at least two will have the same birth-day? Assuming that there are 365 days in a year and no one has his/her birth day on 29th February.

 [Watch Video Solution](#)

75. Three dice are thrown simultaneously. Find the probability that: (i) all of them show the same face. (ii) all show distinct faces. (iii) two of them show the same face.

 [Watch Video Solution](#)

76. The letters of *SOCIETY* are placed at random in a row. What is the probability that three vowels come together?

 [Watch Video Solution](#)

77. If  $n$  biscuits are distributed among  $N$  beggars, find the chance that a particular beggar will get  $r$  ( $< n$ ) biscuits.

 [Watch Video Solution](#)

78. Six new employees, two of whom are married to each other, are to be assigned six desks that are lined up in a row. If the assignment of employees to desks is made randomly, what is the probability that the married couple will have nonadjacent desks?

 [Watch Video Solution](#)

79. Find the probability that in a random arrangement of the letters of the word 'UNIVERSITY' the two I's come together.

 [Watch Video Solution](#)

**80.** A typical PIN (personal identification number) is a sequence of any four symbols chosen from the 26 letters in the alphabet and the ten digits. If all PINs are equally likely, what is the probability that a randomly chosen PIN contains a repeated symbol?



[Watch Video Solution](#)

**81.** A word consist of 9 letters; 5 consonants and 4 vowels. Three letters are chosen at random. What is the probability that more than one vowel will be selected?



[Watch Video Solution](#)

**82.** If the letters of the word ASSASSINATION are arranged at random. Find the probability that (i)Four S's come consecutively in the word. (ii)Two I's and two N's come together. (iii)All A's are not coming together. (iv)No two A's are coming together.



[Watch Video Solution](#)



[Watch Video Solution](#)

**83.** In a lottery, a person chooses six different natural numbers at random from 1 to 20, and if these six numbers match with the six numbers already fixed by the lottery committee, he wins the prize. What is the probability of winning the prize in the game. [Hint order of the numbers is not important.]



[Watch Video Solution](#)

**84.** If the letters of the word ALGORITHM are arranged at random in row what is the probability that the letters GOR must remain together as a unit?



[Watch Video Solution](#)

**85.** A card is drawn from an ordinary pack of 52 cards and a gambler bets that, it is a spade or an ace. What are the odds against his winning this

bet?



[Watch Video Solution](#)

**86.** Five marbles are drawn from a bag which contains 7 blue marbles and 4 black marbles. What is the probability that: (i) all will be blue? (ii) 3 will be blue and 2 black?



[Watch Video Solution](#)

**87.** Find the probability that when a hand of 7 cards is dealt from a well-shuffled deck of 52 cards, it contains (i) all 4 kings (ii) exactly 3 kings (iii) at least 3 kings.



[Watch Video Solution](#)

**88.** Four persons are to be chosen at random from a group of 3 men, 2 women and 4 children. Find the probability of selecting: (i) 1 man 1 woman



and 2 children (ii) Exactly 2 children

(iii) 2 women



[Watch Video Solution](#)

**89.** A box contains 10 bulbs, of which just three are defective. If a random sample of five bulbs is drawn, find the probabilities that the sample contains: Exactly one defective bulb. Exactly two defective bulbs. No defective bulbs.



[Watch Video Solution](#)

**90.** A five digit number is formed with the digits 1,2,3,4,5 without repetition. Find the probability that the number is divisible by 4.



[Watch Video Solution](#)

**91.** A fair coin with 1 marked on one face and 6 on the other and a fair die are both tossed. Find the probability that the sum of numbers that

turned up is 12.



[Watch Video Solution](#)

**92.** A coin is tossed. If it shows head, we draw a ball from a bag consisting of 3 red and 4 black balls; if it shows tail, we throw a die. What is the sample associated to this experiment?



[Watch Video Solution](#)

**93.** An experiment consists rolling a die then tossing a coin once if the number on the die is even. If the number on the die is odd, the coin is tossed twice. Write the sample space for this experiment.



[Watch Video Solution](#)

**94.** The numbers 1,2,3 and 4 are written separately on four slips of paper. The slips are then put in a box and mixed thoroughly. A person draws

two slips from the box, one after the other, without replacement.

Describe the sample space for the experiment.

 [Watch Video Solution](#)

**95.** A coin is tossed. If the result is a head, a die is thrown. If the die shows up an even number, the die is thrown again. What is the sample space for this experiment.

 [Watch Video Solution](#)

**96.** A coin is tossed once. Write its sample space.

 [Watch Video Solution](#)

**97.** If a coin is tossed two times, describe the sample space associated to this experiment.

 [Watch Video Solution](#)

**98.** If a coin is tossed three times (or three coins are tossed together), then describe the sample space for this experiment.

 [Watch Video Solution](#)

**99.** Write the sample space for the experiment of tossing a coin four times.

 [Watch Video Solution](#)

**100.** Two dice are thrown. Describe the sample space of this experiment.

 [Watch Video Solution](#)

**101.** What is the total number of elementary events associated to the random experiment of throwing three dice together?



[Watch Video Solution](#)

**102.** A coin is tossed and then a die is rolled only in case a head is shown on the coin. Describe the sample for this experiment.



[Watch Video Solution](#)

**103.** A coin tossed and a die is thrown. Describe the sample space for this experiment.



[Watch Video Solution](#)

**104.** An experiment consists of tossing a coin and then tossing it second time if head occurs. If tail occurs on the first toss, then a die is tossed once. Find the sample space.



[Watch Video Solution](#)

**105.** A coin is tossed. If it shows tail, we draw a ball from a box which contains 2 red 3 black balls; if it shows head we throw a die. Find the sample space of this experiment.

 [Watch Video Solution](#)

**106.** A coin is tossed repeatedly until a tail comes up for the first time. Write the sample space for this experiment.

 [Watch Video Solution](#)

**107.** A box contains 1 red and 3 black balls. Two balls are drawn at random in succession without replacement. Write the sample space for this experiment.

 [Watch Video Solution](#)

**108.** A bag contains 4 identical red balls and 3 identical black balls. The experiment consists of drawing one ball, then putting it into the bag and again drawing a ball. What are the possible outcomes of the experiment?



[Watch Video Solution](#)

**109.** An experiment consists of boy –girl composition of families with 2 children. i. What is the sample space if we are interested in knowing whether it is a boy or girl in the order of their births? ii. What is the sample space if we are interested in the number of boys in a family?



[Watch Video Solution](#)

**110.** There are three coloured dice of red, white and black colour. These dice are placed in a bag. One die is drawn at random from the bag and

rolled, its colour and the number on its uppermost face is noted describe the sample space for this experiment.

 [Watch Video Solution](#)

**111.** 2 boys and 2 girls are in room P and 1 boy 3 girls are in room Q. write the sample space for the experiment in which a room is selected and then a person.

 [Watch Video Solution](#)

**112.** A bag contains one white and one red ball. A ball is drawn from the bag. If the ball drawn is white it is replaced in bag and again a ball is drawn. otherwise, a die is tossed. Write the sample space for this experiment.

 [Watch Video Solution](#)



**113.** An experiment consists of rolling a die and then tossing a coin once if the number on the die is even. If the number on the die is odd then coin is tossed twice. Write the sample space for this experiment.



[Watch Video Solution](#)

**114.** A die is thrown repeatedly until a six comes up. What is the sample space for this experiment?



[Watch Video Solution](#)

**115.** An experiment involves rolling a pair of dice and recording the numbers that come up. Describe the following events.  $A =$  the sum is greater than 8,  $B =$  2 occurs on either die,  $C =$  the sum is at least 7 and a multiple of 3. Also, find  $A \cap B$ ,  $B \cap C$  and  $A \cap C$ . Are : i. A and B mutually exclusive? ii. B and C mutually exclusive? iii. A and C mutually exclusive?



[Watch Video Solution](#)

 [Watch Video Solution](#)

**116.** Two dice are thrown and the sum of the numbers which come up on the dice is noted. Let us consider the following events:  $A =$  The sum is even,  $B =$  The sum is multiple of 3,  $C =$  The sum is less than 4,  $D =$  The sum is greater than 11. Which pairs of these events are mutually exclusive?

 [Watch Video Solution](#)

**117.** A coin is tossed. Find the total number of elementary events and also the total number of events associated with the random experiment.

 [Watch Video Solution](#)

**118.** List all events associated with the random experiment of tossing of two coins. How many of them are elementary events?

 [Watch Video Solution](#)

**119.** Three coins are tossed once. Describe the following events associated with this random experiment:  $A =$  Getting three heads,  $B =$  Getting two heads and one tail,  $C =$  Getting three tails  $D =$  Getting a head on the first coin. Which pairs of events are mutually exclusive?

 [Watch Video Solution](#)

**120.** In a single throw of a die describe the following events:  $A =$  Getting a number less than 7.

 [Watch Video Solution](#)

**121.** In a single throw of a die describe the following events:  $B =$  Getting a number greater than 7

 [Watch Video Solution](#)

**122.** In a single throw of a die describe the following events:  $C =$   
Getting a multiple of 3

 [Watch Video Solution](#)

**123.** In a single throw of a die describe the following events:  $A =$   
Getting a number less than 7.

 [Watch Video Solution](#)

**124.** In a single throw of a die describe the following events: Getting an  
even number greater than 4

 [Watch Video Solution](#)

**125.** In a single throw of a die describe the following events:  $F =$   
Getting a number not less than 3.

 [Watch Video Solution](#)

**126.** In a single throw of a die describe the following events:  
 $A \cup B$ ,  $A \cap B$ ,  $B \cap C$ ,  $E \cap F$ ,  $D \cap F$  and  $F$

 [Watch Video Solution](#)

**127.** Three coins are tossed. Describe: Two events A and B which are mutually exclusive.

 [Watch Video Solution](#)

**128.** Two dice are thrown. The events A, B, C, D, E and F are described as follows:  $A =$  Getting an even number on the first die  $B =$  Getting an

odd number on the first die  $C =$  Getting at most 5 as sum of the numbers on the two dice  $D =$  Getting the sum of the numbers on the dice greater than 5 but less than 10  $E =$  Getting at least 10 as the sum of the numbers on the dice  $F =$  Getting an odd number on one of the dice. Describe the following events :  $A$  and  $B$ ,  $B$  or  $C$ ,  $B$  and  $C$ ,  $A$  and  $E$ ,  $A$  or  $F$ ,  $A$  and  $F$

 [Watch Video Solution](#)

**129.** The numbers 1,2,3 and 4 are written separately on four slips of paper. The slips are then put in a box and mixed thoroughly. A person draws two slips from the box, one after the other without replacement. Describe the following events.  $A =$  The number on the first slip is larger than the one on the second slip.  $B =$  the number on the second slip is greater than 2  $C =$  the sum of the numbers on the two slips is 6 or 7  $D =$  the number on the second slip is twice that on the first slip. Which pair (s) of from events is (are) mutually exclusive?

 [Watch Video Solution](#)

**130.** Find the probability of getting a head in a toss of an unbiased coin.

 [Watch Video Solution](#)

**131.** In a simultaneous toss of two coins, find the probability of getting: 2 heads

 [Watch Video Solution](#)

**132.** In a simultaneous toss of two coins, find the probability of getting: exactly one head

 [Watch Video Solution](#)

**133.** In a simultaneous toss of two coins, find the probability of getting: exactly 2 tails

 [Watch Video Solution](#)

**134.** In a simultaneous toss of two coins, find the probability of getting: exactly one tail



[Watch Video Solution](#)

**135.** In a simultaneous toss of two coins, find the probability of getting: no tails.



[Watch Video Solution](#)

**136.** A die is thrown. Find the probability of getting: an even number



[Watch Video Solution](#)

**137.** A die is thrown. Find the probability of getting: a number greater than or equal to 3





[Watch Video Solution](#)

**138.** A die is thrown. Find the probability of getting: a number greater than 6 is 1.



[Watch Video Solution](#)

**139.** A die is thrown. Find the probability of getting: a prime number.



[Watch Video Solution](#)

**140.** A die is thrown. Find the probability of getting: a number less than or equal to 4



[Watch Video Solution](#)

**141.** A die is thrown. Find the probability of getting: a number less than or equal to 6



**Watch Video Solution**

**142.** On her vacations Veena visits four cities A, B, C and D in a random order. What is the probability that she visits: A before B?



**Watch Video Solution**

**143.** Tickets numbered from 1 to 20 are mixed up together and then a ticket is drawn at random. What is the probability that the ticket has a number which is a multiple of 3 or 7?



**Watch Video Solution**

**144.** Find the probability that a leap year, selected at random, will contain 53 Sundays.



[Watch Video Solution](#)

**145.** Find the probability that a number selected from the numbers 1 to 25 is not a prime number when each of the given numbers is equally likely to be selected.



[Watch Video Solution](#)

**146.** A fair coin with 1 marked on one face and 6 on the other and a fair die are both tossed. Find the probability that the sum of numbers that turned up is 3.



[Watch Video Solution](#)

**147.** A die has two faces each with number 1, three faces each with number 2 and one face with number 3. If die rolled once determine:

- i.  $P(2)$  ii.  $P(1 \text{ or } 3)$  iii.  $P(\text{not } 3)$



[Watch Video Solution](#)

**148.** What is the probability tht a randomly chosen two digit integer is a multiple of 3?



[Watch Video Solution](#)

**149.** A box contains 10 rd marbles, 20 blue marbles and 30 green marbles. Five marbles are drawn from the box, what is the probability that i. al will be blue? ii. at least one will be green?



[Watch Video Solution](#)

**150.** In a lottery 10,000 tickets are sold and ten equal prizes are awarded. What is the probability of not getting a prize if you buy i. 1 ticket ii. two tickets iii. 10 tickets.



[Watch Video Solution](#)

**151.** The number lock of a suitcase has 4 wheels, each labelled with ten digits i.e. from 0 to 9. The lock opens with a sequence of four digits with no repeats. What is the probability of a person getting the right sequence to open the suitcase.



[Watch Video Solution](#)

**152.** Out of 100 students two sections of 40 and 60 students are formed. If you and your friends are among the 100 students, what is the probability that i. You both enter the same section? ii. You both enter the different section?



[Watch Video Solution](#)

 [Watch Video Solution](#)

**153.** In a single throw of three dice, determine the probability of getting  
i. total of 5 ii. total of at most 5 ii. a total of at least 5.

 [Watch Video Solution](#)

**154.** If the letters of the word **ATTRACTION** are written down at random, find the probability that i. all the T 's occur together ii. No two T's occur together.

 [Watch Video Solution](#)

**155.** Out of 9 outstanding students in a college, there are 4 boys and 5 girls. A team of four students is to be selected for a quiz programme. Find the probability that two are boys and two are girls.

 [Watch Video Solution](#)

**156.** In a lot of 12 Microwave ovens, there are 3 defective units. A person has ordered 4 of these units and since each is identically packed, the selection will be random. What is the probability that i. all 4 units are good. ii. Exactly 3 units are good, iii. at least 2 units are good.

 [Watch Video Solution](#)

**157.** In a really race there are give teams, A, B, C, D and E i. What is the probability that A, B, and C finish first, second and third respectively. ii. What is the probability that A, B and C are first three to finish (in any order).

 [Watch Video Solution](#)

**158.** The odds in favours of an event are 3:5. Find the probability of occurrence of this event.

 [Watch Video Solution](#)

**159.** A letter is chosen at random from the word ASSASSINATION. Find the probability that letters is i. a vowel ii. a consonant.

 [Watch Video Solution](#)

**160.** If 4-digits numbers greater than or equal to 5000 are randomly formed from the digits 0, 1, 3, 5 and 7 what is the probability of forming number divisible by 5 when i. the digits may be repeated. ii. the repetition of digits is not allowed.

 [Watch Video Solution](#)

**161.** Three letters are dictated to three person and an envelope is addressed to each of them, the letters are inserted into the envelopes at random so that each envelope contains exactly one letter. Find the probability that at least one letter is in its proper envelope.

 [Watch Video Solution](#)



**162.** In how many ways, can three girls and nine boys be seated in two vans, each having numbered seats, 3 in the and 4 at the back? How many seating arrangements are possible if 3 girls should sit together in a back row on adjacent seats? Now, if all the seating arrangements are equally likely, what is the probability of 3 girls sitting together in a back row on adjacent seats?

 [Watch Video Solution](#)

**163.** Five persons entered the lift cabin on the ground floor of an 8-floor house. Suppose that each of them independently and with equal probability can leave the cabin at any floor beginning with the first. Find out the probability of all five persons leaving at different floors.

 [Watch Video Solution](#)

**164.** Which of the following cannot be valid assignment of probability for elementary events or outcomes of samples space

$S = \{w_1, w_2, w_3, w_4, w_5, w_6, w_7\}$ : Elementary events  $w_1 w_2 w_3 w_4 w_5 w_6 w_7$  i. 0.1 0.01 0.05 0.03 0.01 0.2 0.6 ii.  $\frac{1}{7} \frac{1}{7} \frac{1}{7} \frac{1}{7} \frac{1}{7} \frac{1}{7} \frac{1}{7}$  iii. 0.7 0.6 0.5 0.4 0.3 0.2 0.1 iv.  $\frac{1}{14} \frac{2}{14} \frac{3}{14} \frac{4}{14} \frac{5}{14} \frac{6}{14} \frac{15}{14}$



[Watch Video Solution](#)

**165.** A die is thrown. Find the probability of getting : a prime number.



[Watch Video Solution](#)

**166.** A die is thrown. Find the probability of getting : 2 or 4



[Watch Video Solution](#)

**167.** A die is thrown. Find the probability of getting : a multiple of 2 or 3.



[Watch Video Solution](#)

**168.** Three coins tossed together. Find the probability of getting:

- i. Exactly two heads ii. At least two heads iii. At least one head and one tail.



[Watch Video Solution](#)

**169.** What is the probability that an ordinary year has 53 Sundays?



[Watch Video Solution](#)

**170.** What is the probability that a leap year has 53 Sundays and 53 Mondays?



[Watch Video Solution](#)

**171.** In a single throw of three dice, find the probability of getting the same number on all the three dice.

 [Watch Video Solution](#)

**172.** Two unbiased dice are thrown. Find the probability that the total of the numbers on the dice is greater than 10.

 [Watch Video Solution](#)

**173.** In shuffling a pack of 52 playing cards, four are accidentally dropped; find the chance that the missing cards should be one from each suit.

 [Watch Video Solution](#)

**174.** From a deck of 52 cards, four cards are drawn simultaneously find the chance that they will be the four honours of the same suit.

 [Watch Video Solution](#)

**175.** Tickets numbered from 1 to 20 are mixed up together and then a ticket is drawn at random. What is the probability that the ticket has a number which is a multiple of 3 or 7?

 [Watch Video Solution](#)

**176.** A bag contains 6 red, 4 white and 8 blue balls. If three balls are drawn at random, find the probability that one is red, one is white and one is blue.

 [Watch Video Solution](#)

**177.** A bag contains 6 red, 4 white and 8 blue balls. If two balls are drawn at random find the probability that i. both the balls are white ii. one ball is blue and the other red iii. both the balls are of the same colour.

 [Watch Video Solution](#)

 [Watch Video Solution](#)

**178.** A bag contains 6 red, 4 white and 8 blue balls. If three balls are drawn at random, find the probability that: i. one is red and two are white ii. two are blue and one is red iii. one is red.

 [Watch Video Solution](#)

**179.** There are four men and six women on the city councils. If one council member is selected for a committee at random, how likely is that it is a women?

 [Watch Video Solution](#)

**180.** A box contains 100 bulbs 20 of which are defective. 10 bulbs are selected for inspection. Find the probability that: i. all 10 are defective ii. all 10 are good ii. at least one is defective iv. none is defective.

 [Watch Video Solution](#)

**181.** Find the probability that in a random arrangement of the letters of the word SOCIAL vowel come together.

 [Watch Video Solution](#)

**182.** The letters of the word FORTUNATES are arranged at random in a row. What is the chance that the two T come together.

 [Watch Video Solution](#)

**183.** A committee of two persons is selected from two men and two women. What is the probability that the committee will have i. no man? li. one man? iii. two men?

 [Watch Video Solution](#)

**184.** If odds in favour of an event be 2:3 find the probability of occurrence of this event.



[Watch Video Solution](#)

**185.** Two balls are drawn at random from a bag containing 2 white, 3 red, 5 green and 4 black balls, one by one without, replacement. Find the probability that both the balls are of different colours.



[Watch Video Solution](#)

**186.** Two unbiased dice were thrown. Find the probability that neither a doublet nor a total of 10 will appear.



[Watch Video Solution](#)



**187.** A bag contains 5 red, 6 white and 7 black balls. Two balls are drawn at random. what is the probability that both balls are red or both are black?



[Watch Video Solution](#)

**188.** If a letter is chosen at random from the English alphabet, find the probability that the letter chosen is (i) a vowel, and (ii) a consonant.



[Watch Video Solution](#)

**189.** In a lottery, a person chooses six different numbers at random from 1 to 20 and if these six numbers match with six numbers already fixed by the lottery committee, he wins the prize. What is the probability of winning the prize in the game?



[Watch Video Solution](#)

**190.** Two dice are thrown. Find the odds in favour of getting the sum i. 4  
ii. 5 iii. what are the odds against getting the sum 6?

 [Watch Video Solution](#)

**191.** A box contains 10 red marbles, 20 blue marbles and 30 green marbles. 5 marbles are drawn at random. From the box, what is the probability that i. all are blue? ii. at least one is green?

 [Watch Video Solution](#)

**192.** What are the odds in favour of getting a spade if a card is drawn from a well shuffled deck of cards? What are the odds in favour of getting a king?

 [Watch Video Solution](#)

**193.** Five cards are drawn from a well shuffled pack of 52 cards. Find the probability that all the five cards are hearts.

 [Watch Video Solution](#)

**194.** A bag contains tickets numbered from 1 to 20. Two tickets are drawn. find the probability that i. both the tickets have prime numbers on them ii. on one there is a prime number and on the other there is a multiple of 4.

 [Watch Video Solution](#)

**195.** An urn contains 7 white, 5 black and 3 red balls. Two balls are drawn at random. Find the probability that i. both the balls red ii. one ball is red and the other is black iii. one ball is white.

 [Watch Video Solution](#)

**196.** The probability that at least one of the event A and B occurs is 0.6. If A and B occur simultaneously with probability 0.2, then find  $P(A) + P(B)$ .

 [Watch Video Solution](#)

**197.** Check whether the following probabilities  $P(A)$  and  $P(B)$  are consistently defined:  $P(A) = 0.5$ ,  $P(B) = 0.7$ ,  $P(A \cap B) = 0.6$

 [Watch Video Solution](#)

**198.** Check whether the following probabilities  $P(A)$  and  $P(B)$  are consistently defined:  $P(A) = 0.5$ ,  $P(B) = 0.4$ ,  $P(A \cup B) = 0.8$

 [Watch Video Solution](#)

**199.** Events E and F are such that  $P(\text{not E or not F}) = 0.25$ . State whether E and F are mutually exclusive.



[Watch Video Solution](#)

**200.** The probability of two events A and B are 0.25 and 0.50 respectively. The probability of their simultaneous occurrences 0.15. Find the probability that neither A nor B occurs.



[Watch Video Solution](#)

**201.** If a die is rolled twice, find the probability of getting of getting an even number in the first time or a total of 8.



[Watch Video Solution](#)

**202.** A die is thrown twice. What is the probability that at least one of the two throws comes up with the number 4?



[Watch Video Solution](#)

**203.** A drawer contains 50 bolts and 150 nuts. Half of the bolts and half of the nuts are rusted. If one item is chosen at random, what is the probability that it is rusted or a bolt?



[Watch Video Solution](#)

**204.** In an essay competition, the odds in favour of competitors P, Q, R S are 1:2, 1:3, 1:4, and 1:5 respectively. Find the probability that one then win the competitions.



[Watch Video Solution](#)

**205.** Two dice are thrown together. What is the probability that the sum of the numbers on the two faces is neither divisible by 3 nor by 4?

 [Watch Video Solution](#)

**206.** Two dice are thrown together. What is the probability that the sum of the number on the two faces is divisible by 3 or 4?

 [Watch Video Solution](#)

**207.** The probability that a person will get an electric contract is  $\frac{2}{5}$  and the probability that they will not get plumbing contracts  $\frac{4}{7}$ . If the probability of getting at least one contract is  $\frac{2}{3}$ , what is the probability that he will get both?

 [Watch Video Solution](#)

**208.** The probability that a student will receive A, B, C or D grade or 0.40, 0.3, 0.1 and 0.10 respectively. Find the probability that a student will receive.

i. B or C grade    ii. at most C grade.

 [Watch Video Solution](#)

**209.** The probability that a patient visiting a dentist will have a tooth extract is 0.06, the probability that he will have a cavity filled is 0.2 and the probability that he will have a tooth extracted as well as cavity filled is 0.03. what is the probability of that a patient has either a tooth extracted or a cavity filled?

 [Watch Video Solution](#)

**210.** Probability that Hameed passes in Mathematics is  $\frac{2}{3}$  and the probability that he passes in English is  $\frac{4}{9}$ . If the probability of passing



both courses is  $\frac{1}{4}$ . What is the probability that Hameed will pass in at least one of these subjects?



[Watch Video Solution](#)

**211.** Find the probability of at most two tails or at least two heads in a toss of three coins.



[Watch Video Solution](#)

**212.** From the employees of a company 5 persons are elected to represent them in the managing committee of the company. Particulars of the five persons are as follows:

S. No.	Person	Age (in years)		
1	2	3	4	5
Male	Male	Female	Female	Male
30	33	46	28	41

A person is selected at random from this group to act as a spokesperson. What is the probability that the spokesperson will be either male or over 35 years?



[Watch Video Solution](#)

**213.** In class XI of a school 40% of the students study Mathematics and 30% study Biology. 10% of the class study both mathematics and biology. If a student is selected at random from the class, find the probability that he will be studying Mathematics or Biology or both.

 [Watch Video Solution](#)

**214.** Two students Anil and Ashima appeared in an examination. The probability that Anil will qualify the examination is 0.05 and that Ashima will qualify the examination is 0.10. The probability that both will qualify the examination is 0.02. Find the probability that: Both Anil and Ashima will not qualify the exam.

 [Watch Video Solution](#)

**215.** In a class of 60 students 30 opted for NCC, 32 opted for NSS and 24 opted for both NCC and NS. If one of these students is selected at random, find the probability that: The student opted for NCC or NSS.



[Watch Video Solution](#)

**216.** Four candidates A, B, C and D have applied for the assignment to coach a school cricket team. If A is twice as likely to be selected as B and B and C are given about the same chance of being selected, while C is twice as likely to be selected as D, then what are the probabilities that

(i) C will be selected ?

(ii) A will not be selected ?



[Watch Video Solution](#)

**217.** Two candidates are seeking admission in I.I.T. The probability that P is selected is 0.5 and the probability that both are selected is at most 0.3.

Prove that the probability of being selected is at most 0.8



[Watch Video Solution](#)

**218.** If  $A$  and  $B$  mutually exclusive events associated with a random experiment such that  $P(A) = 0.4$  and  $P(B) = 0.5$ , then find:  
 $P(A \cup B)$

 [Watch Video Solution](#)

**219.** If  $A$  and  $B$  mutually exclusive events associated with a random experiment such that  $P(A) = 0.4$  and  $P(B) = 0.5$ , then find:  
 $P(A \cap B)$

 [Watch Video Solution](#)

**220.** If  $A$  and  $B$  mutually exclusive events associated with a random experiment such that  $P(A) = 0.4$  and  $P(B) = 0.5$ , then find:  
 $P(A \cap B)$

 [Watch Video Solution](#)

**221.** If  $A$  and  $B$  mutually exclusive events associated with a random experiment such that  $P(A) = 0.4$  and  $P(B) = 0.5$ , then find:  
 $P(A \cap B)$

 [Watch Video Solution](#)

**222.**  $A$  and  $B$  are two events such that  
 $P(A) = 0.54$ ,  $P(B) = 0.69$  and  $P(A \cap B) = 0.3$ . Find  $P(A \cup B)$

 [Watch Video Solution](#)

**223.**  $A$  and  $B$  are two events such that  
 $P(A) = 0.54$ ,  $P(B) = 0.69$  and  $P(A \cap B) = 0.35$ . Find :  $P(A \cup B)$

 [Watch Video Solution](#)

**224.**  $A$  and  $B$  are two events such that  $P(A) = 0.54$ ,  $P(B) = 0.69$  and  $P(A \cap B) = 0.35$ . Find;  $P(A \cup B)$

 [Watch Video Solution](#)

**225.** If  $A$  and  $B$  are two events associated with a random experiment such that  $P(A) = 0.3$ ,  $P(B) = 0.4$  and  $P(A \cup B) = 0.7$ , find  $P(A \cap B)$

 [Watch Video Solution](#)

**226.** If  $A$  and  $B$  are two events associated with a random experiment such that  $P(A) = 0.5$ ,  $P(B) = 0.3$  and  $P(A \cap B) = 0.2$ , find  $P(A \cup B)$

 [Watch Video Solution](#)

**227.** If  $A$  and  $B$  are two events associated with a random experiment such that  $P(A \cup B) = 0.8$ ,  $P(A \cap B) = 0.3$  and  $P(A) = 0.5$ , find  $P(B)$



[Watch Video Solution](#)

**228.** In an entrance test that is graded on the basis of two examinations, the probability of a randomly chosen student passing the first examination is 0.8 and the probability of passing the second examination is 0.7. The probability of passing at least one of them is 0.95. What is the probability of passing both?



[Watch Video Solution](#)

**229.** A box contains 30 bolts and 40 nuts. Half of the bolts and half of the nuts are rusted. If two items are drawn at random from the box, what is the probability that either both are rusted or both are bolts ?



 [Watch Video Solution](#)

**230.** An integer is chosen at random from the first two hundred positive integers. What is the probability that the integer chosen is divisible by 6 or 8?

 [Watch Video Solution](#)

**231.** Given two mutually exclusive events A and B such that  $P(A) = 1/2$  and  $P(B) = 1/3$ , find  $P(A \text{ or } B)$

 [Watch Video Solution](#)

**232.** There Are Three Events A, B, C One of Which Must and Only One Can Happen, the Odds Are 8 to 3 Against A, 5 to 2 Against B. Find the Odds Against C.

 [Watch Video Solution](#)



**233.** A card is drawn at random from a well shuffled deck of 52 cards. Find the probability of a card of spade or an ace

 [Watch Video Solution](#)

**234.** In a single throw of two dice, find the probability that neither a doublet nor a total of 9 will appear.

 [Watch Video Solution](#)

**235.** A natural number is chosen at random from amongst first 500. What is the probability that the number so chosen is divisible by 3 or 5?

 [Watch Video Solution](#)

**236.** A card is drawn from a deck of 52 cards. Find the probability of getting an ace or a spade card.

 [Watch Video Solution](#)

**237.** The probability that a student will pass the final examination in both English and Hindi is 0.5 and the probability of passing neither is 0.1. If the probability of passing the English examination is 0.75. What is the probability of passing the Hindi examination?

 [Watch Video Solution](#)

**238.** One number is chosen from numbers 1 to 100. Find the probability that it is divisible by 4 or 6?

 [Watch Video Solution](#)

**239.** From a well shuffled deck of 52 cards, 4 cards are drawn at random. What is the probability that all the drawn cards are of the same colour.

 [Watch Video Solution](#)

**240.** 100 students appeared for two examinations. 60 passed the first, 50 passed the second and 30 passed both. Find the probability that a student selected at random has passed at least one examination.

 [Watch Video Solution](#)

**241.** A box contains 10 white, 6 red and 10 black balls. A ball is drawn at random from the box. What is the probability that the ball drawn is either white or red?

 [Watch Video Solution](#)

**242.** The probability that a person will travel by plane is  $\frac{3}{5}$  and that he will travel by train is  $\frac{1}{4}$ . What is the probability that he (she) will travel by plane or train?

 [Watch Video Solution](#)

**243.** Two cards are drawn from a well shuffled pack of 52 cards. Find the probability that either both are black or both are kings.

 [Watch Video Solution](#)

**244.** Three numbers are chosen at random from numbers 1 to 30. Write the probability that the chosen number are consecutive.

 [Watch Video Solution](#)

**245.** Persons are sitting in a row. Two of them are selected. Write the probability that they are together.

 [Watch Video Solution](#)

**246.** If a single letter is selected at random from the word 'PROBABILITY', then the probability that it is a vowel is



[Watch Video Solution](#)

**247.** Find the probability that a leap year will have 53 Fridays or 53 Saturdays.



[Watch Video Solution](#)

**248.** Three dice are thrown simultaneously. What is the probability of getting 15 as the sum?



[Watch Video Solution](#)

**249.** If the letters of the word MISSISSIPPI are written down at random in a row, what is the probability that four S's come together.



[Watch Video Solution](#)

**250.** What is the probability that the 13th days of a randomly chosen months is Friday?

 [Watch Video Solution](#)

**251.** Three of the six vertices of a regular hexagon are chosen the random. What is the probability that the triangle with these vertices is equilateral.

 [Watch Video Solution](#)

**252.** If  $E$  and  $E_2$  are independent events, write the value of  $P(E_1 \cup E_2) \cap (E_c1 \cap E_{c2})$ .

 [Watch Video Solution](#)

**253.** If  $A$  and  $B$  are two independent events such that  $P(\bar{A} \cap B) = \frac{2}{15}$  and  $P(A \cap \bar{B}) = \frac{1}{6}$ , then write the values of  $P(A)$  and  $P(B)$



**Watch Video Solution**

**254.** Three digit numbers are formed using the digits 0,2,4,6,8. A number is chosen at random out of these numbers what is the probability that this number has the same digits? a.  $\frac{1}{16}$  b.  $\frac{16}{25}$  c.  $\frac{1}{645}$  d.  $\frac{1}{25}$



**Watch Video Solution**

**255.** One card is drawn from a pack of 52 cards. The probability that it is the card of a king or spade is a.  $\frac{1}{26}$  b.  $\frac{3}{26}$  c.  $\frac{4}{13}$  d.  $\frac{3}{13}$



**Watch Video Solution**

**256.** Two dice are thrown together. The probability that a least one will show its digit greater than 3 is a.  $\frac{1}{4}$       b.  $\frac{3}{4}$       c.  $\frac{1}{2}$       d.  $\frac{1}{8}$

 [Watch Video Solution](#)

**257.** Two dice are thrown simultaneously. the probability of obtaining a total score of 5 is a.  $\frac{1}{18}$       b.  $\frac{1}{12}$       c.  $\frac{1}{9}$       d. none of these

 [Watch Video Solution](#)

**258.** Two dice are thrown simultaneously. the probability of obtaining total score of seven is a.  $\frac{5}{36}$       b.  $\frac{6}{36}$       c.  $\frac{7}{36}$       d.  $\frac{8}{36}$

 [Watch Video Solution](#)

**259.** The probability of getting total of 10 in a single throw of two dice is a.  $\frac{1}{9}$       b.  $\frac{1}{12}$       c.  $\frac{1}{6}$       d.  $\frac{5}{36}$







[Watch Video Solution](#)

**260.** A card is drawn at random from a pack of 100 cards numbered 1 to 100. The probability of drawing a number which is a square is a.  $\frac{1}{5}$       b.  $\frac{2}{5}$       c.  $\frac{1}{10}$       d. none of these



[Watch Video Solution](#)

**261.** A bag contains 3 red, 4 white and 5 blue balls. All balls are different two balls are drawn at random. the probability that they are of different colour is a.  $\frac{47}{66}$       b.  $\frac{10}{33}$       c.  $\frac{1}{3}$       d. 1



[Watch Video Solution](#)

**262.** Two dice are thrown together. The probability that neither they show equal digits nor the sum of their digits is 9 will be a.  $\frac{13}{18}$       b.  $\frac{13}{18}$       c.  $\frac{1}{9}$       d.  $\frac{8}{9}$



[Watch Video Solution](#)

**263.** Four persons are selected at random out of 3 men, 2 women and 4 children. The probability that there are exactly 2 children in the selection is a.  $\frac{11}{21}$       b.  $\frac{9}{21}$       c.  $\frac{10}{21}$       d. none of these

 [Watch Video Solution](#)

**264.** Two events A and B have probabilities 0.25 and 0.50, respectively. The probability that both A and B occurs simultaneously is 0.14. Then, the probability that neither A nor B occurs, is

 [Watch Video Solution](#)

**265.** A die is rolled, then the probability that a number 1 or 6 may appear is a.  $\frac{2}{3}$       b.  $\frac{1}{6}$       c.  $\frac{1}{3}$       d.  $\frac{1}{2}$

 [Watch Video Solution](#)

266. Six boys and six girls sit in a row randomly. The probability that all girls sit together is a.  $1/122$       b.  $1/112$       c.  $1/102$       d.  $1/132$

 [Watch Video Solution](#)

267. The probabilities of three mutually exclusive events A, B and C are given by  $2/3, 1/4$  and  $1/6$  respectively. The statement. a. is true  
b. is false      c. nothing can be said      d. could be either

 [Watch Video Solution](#)

268. If  $\frac{(1 - 3p)}{2}$ ,  $\frac{(1 + 4p)}{3}$ ,  $\frac{(1 + p)}{6}$  are the probabilities of three mutually excusing and exhaustive events, then the set of all values of  $p$  is a.  $(0, 1)$  b.  $\left(-\frac{1}{4}, \frac{1}{3}\right)$  c.  $\left(0, \frac{1}{3}\right)$  d.

 [Watch Video Solution](#)

**269.** A pack of cards contains 4 aces, 4 kings, 4 queens and 4 jacks. Two cards are drawn at random. the probability that at least one of them is an ace is a.  $\frac{1}{5}$       b.  $\frac{3}{16}$       c.  $\frac{9}{20}$       d.  $\frac{1}{9}$

 [Watch Video Solution](#)

**270.** If three dice are throw simultaneously, then the probability of getting a score of 5 is a.  $\frac{5}{216}$       b.  $\frac{1}{6}$       c.  $\frac{1}{36}$       d. none of these

 [Watch Video Solution](#)

**271.** One of the two events must occur. If the chance of one is  $\frac{2}{3}$  of the other, then odds in favour of the other are a. 1:3      b. 3:1      c. 2:3      d. 3:2

 [Watch Video Solution](#)

272. Find the probability that a leap year will have 53 Friday or 53 Saturdays.

 [Watch Video Solution](#)

273. A person write 4 letters and addresses 4 envelopes. If the letters are placed in the envelopes at random, then the probability that all letters are not placed in the right envelopes, is a.  $1/4$       b.  $11/24$       c.  $15/24$       d.  $23/24$

 [Watch Video Solution](#)

274. A and B are two events such that  $P(A) = 0.25$  and  $P(B) = 0.50$ . The probability of both happening together is 0.14. The probability of both A and B not happening is a. 0.39 b. 0.25 c. 0.11 d. none of these

 [Watch Video Solution](#)

**275.** If the probability of A failing in an examination is  $\frac{1}{5}$  and that of B failing the same examination is  $\frac{3}{10}$ , then the probability that either A or B fails is A.  $\frac{1}{2}$  B.  $\frac{11}{25}$  C.  $\frac{19}{50}$  D. None of these



[Watch Video Solution](#)

**276.** A box contains 10 good articles and 6 defective articles. One item is drawn at random. the probability that it is either good or has a defect, is  
a.  $\frac{64}{64}$       b.  $\frac{49}{64}$       c.  $\frac{40}{64}$       d.  $\frac{24}{64}$



[Watch Video Solution](#)

**277.** Three integers are chosen at random from the first 20 integers. The probability that their product is even is



[Watch Video Solution](#)

**278.** Out of 30 consecutive integers, 2 are chosen at random. the probability that their sum is odd, is a.  $\frac{14}{29}$                       b.  $\frac{16}{29}$                       c.  $\frac{15}{29}$                       d.  $\frac{10}{29}$

 [Watch Video Solution](#)

**279.** A bag contains 5 black balls, 4 white balls and 3 red balls. If a ball is selected random wise the probability that it is black or red ball is

 [Watch Video Solution](#)

**280.** Two dice are thrown simultaneously. the probability of getting a pair of aces is a.  $\frac{1}{36}$                       b.  $\frac{1}{3}$                       c.  $\frac{1}{6}$                       d. none of these

 [Watch Video Solution](#)

**281.** An urn contains 9 balls two of which are red, three blue and four black. Three balls are drawn at random. the probability that they are of the same colour is a.  $\frac{5}{84}$       b.  $\frac{3}{9}$       c.  $\frac{3}{7}$       d.  $\frac{7}{17}$



**Watch Video Solution**

**282.** Five persons entered the lift cabin on the ground floor of an 8 floor house. Suppose that each of them independently and with equal probability can leave the cabin at any floor beginning with the first, then the probability of all 5 persons leaving at different floor is a.  $\frac{{}^7P_5}{7^5}$     b.  $\frac{7^5}{{}^7P_5}$     c.  $\frac{6}{{}^6P_5}$     d.  $\frac{{}^5P_5}{5^5}$



**Watch Video Solution**

**283.** A box contains 10 good articles and 6 defective articles. One item is drawn at random. the probability that it is either good or has a defect, is a.  $\frac{64}{64}$     b.  $\frac{49}{64}$     c.  $\frac{40}{64}$     d.  $\frac{24}{64}$



 [Watch Video Solution](#)

**284.** A box contains 6 nails and 10 nuts. Half of the nails and half of the nuts are rusted. If one item is chosen at random, the probability that it is rusted or is a nail is

 [Watch Video Solution](#)

**285.** If  $S$  is a sample space, then  $P(A) = \frac{1}{3}P(B)$  and  $S = A \cup B$  where  $A$  and  $B$  are two mutually exclusive events then  $P(A) =$  (A)  $\frac{1}{4}$  (B)  $\frac{1}{2}$  (C)  $\frac{3}{4}$  (D)  $\frac{3}{8}$

 [Watch Video Solution](#)

**286.** A mapping is select at random from the set of all the mappings of the set  $A = \{1, 2, n\}$  into itself. Find the probability that the mapping selected is an injection.

 [Watch Video Solution](#)

287. If  $A, B, C$  are three mutually exclusive and exhaustive events of an experiment such that  $3P(A) = 2P(B) = P(C)$ , then  $P(A)$  is equal to  
 a.  $\frac{1}{11}$  b.  $\frac{2}{11}$  c.  $\frac{5}{11}$  d.  $\frac{6}{11}$

 Watch Video Solution

288. If  $A$  and  $B$  are mutually exclusive events then a.  $P(A) \leq P(B')$  b.  $P(A) \geq P(B)$  c.  $P(A)$

 Watch Video Solution

289. Three numbers are chosen from 1 to 20. The probability that they are not consecutive is a.  $\frac{186}{190}$  b.  $\frac{187}{190}$  c.  $\frac{188}{190}$  d.  $\frac{18}{{}^{20}C_3}$

 Watch Video Solution

**290.** Six boys and six girls sit in a row randomly. Find the probability that  
(i) the six girls sit together, (ii) the boys and girls sit alternately.



[Watch Video Solution](#)

**291.** Without repetition of the numbers, four digit numbers are formed with the numbers 0, 2, 3, 5. The probability of such a number divisible by 5 is



[Watch Video Solution](#)