



MATHS

BOOKS - RD SHARMA MATHS (ENGLISH)

QUADRATIC EQUATIONS

Others

1. The number of roots of the equation

$$\frac{(x+2)(x-5)}{(x-3)(x+6)} = \frac{x-2}{x+4} \text{ is}$$

A. 1

B. null

C. null

D. null

Answer: A



Watch Video Solution

2. If α, β are the roots of the equation $x^2 + px + 1 = 0$; γ, δ the roots of the

equation $x^2 + qx + 1 = 0$, then

$$(\alpha - \gamma)(\alpha + \delta)(\beta - \gamma)(\beta + \delta) =$$

A. $q^2 - p^2$

B. $p^2 - q^2$

C. $p^2 = q^2$

D. none of these

Answer: A



Watch Video Solution

3. The number of real solutions of

$$|2x - x^2 - 3| = 1 \text{ is}$$



Watch Video Solution

4. The number of real roots of

$$(x^2 + 2x)^2 - (x + 1)^2 - 55 = 0$$



Watch Video Solution

5. If α, β are the roots of the equation

$$ax^2 + bx + c = 0, \quad \text{then}$$

$$\frac{1}{a\alpha + b} + \frac{1}{a\beta + b} =$$

A. $\frac{c}{ab}$

B. $\frac{a}{bc}$

C. $\frac{b}{ac}$

D. none of these

Answer: C



Watch Video Solution

6. If α, β are roots of the equation $x^2 + 3x + 7 = 0$, then $1/\alpha + 1/\beta$ is equal to $7/3$ (b) $-7/3$ (c) $3/7$ (d) $-3/7$

A. $7/3$

B. $-7/3$

C. $3/7$

D. $-3/7$

Answer: D



Watch Video Solution

7. The values of x satisfying $(\log)_3(x^2 + 4x + 12) = 2$ are (a) 2, -4 (b) 1, -3 (c) -1, 3 (d) -1, -3



Watch Video Solution

8. The complete set of values of k , for which the quadratic $x^2 - kx + k + 2 = 0$ has equal roots, consists of

A. $2 + \sqrt{12}$

B. $2 \pm \sqrt{12}$

C. $2 - \sqrt{12}$

D. $-2 - \sqrt{12}$

Answer: B



Watch Video Solution

9. For the equation $|x^2| + |x| - 6 = 0$, the sum of the real roots is (a) 1 (b) 0 (c) 2 (d) none of these



Watch Video Solution

10. The equation of the smallest degree with real coefficients having $1 + i$ as one of the roots is (a) $x^2 + x + 1 = 0$ (b) $x^2 - 2x + 2 = 0$ (c) $x^2 + 2x + 2 = 0$ (d) $x^2 + 2x - 2 = 0$



Watch Video Solution

11. The value of p and q ($p \neq 0, q \neq 0$) for which p, q are the roots of the equation $x^2 + px + q = 0$ are (a) $p = 1, q = -2$ (b)

$$p = -1, q = -2 \quad (c) \quad p = -1, q = 2 \quad (d)$$

$$p = 1, q = 2$$



Watch Video Solution

12. The number of solution of

$$x^2 + |x - 1| = 1 \text{ is (a) 0 (b) 1 (c) 2 (d) 3}$$



Watch Video Solution

13. If x is real and $k = \frac{x^2 - x + 1}{x^2 + x + 1}$, then

$$k \in \left[\frac{1}{3}, 3 \right] \quad (b) \quad k \geq 3 \quad (c) \quad k \leq \frac{1}{3} \quad (d) \text{ none of}$$

these



Watch Video Solution

14. The one root of the equation $x^2 + px + 12 = 0$ is 4, while the equation $x^2 + px + q = 0$ has equal roots, the value of q is

A. $\frac{49}{4}$

B. $\frac{4}{49}$

C. 4

D. none of these

Answer: A



Watch Video Solution

15. If the equations $x^2 + 2x + 3\lambda = 0$ and $2x^2 + 3x + 5\lambda = 0$ have a non-zero common roots, then $\lambda =$

A. 1

B. -1

C. 3

D. none of these

Answer: B



Watch Video Solution

16. Solve the quadratic equations by using the general expressions for the roots of a quadratic equation:

$$x^2 - (3\sqrt{2} - 2i)x - 6\sqrt{2}i = 0$$



Watch Video Solution

17. Write the number of real roots of the equation

$$(x - 1)^2 + (x + 2)^2 + (x - 3)^2 = 0.$$



Watch Video Solution

18.

Solve:

$$x^2 - (7 - i)x + (18 - i) = 0 \text{ over } C.$$



Watch Video Solution

19. If α, β are roots of the equation $x^2 - a(x + 1) - c = 0$, then write the value of $(1 + \alpha)(1 + \beta)$.



Watch Video Solution

20. Write the roots of the equation $(a - b)x^2 + (b - c)x + (c - a) = 0$.



Watch Video Solution

21. The least value of k which makes the roots of the equation $x^2 + 5x + k = 0$ imaginary is
(a) 4 (b) 5 (c) 6 (d) 7



Watch Video Solution

22. If α, β are the roots of the equation $x^2 + px + q = 0$, then $-\frac{1}{\alpha}, -\frac{1}{\beta}$ are the roots of the equation (a) $x^2 - px + q = 0$ (b) $x^2 + px + q = 0$ (c) $qx^2 + px + 1 = 0$ (d) $qx^2 - px + 1 = 0$

[Watch Video Solution](#)

23. Solve the equation $9x^2 - 12x + 20 = 0$ by factorization method only.

[Watch Video Solution](#)

24. The set of all values of m for which both the roots of the equation $x^2 - (m + 1)x + m + 4 = 0$ are real and negative is (a) $(-\infty, -3] \cup [5, \infty)$ (b) $[-3, 5]$ (c) $(-4, -3]$ (d) $(-3, -1]$



Watch Video Solution

25. Solve the following quadratic equations by factorization method: $x^2 - 5ix - 6 = 0$ (ii)

$$x^2 + 4ix - 4 = 0$$



Watch Video Solution

26. Solve the equation $25x^2 - 30x + 11 = 0$ by using the general expression for roots

quadratic equation $ax^2 + bx + c = 0$, we get: $a = 25$, $b = -30$ and $c = 11$.



Watch Video Solution

27. Solve: $2x^2 - (3 + 7i)x - (3 - 9i) = 0$



Watch Video Solution

28. The value of k for which the quadratic equation $kx^2 + 1 = kx + 3x - 11x^2$ has real

and equal roots are (a) $-11, -3$, (b) $5, 7$ (c) $5, -7$ (d) none of these



Watch Video Solution

29. The value of a such that $x^2 - 11x + a = 0$ and $x^2 - 14x + 2a = 0$ may have a common root is

A. 0 & 24

B. 0 & 12

C. 2 & 24

D. 12 & 32

Answer: A



Watch Video Solution

30. If the roots of $x^2 - bx + c = 0$ are two consecutive integers, then $b^2 - 4c$ is (a) 0 (b) 1 (c) 2 (d) none of these



Watch Video Solution

31. Solve the equation $4x^2 + 9 = 0$ by factorization method.



Watch Video Solution

32. Solve the equation $x^2 - 4x + 13 = 0$ by factorization method.



Watch Video Solution

33. Solve the quadratic equation $2x^2 - 4x + 3 = 0$ by using the general expressions for the roots of a quadratic equation.



Watch Video Solution

34. Solve the following quadratic equation by factorization method only: $x^2 + x + 1 = 0$



Watch Video Solution

35. Solve the following quadratic equation by factorization method only: $x^2 + 2x + 5 = 0$



Watch Video Solution

36. Solve the following quadratic equation by factorization method only: $x^2 + x + 1 = 0$



Watch Video Solution

37. Solve the following quadratic equation by factorization method only: $9x^2 + 4 = 0$



Watch Video Solution

38. Solve the following quadratic equation by factorization method only:

$$4x^2 - 12x + 25 = 0$$



Watch Video Solution

39. Solve the following quadratic: $4x^2 + 1 = 0$



Watch Video Solution

40. Solve the following quadratic:

$$x^2 + 2x + 2 = 0$$



Watch Video Solution

41. Solve the following quadratic:

$$21x^2 + 9x + 1 = 0$$



Watch Video Solution

42. Solve the following quadratic:

$$x^2 + x + 1 = 0$$



Watch Video Solution

43. Solve the following quadratic:

$$27x^2 - 10x + 1 = 0$$



Watch Video Solution

44. Solve the following quadratic:

$$21x^2 - 28x + 10 = 0$$



Watch Video Solution

45. Solve the equation:

$$\sqrt{3}x^2 - \sqrt{2}x + 3\sqrt{3} = 0$$



Watch Video Solution

46. Solve the following quadratic:

$$x^2 + x + \frac{1}{\sqrt{2}} = 0$$



Watch Video Solution

47. Solve $\sqrt{5}x^2 + x + \sqrt{5} = 0$.



Watch Video Solution

48. Solve the following quadratic:

$$x^2 - 2x + \frac{3}{2} = 0$$



Watch Video Solution

49. Solve the following quadratic:

$$x^2 - 4x + 7 = 0$$



Watch Video Solution

50. Solve the following quadratic:

$$5x^2 - 6x + 2 = 0$$



Watch Video Solution

51. Solve the following quadratic:

$$x^2 - x + 1 = 0$$



Watch Video Solution

52. Solve the following quadratic:

$$17x^2 - 8x + 1 = 0$$



Watch Video Solution

53. Solve the following quadratic:

$$8x^2 - 9x + 3 = 0$$



Watch Video Solution

54. Solve the following quadratic:

$$2x^2 + x + 1 = 0$$



Watch Video Solution

55. Solve the following quadratic:

$$\sqrt{2}x^2 + x + \sqrt{2} = 0$$



Watch Video Solution

56. Solve the following quadratic:

$$x^2 + \frac{x}{\sqrt{2}} + 1 = 0$$



Watch Video Solution

57. Solve the following quadratic:

$$-x^2 + x - 2 = 0$$



Watch Video Solution

58. Solve the following quadratic:

$$3x^2 - 4x + \frac{20}{3} = 0$$



Watch Video Solution

59. Solve the following equation by

factorization method: $x^2 - \sqrt{2}i x + 12 = 0$



Watch Video Solution

60. Solve the following equation by

factorization method: $3x^2 + 7ix + 6 = 0$



Watch Video Solution

61. Solve the following equation by factorization method:

$$x^2 - (3\sqrt{2} + 2i)x + 6\sqrt{2}i = 0$$



Watch Video Solution

62. Solve the following quadratic equation by factorization method: $x^2 + 10ix - 21 = 0$



Watch Video Solution

63. Solve the following quadratic equation by
factorization method:

$$x^2 - (2\sqrt{3} + 3i)x + 6\sqrt{3}i = 0$$



Watch Video Solution

64. Solve the following quadratic equation by
factorization method:

$$x^2 + (1 - 2i)x - 2i = 0$$



Watch Video Solution

65. Solve the following quadratic equation by factorization method: $6x^2 - 17ix - 12 = 0$



Watch Video Solution

66. Solve the following quadratic equation:

$$(2 + i)x^2 - (5 - i)x + 2(1 - i) = 0$$



Watch Video Solution

67. Solve the following quadratic equation:

$$ix^2 - 4x - 4i = 0$$



Watch Video Solution

68. Solve the following quadratic equation:

$$x^2 - (5 - i)x + (18 + i) = 0$$



Watch Video Solution

69. Solve the following quadratic equation:

$$x^2 - (2 + i)x - (1 - 7i) = 0$$



Watch Video Solution

70. Solve the following quadratic equation:

$$x^2 + 4ix - 4 = 0$$



Watch Video Solution

71. Solve the following quadratic equation:

$$2x^2 + \sqrt{15}ix - i = 0$$



Watch Video Solution

72. Solve the following quadratic equation:

$$ix^2 - x + 12i = 0$$



Watch Video Solution

73. Solve the following quadratic equation:

$$x^2 - (3\sqrt{2} - 2i)x - \sqrt{2}i = 0$$



Watch Video Solution

74. Solve the following quadratic equation:

$$2x^2 - (3 + 7i)x + (9i - 3) = 0$$



Watch Video Solution

75. If a and b are roots of the equation $x^2 - px + q = 0$, then write the value of $\frac{1}{a} + \frac{1}{b}$.



Watch Video Solution

76. If roots α, β of the equation $x^2 - px + 16 = 0$ satisfy the relation $\alpha^2 + \beta^2 = 9$, then write the value of p .



Watch Video Solution

77. If $2 + \sqrt{3}i$ is a root of the equation $x^2 + px + q = 0$, then write the values of p and q .



Watch Video Solution

78. If the difference between the roots of the equation $x^2 + ax + 8 = 0$ is 2, write the values of a .



Watch Video Solution

79. If a and b are roots of the equation $x^2 - x + 1 = 0$ then write the value of $a^2 + b^2$.



Watch Video Solution

80. Write the number of quadratic equation with real roots, which do not change by squaring their roots.



Watch Video Solution

81. If α, β are roots of the equation $x^2 + lx + m = 0$, write an equation whose roots are $-\frac{1}{\alpha}$ and $-\frac{1}{\beta}$.



Watch Video Solution

82. If a, b are the roots of the equation $x^2 + x + 1 = 0$, then $a^2 + b^2 =$



Watch Video Solution

83. If α and β are the roots of $4x^2 + 3x + 7 = 0$, then the value of $\frac{1}{\alpha} + \frac{1}{\beta}$ is `

A. $\frac{4}{7}$

B. $-\frac{3}{7}$

C. $\frac{3}{7}$

D. $\frac{3}{7}$

Answer: B



Watch Video Solution

84. If the difference of the roots of $x^2 - px + q = 0$ is unity, then

a) $p^2 + 4q = 1$ b) $p^2 - 4q = 1$ c)

$p^2 + 4q^2 = (1 + 2q)^2$ d)

$4p^2 + q^2 = (1 + 2p)^2$



Watch Video Solution

85. If α, β are the roots of the equation

$x^2 - p(x + 1) - c = 0$ then

$$(\alpha + 1)(\beta + 1) =$$

a) c b) $c - 1$ c) $1 - c$ d) none of these



Watch Video Solution