



MATHS

BOOKS - RD SHARMA MATHS (ENGLISH)

THE STRAIGHT LINES

Others

1. Show that the straight lines given by $(2 + k)x + (1 + k)y = 5 + 7k$ for different values of k pass through a fixed point. Also, find that point.

 [Watch Video Solution](#)

2. Find the equation of the internal bisector of $\angle BAC$ of the $\triangle ABC$ whose vertices A, B, C are $(5, 2), (2, 3)$ and $(6, 5)$ respectively.

 [Watch Video Solution](#)

3. The ratio in which the line segment joining $(-1,1)$ and $(5,7)$ is divided by the line $x + y = 4$ is

 [Watch Video Solution](#)

4. The mid points of the sides of a triangle are $(2,1)$, $(-5,7)$ and $(-5,-5)$. The equation of sides are : (A) $x-2=0$ (B) $6x+7y+65=0$ (C) $6x-7y+79=0$ (D) All of these

 [Watch Video Solution](#)

5. Find the equation of the altitudes of the triangle whose vertices are $A(7, -1)$, $B(-2, 8)$ and $C(1, 2)$.

 [Watch Video Solution](#)

6. One side of a square makes an angle α with x axis and one vertex of the square is at origin. Prove that the equations of its diagonals are $x(\sin \alpha + \cos \alpha) = y(\cos \alpha - \sin \alpha)$ or $x(\cos \alpha - \sin \alpha) + y(\sin \alpha + \cos \alpha) = a$, where a is the length of the side of the square.



[Watch Video Solution](#)

7. Show that the perpendicular drawn from the point $(4, 1)$ on the line segment joining $(6, 5)$ and $(2, -1)$ divides it internally in the ratio 8:5.



[Watch Video Solution](#)

8. Prove that the perpendicular drawn from the point $(4, 1)$ on the join of $(2, -1)$ and $(6, 5)$ divides it in the ratio 5:8.



[Watch Video Solution](#)

9. A line passing through the point $A(3, 0)$ makes 30° angle with the positive direction of x - axis . If this line is rotated through an angle of 15° in clockwise direction, find its equation in new position.

 [Watch Video Solution](#)

10. In what ratio is the line joining the points $(2, 3)$ and $(4, 1)$ divides the segment joining the points $(1, 2)$ and $(4, 3)$?

 [Watch Video Solution](#)

11. Find the equations to the altitudes of the triangle whose angular points are $A(2, -2)$, $B(1, 1)$ and $C(-1, 0)$.

 [Watch Video Solution](#)

12. Find the equations of the diagonals of the square formed by the lines $x = 0$, $y = 0$, $x = 1$ and $y = 1$.



[Watch Video Solution](#)

13. Find the equation of a line which cuts off intercepts a and b respectively from the x and y – axes.



[Watch Video Solution](#)

14. Find the equation of the bisector of angle A of the triangle whose vertices are $A(4, 3)$, $B(0, 0)$ and $C(2, 3)$.



[Watch Video Solution](#)

15. Find the equations of the straight lines which go through the origin and trisect the portion of the straight line $3x + y = 12$ which is intercepted between the axes of coordinates.



[Watch Video Solution](#)

16. A line L is such that its segment between the straight lines $5x - y - 4 = 0$ and $3x + 4y - 4 = 0$ is bisected at the point $(1, 5)$. Obtain the equation.

 [Watch Video Solution](#)

17. Find the equations to the diagonals of the rectangle the equations of whose sides are $x = a$, $x = a'$, $y = b$ and $y = b'$

 [Watch Video Solution](#)

18. A rectangle has two opposite vertices at the points $(1, 2)$ and $(5, 5)$. If the other vertices lie on the line $x = 3$, find the equations of the sides of the rectangle.

 [Watch Video Solution](#)

19. Find the coordinates of the vertices of a square inscribed in the triangle with vertices $A(0, 0)$, $B(3, 0)$ and $C(2, 1)$; given that two of its

vertices are on the side AB .

 [Watch Video Solution](#)

20. If the intercept of a line between the coordinate axes is divided by the point $(-5, 4)$ in the ratio $1:2$, then find the equation of the line.

 [Watch Video Solution](#)

21. A straight line moves so that the sum of the reciprocals of its intercepts made on axes is constant. Show that the line passes through a fixed point.

 [Watch Video Solution](#)

22. Find the equations of lines parallel to $3x - 4y - 5 = 0$ at a unit distance from it.

 [Watch Video Solution](#)

23. If the length of the perpendicular from the point $(1, 1)$ to the line $ax - by + c = 0$ be unity, show that $\frac{1}{c} + \frac{1}{a} - \frac{1}{b} = \frac{c}{2ab}$



Watch Video Solution

24. If t_1 and t_2 are roots of the equation $t^2 + \lambda t + 1 = 0$, where λ is an arbitrary constant. Then prove that the line joining the points $(at_1, 2at_1)$ and $(at_2, 2at_2)$ always passes through a fixed point. Also, find the point.



Watch Video Solution

25. Show that the locus of the mid-point of the segment intercepted between the axes of the variable line $x \cos \alpha + y \sin \alpha = p$ then $\frac{1}{x^2} + \frac{1}{y^2} = \frac{4}{p^2}$, where p is a constant.



Watch Video Solution

26. Find the equation of the line which passes through $P(1, -7)$ and meets the axes at A and B respectively so that $4AP - 3BP = 0$.

 [Watch Video Solution](#)

27. The area of the triangle formed by the coordinates axes and a line is 6 square unit length of a line is 6 square units a tie'hypotenuse is 5 units. Find the equation of the line.

 [Watch Video Solution](#)

28. Find the equations of the line which passes through the point $(3, 4)$ and the sum of its intercepts on the axes is 14.

 [Watch Video Solution](#)

29. For what values of a and b the intercepts cut off on the coordinate axes by the line $ax + by + 8 = 0$ are equal in length but opposite in signs to those cut off by the line $2x - 3y + 6 = 0$ on the axes.



Watch Video Solution

30. Find the equation of the straight line which passes through $(1, -2)$ and cuts off equal intercepts on the axes.



Watch Video Solution

31. If the line $\left(\frac{x}{a}\right) + \left(\frac{y}{b}\right) = 1$ moves in such a way that $\left(\frac{1}{a^2}\right) + \left(\frac{1}{b^2}\right) = \left(\frac{1}{c^2}\right)$, where c is a constant, prove that the foot of the perpendicular from the origin on the straight line describes the circle $x^2 + y^2 = c^2$.



Watch Video Solution

32. If the sum of the distances of a moving point in a plane from the axes is 1, then find the locus of the point.

 [Watch Video Solution](#)

33. Find the equation of the straight lines each of which passes through the point $(3, 2)$ and cuts off intercepts a and b respectively on x and y - axes such that $a - b = 2$.

 [Watch Video Solution](#)

34. The equation of straight line which passes through the point $(-4, 3)$ such that the portion of the line between the axes is divided by the point in ratio $5:3$ is -

 [Watch Video Solution](#)

35. Prove that the length of perpendiculars from points 'P($m^2, 2m$) Q ($mn, m+n$) and R($n^2, 2n$)' to the line $x \cos^2 \theta + y \sin \theta \cos \theta + \sin^2 \theta = 0$ are in G.P.



Watch Video Solution

36. The equation of the base of an equilateral triangle is $x + y - 2 = 0$ and the opposite vertex has coordinates (2, -1). Find the area of the triangle.



Watch Video Solution

37. Find the equations of lines passing through the point (1, 0) and a distance $\frac{\sqrt{3}}{2}$ from the origin.



Watch Video Solution

38. Find the coordinates of a point on $x + y + 3 = 0$, whose distance from $x + 2y + 2 = 0$ is $\sqrt{5}$.

 [Watch Video Solution](#)

39. A point moves such that its distance from the point $(4, 0)$ is half that of its distance from the line $x = 16$, find its locus.

 [Watch Video Solution](#)

40. Find the locus of a point which moves in such away that the square of its distance from the point $(3, -4)$ is numerically equal to its distance from the line $5x - 12y = 13$.

A. $13x^2 + 13y^2 - 83x + 64y + 182 = 0$

B. $x^2 + y^2 - 11x + 16y + 26 = 0$

C. $x^2 + y^2 - 11x + 16y = 0$

D. None of these

Answer: null



[Watch Video Solution](#)

41. Find the equation of the straight line on which the length of the perpendicular from the origin is 4 units and the line makes an angle of 120° with positive direction of x-axis



[Watch Video Solution](#)

42. Find the equation of the straight line upon which the length of the perpendicular from the origin is 5 and the slope of this perpendicular is $\frac{3}{4}$.



[Watch Video Solution](#)

43. A line forms a triangle of area $54\sqrt{3}$ square units with the coordinate axes. Find the equation of the line if the perpendicular drawn from the origin to the line makes an angle of 60° with the X-axis.

 [Watch Video Solution](#)

44. A straight canal is $4\frac{1}{2}$ miles from a place and the shortest route from this place to the canal is exactly north-east. A village is 3 miles north and four miles east from the place. Does it lie by the nearest edge of the canal?

 [Watch Video Solution](#)

45. Find the equation of the line on which the length of the perpendicular segment from the origin to the line is 4 and the inclination of the perpendicular segment with the positive direction of x axis is 30° .

 [Watch Video Solution](#)

46. Find the equation of the straight line on which the length of the perpendicular from the origin is 2 and the perpendicular makes an angle α with x-axis such that $\sin \alpha = \frac{1}{3}$.

 [Watch Video Solution](#)

47. Find the equation of a straight line on which the perpendicular from the origin makes an angle of 30° with x-axis and which forms a triangle of area $50\sqrt{3}$ with the axes.

 [Watch Video Solution](#)

48. The slope of a straight line through $A(3, 2)$ is $3/4$. Find the coordinates of the points on the line that are 5 units away from A.

 [Watch Video Solution](#)

49. Find the equation of the line through the point $A(2, 3)$ and making an angle of 45° with the x-axis. Also, determine the length of intercept on it between A and the line $x + y + 1 = 0$.

 [Watch Video Solution](#)

50. If the straight line through the point $(3, 4)$ makes an angle $\frac{\pi}{6}$ with x-axis and meets the line $12x + 5y + 10 = 0$ at Q , Then the length of PQ is :

 [Watch Video Solution](#)

51. The angle between the diagonals of a quadrilateral formed by the lines $\frac{x}{a} + \frac{y}{b} = 1$, $\frac{x}{b} + \frac{y}{a} = 1$, $\frac{x}{a} + \frac{y}{b} = 2$ and $\frac{x}{b} + \frac{y}{a} = 2$ is

 [Watch Video Solution](#)

52. Find the equation of two straight lines which are parallel to $x + 7y + 2 = 0$ and at unit distance from the point $(1, -1)$.

 [Watch Video Solution](#)

53. Show that the lines $4x + y - 9 = 0$, $x - 2y + 3 = 0$, $5x - y - 6 = 0$ make equal intercepts on any line of slope 2.

 [Watch Video Solution](#)

54. Find the value of m for which the lines $mx + (2m + 3)y + m + 6 = 0$ and $mx + (2m + 1)x + (m - 6)y + 9 = 0$ intersect at a point on $y - a\xi s$.

 [Watch Video Solution](#)

55. The sides AB and AC of a triangle ABC are respectively $2x + 3y = 29$ and $x + 2y = 16$ respectively. If the mid-point of BC is $(5, 6)$ then find the equation of BC .



[Watch Video Solution](#)

56. A line through $A(-5, -4)$ meets the lines $x + 3y + 2 = 0$, $2x + y + 4 = 0$ and $x - y - 5 = 0$ at the points B , C and D respectively, if $\left(\frac{15}{AB}\right)^2 + \left(\frac{10}{AC}\right)^2 = \left(\frac{6}{AD}\right)^2$ find the equation of the line.



[Watch Video Solution](#)

57. Explain BPT Theorem



[Watch Video Solution](#)

58. Transform the equation of the line $\sqrt{3}x + y - 8 = 0$ to (i) slope intercept form and find its slope and y-intercept (ii) intercept form and find intercepts in the coordinates axes (iii) normal form and find the inclination of the perpendicular segment from the origin on the line with the axis and its length.

 [Watch Video Solution](#)

59. Find the distance of the point $(2, 3)$ from the line $2x - 3y + 9 = 0$ measured along a line $x - y + 1 = 0$.

 [Watch Video Solution](#)

60. The line joining two points $A(2,0)$ and $B(3,1)$ is rotated about A in anticlockwise direction through an angle of 15° . find the equation of line in the new position. If b goes to c in the new position what will be the coordinates of C .

 [Watch Video Solution](#)

61. Find the direction in which a straight line must be drawn through the point $(1, 2)$ so that its point of intersection with the line $x + y = 4$ may be at a distance of 3 units from this point.

 [Watch Video Solution](#)

62. Show that the equations of the straight lines passing through the point $(3, -2)$ and inclined at 60° to the line $\sqrt{3}x + y = 1$ are $y + 2 = 0$ and $y - \sqrt{3}x + 2 + 3\sqrt{3} = 0$.

 [Watch Video Solution](#)

63. A vertex of an equilateral triangle is $(2, 3)$ and the opposite side is $x + y = 2$. Find the equations of other sides.

 [Watch Video Solution](#)

64. Find the value of λ , if the line $3x - 4y - 13 = 0$, $8x - 11y - 33 = 0$ and $2x - 3y + \lambda = 0$ are concurrent.

 [Watch Video Solution](#)

65. If the lines $ax + y + 1 = 0$, $x + by + 1 = 0$ and $x + y + c = 0$ are concurrent ($a \neq b \neq c \neq 1$), prove that $\frac{1}{1-a} + \frac{1}{1-b} + \frac{1}{1-c} = 1$.

 [Watch Video Solution](#)

66. If the straight line $\frac{x}{a} + \frac{y}{b} = 1$ passes through the line point of intersection of the lines $x + y = 3$ and $2x - 3y = 1$ and is parallel to $x - y - 6 = 0$, find a and b .

 [Watch Video Solution](#)

67. Find the orthocentre of the triangle the equations of whose sides are

$$x + y = 1, 2x + 3y = 6 \text{ and } 4x - y + 4 = 0.$$



[Watch Video Solution](#)

68. Two vertices of a triangle are $(3, -1)$ and $(-2, 3)$ and its orthocentre is at the origin. Find the coordinates of its third vertex.



[Watch Video Solution](#)

69. Two consecutive sides of a parallelogram are $4x + 5y = 0$ and $7x + 2y = 0$. If the equation of one diagonal is $11x + 7y = 9$, Equation of other diagonal : (A) $11x + 7y = 0$ (B) $3x - 5y + 5 = 0$ (C) $7x + 11y = 0$ (D) $x - y = 0$



[Watch Video Solution](#)

70. Find the equation of the straight line passing through the point of intersection of the lines $5x - 6y - 1 = 0$ and $3x + 2y + 5 = 0$ and perpendicular to the line $3x - 5y + 11 = 0$.



[Watch Video Solution](#)

71. Show that the line $x - y - 6 = 0$, $4x - 3y - 20 = 0$ and $6x + 5y + 8 = 0$ are concurrent. Also, find their common point of intersection.



[Watch Video Solution](#)

72. Three sides AB , AC and CA of triangle ABC are $5x - 3y + 2 = 0$, $x - 3y - 2 = 0$ and $x + y - 6 = 0$ respectively. Find the equation of the altitude through the vertex A .



[Watch Video Solution](#)

73. Find the coordinates of the incentre and centroid of the triangle whose sides have the equations $3x - 4y = 0$, $5x + 12y = 0$ and $y - 15 = 0$.

 [Watch Video Solution](#)

74. Show that the straight lines given by $x(a + 2b) + y(a + 3b) = a$ for different values of a and b pass through a fixed point.

 [Watch Video Solution](#)

75. If a, b, c are variables such that $3a + 2b + 4c = 0$, then show that the family of lines given by $ax + by + c = 0$ pass through a fixed point. Also, find that point.

 [Watch Video Solution](#)

76. If the algebraic sum of the perpendiculars from the points $(2, 0)$, $(0, 2)$, $(1, 1)$ to a variable line be zero, then prove that line passes through a fixed-point whose coordinates are $(1, 1)$.

 [Watch Video Solution](#)

77. A ray of light is sent along the line $x - 2y - 3 = 0$ upon reaching the line $3x - 2y - 5 = 0$, the ray is reflected from it. Find the equation of the line containing the reflected ray.

 [Watch Video Solution](#)

78. lines $L_1: ax + by + c = 0$ and $L_2: lx + my + n = 0$ intersect at the point P and make an angle θ between each other. find the equation of a line L different from L_2 which passes through P and makes the same angle θ with L_1

 [Watch Video Solution](#)

79. Find the equation of the straight line passing through the point of intersection of $2x + 3y + 1 = 0$ and $3x - 5y - 5 = 0$ and equally inclined to the axes.

 [Watch Video Solution](#)

80. Find the equation of the straight line which cuts off intercept on X-axis which is twice that on Y-axis and is at a unit distance from the origin.

 [Watch Video Solution](#)

81. Find the equation of the straight line passing through the point of intersection of $2x + y - 1 = 0$ and $x + 3y - 2 = 0$ and making with the coordinate axes a triangle of area $3/8$ sq. units.

 [Watch Video Solution](#)

82. Find the equations of the lines through the point of intersection of the lines $x - y + 1 = 0$ and $2x - 3y + 5 = 0$ whose distance from the point $(3, 2)$ is $\frac{7}{5}$



Watch Video Solution

83. If the diagonals of the quadrilateral formed by lines $l_1x + m_1y + n_1 = 0$, $l_2x + m_2y + n_2 = 0$, $l_1x + m_1y + n_1' = 0$, and $l_2x + m_2y + n_2' = 0$, are perpendicular, then value of $l_1^2 - l_2^2 + m_1^2 - m_2^2$.



Watch Video Solution

84. Write the area of the figure formed by the lines $a|x| + b|y| + c = 0$.



Watch Video Solution

85. If θ is the acute angle between the lines with slopes m_1 and m_2 then

$$\tan \theta = \frac{m_1 - m_2}{1 + m_1 m_2}$$

.if p is the length the perpendicular from point $P(x_1, y_1)$ to the line $ax + by + c = 0$ then $p = \frac{ax_1 + by_1 + c}{\sqrt{a^2 + b^2}}$



Watch Video Solution

86. A straight line L is perpendicular to the line $5x - y = 1$. The area of the triangle formed by the line L and the coordinate axes is

$5 \frac{1}{2}$ units. Find the equation of the line L .



Watch Video Solution

87. Find the image of the point $(-8, 12)$ with respect to line mirror

$$4x + 7y + 13 = 0.$$



Watch Video Solution

88. Show that the equation of a line passing through $(a \cos^3 \theta, a \sin^3 \theta)$ and perpendicular to the line $x \sec \theta + y \operatorname{cosec} \theta = a$ is $x \cos \theta - y \sin \theta - a \cos 2\theta = 0$.



[Watch Video Solution](#)

89. Find the equation of a straight line parallel to $2x + 3y + 11 = 0$ and which is such that the sum of its intercepts on the axes is 15.



[Watch Video Solution](#)

90. Find the coordinates of the foot of the perpendicular drawn from the point $(1, -2)$ on the line $y = 2x + 1$.



[Watch Video Solution](#)

91. If the lines $p_1x + q_1y = 1$, $p_2x + q_2y = 1$ and $p_3x + q_3y = 1$, be concurrent, show that the point (p_1, q_1) , (p_2, q_2) and (p_3, q_3) are collinear.

 [Watch Video Solution](#)

92. Prove that the medians of a triangle are concurrent and find the position vector of the point of concurrency (that is, the centroid of the triangle)

 [Watch Video Solution](#)

93. Show that the altitudes of a triangle are concurrent


 [Watch Video Solution](#)

94. Two sides of an isosceles triangle are given by the equations $7x - y + 3 = 0$ and $x + y - 3 = 0$ and its third side passes through

the point $(1, -10)$. Determine the equation of the third side.

 [Watch Video Solution](#)

95.



 [Watch Video Solution](#)

96. Find the equations of the sides of an isosceles right angled triangle the equation of whose hypotenuse is $3x + 4y = 4$ and the opposite vertex is the point $(2, 2)$.

 [Watch Video Solution](#)

97. A line $4x + y = 1$ passes through the point $A(2,7)$ and meets line BC at B whose equation is $3x - 4y + 1 = 0$, the equation of line AC such

that $AB = AC$ is (a) $52x + 89y + 519 = 0$ (b) $52x + 89y - 519 = 0$ c) $82x + 52y + 519 = 0$ (d) $89x + 52y - 519 = 0$

 [Watch Video Solution](#)

98. One side of a rectangle lies along the line $4x + 7y + 5 = 0$. Two of its vertices are $(-3, 1)$ and $(1, 1)$. Find the equations of the other three sides.

 [Watch Video Solution](#)

99. If two opposite vertices of square are $(1, 2)$ and $(5, 8)$, find the coordinates of its other two vertices and the equations of its sides.

 [Watch Video Solution](#)

100. Find the equation of the straight line which passes through the intersection of the lines $x - y - 1 = 0$ and $2x - 3y + 1 = 0$ and

parallel (i) x -axis (ii) y -axis (iii) $3x+4y=14$.



Watch Video Solution

101. Find the equation of the straight line which passes through the point $(2, -3)$ and the point intersection of the lines $x + y + 4 = 0$ and $3x - y - 8 = 0$.



Watch Video Solution

102. If $A(2, 0)$, $B(0, 2)$ and $C(0, 7)$ are three vertices, taken in order, of an isosceles trapezium $ABCD$ in which $AB \parallel DC$. find the coordinates of D .



Watch Video Solution

103. Prove that the line joining the mid-points of the two sides of a triangle is parallel to the third side.



[Watch Video Solution](#)

104. A ray of light passing through the point $(1, 2)$ reflects on the x -axis at point A and the reflected ray passes through the point $(5, 3)$. Find the co-ordinates of A .



[Watch Video Solution](#)

105. Prove that $A(4, 3)$, $B(6, 4)$ and $C(5, 6)$ and $D(3, 5)$ are the angular points of a square.



[Watch Video Solution](#)

106. What is the value of y so that the line through $(3, y)$ and $(2, 7)$ is parallel to the line through $(-1, 4)$ and $(0, 6)$?



[Watch Video Solution](#)

107. Let $A(6, 4)$ and $B(2, 12)$ be two given points. Find the slope of a line perpendicular to AB .

 [Watch Video Solution](#)

108. Find the angle between the lines joining the point $(0, 0)$, $(2, 3)$ and the points $(2, -2)$, $(3, 5)$.

 [Watch Video Solution](#)

109. Determine x so that the line passing through $(3, 4)$ and $(x, 5)$ makes an angle of 135° angle with positive direction of x -axis

 [Watch Video Solution](#)

110. If $A(-2, 1)$, $B(2, 3)$ and $C(-2, -4)$ are three points, find the angle between BA and BC .

 [Watch Video Solution](#)

111. Find the equation of a straight line which passes through the point of intersection of the straight lines $x + y - 5 = 0$ and $x - y + 3 = 0$ and perpendicular to a straight line intersecting x-axis at the point $(-2,0)$ and the y-axis at the point $(0,-3)$.

 [Watch Video Solution](#)

112. Classify the following pairs of lines as coincident, parallel or intersecting: $x + 2y - 3 = 0$ and $-3x - 6y + 9 = 0$; $x + 2y + 1 = 0$ and $2x - 4y + 3 = 0$; $3x - 2y + 5 = 0$ and $2x + y - 9 = 0$

 [Watch Video Solution](#)

113. Find the slope of the lines which make an angle of 45° with the line $3x - y + 5 = 0$.

 [Watch Video Solution](#)

114. . The lines $(a + b)x + (a - b)y - 2ab = 0$, $(a - b)x + (a + b)y - 2ab = 0$ and $x + y = 0$ form an isosceles triangle whose vertical angle is

 [Watch Video Solution](#)

115. If the point as $(4, 7)$ and $(\cos \theta, \sin \theta)$, where $\theta \in (0, \pi)$

 [Watch Video Solution](#)

116. Find the centroid and in-centre of the triangle, equations of whose sides are $3x - 4y = 0$, $12y + 5x = 0$ and $y - 15 = 0$

 [Watch Video Solution](#)

117. The vertices of a triangle are $[at_1t_2, a(t_1 + t_2)]$, $[at_2t_3, a(t_2 + t_3)]$, $[at_3t_1, a(t_3 + t_1)]$ Then the orthocenter of the triangle is: (a)

$$(-a, a(t_1 + t_2 + t_3) - at_1t_2t_3) \quad (b) \quad (-a, a(t_1 + t_2 + t_3) + a(t_1t_2t_3))$$

$$(c) \quad (a, a(t_1 + t_2 + t_3) + at_1t_2t_3) \quad (d) \quad (a, a(t_1 + t_2 + t_3) - at_1t_2t_3)$$



Watch Video Solution

118. Find the tangent of the angle between the lines whose intercepts on the axes are respectively $a, -b$ and $b, -a$



Watch Video Solution

119. Find the value of k if the straight line $2x + 3y + 4 + k(6x - y + 12) = 0$ is perpendicular to the line $7x + 5y - 4 = 0$.



Watch Video Solution

120. Find the values of β so that the point $(0, \beta)$ lies on or inside the triangle having the sides $3x + y + 2 = 0$; $2x - 3y + 5 = 0$ and

$$x + 4y - 14 = 0.$$



Watch Video Solution

121. Find the values of α so that the point $P(\alpha^2, \alpha)$ lies inside or on the triangle formed by the lines $x - 5y + 6 = 0$, $x - 3y + 2 = 0$ and $x - 2y - 3 = 0$.



Watch Video Solution

122. Prove that the area of the parallelogram formed by the lines $a_1x + b_1y + c_1 = 0$, $a_1x + b_1y + d_1 = 0$, $a_2x + b_2y + c_2 = 0$, $a_2x + b_2y + d_2 = 0$ is $\left| \frac{(d_1 - c_1)(d_2 - c_2)}{a_1b_2 - a_2b_1} \right|$ sq. units.



Watch Video Solution

123. Show that the diagonals of the parallelogram whose sides are $lx + my + n = 0$, $lx + my + n' = 0$, $mx + ly + n = 0$ and

$mx + ly + n' = 0$ include an angle $\pi/2$.

 [Watch Video Solution](#)

124. Find the ratio in which the line $3x + 4y + 2 = 0$ divides the distance between the lines $3x + 4y + 5 = 0$ and $3x + 4y - 5 = 0$.

 [Watch Video Solution](#)

125. Prove that the area of the parallelogram formed by the lines $x \cos \alpha + y \sin \alpha = p$, $x \cos \alpha + y \sin \alpha = q$, $x \cos \beta + y \sin \beta = r$ and $x \cos \beta + y \sin \beta = s$.

 [Watch Video Solution](#)

126. Find the equation of the perpendicular bisector of the line segment joining the points $A(2, 3)$ and $B(6, -5)$.

 [Watch Video Solution](#)

127. The vertices of a triangle are $A(10, 4)$, $B(-4, 0)$ and $C(-2, 8)$.

Find the equation of its altitudes.

 [Watch Video Solution](#)

128. Two sides of a square lie on the lines $x + y = 1$ and $x + y + 2 = 0$.

What is its area?

 [Watch Video Solution](#)

129. Prove that the line $5x - 2y - 1 = 0$ is mid-parallel to the lines

$5x - 2y - 9 = 0$ and $5x - 2y + 7 = 0$.

 [Watch Video Solution](#)

130. Find the equation of a line that has y - intercept 4 and is perpendicular to the line joining $(2, -3)$ and $(4, 2)$.

 [Watch Video Solution](#)

131. P_1, P_2 are points on either of the two line $y - \sqrt{3}|x| = 2$ at a distance of 5 units from their point intersection. Find the coordinates of the foot of perpendiculars drawn from P_1, P_2 on the bisector of the angle between the given lines.

 [Watch Video Solution](#)

132. Find the equation of a line has $y - intercept$ is -4 and is parallel to the line joining $(2, -5)$ and $(1, 2)$.

 [Watch Video Solution](#)

133. Find the equation of a line passing through $(1, 2)$ and making angle of 30° with y -axis

 [Watch Video Solution](#)

134. The vertices of a triangle are $A(x_1, x_1 \tan \theta_1)$, $B(x_2, x_2 \tan \theta_2)$ and $C(x_3, x_3 \tan \theta_3)$. If the circumcentre of $\triangle ABC$ coincides with the origin and $H(\bar{x}, \bar{y})$ is the orthocentre, show that
$$\frac{\bar{y}}{\bar{x}} = \frac{\sin \theta_1 + \sin \theta_2 + \sin \theta_3}{\cos \theta_1 + \cos \theta_2 + \cos \theta_3}$$

 [Watch Video Solution](#)

135. Find the equation of a line which is parallel to y – axis and passes through $(-4, 3)$.

 [Watch Video Solution](#)

136. Find the equation of a line which is equidistant from the lines $x = 4$ and $x = 8$.

 [Watch Video Solution](#)

137. Find the equation of a straight line which makes an angle of $\tan^{-1} \sqrt{2}$ with the x-axis and cuts off an intercept of $= \frac{3}{\sqrt{2}}$ with the y-axis

 [Watch Video Solution](#)

138. The equation of the base of an equilateral triangle is $x + y = 2$ and its vertex is $(2, -1)$. Find the length and equations of its sides.

 [Watch Video Solution](#)

139. find the slope of a line whose inclination to the positive direction of x-axis in anticlockwise sense is i. 60° ii. 0° iii. 150° iv. 120°

 [Watch Video Solution](#)

140. What can be said regarding a line if its slope is i. positive ii. zero iii negative?

 [Watch Video Solution](#)

141. Find the slope of a line which passes through points $(3,2)$ and $(-1,5)$.

 [Watch Video Solution](#)

142. Determine x so that 2 is the slope of the line through $(2,5)$ and $(x, 3)$.

 [Watch Video Solution](#)

143. Without using Pythagoras theorem, show that $A(4, 4)$, $B(3, 5)$ and $C(-1, -1)$ are the vertices of a right angled triangle.

 [Watch Video Solution](#)

144. A quadrilateral has the vertices at the points $(-4, 2)$, $(2, 6)$, $(8, 5)$ and $(9, -7)$. Show that the mid points of the sides of this quadrilateral are the vertices of a parallelogram.

 [Watch Video Solution](#)

145. If the points $P(h, k)$, $Q(x_1, y_1)$ and $R(x_2, y_2)$ lie on a line. Show that: $(h - x_1)(y_2 - y_1) = (k - y_1)(x_2 - x_1)$.

 [Watch Video Solution](#)

146. In figure, time and distance graph of a linear motion is given. Two positions of time and distance recorded and when $T = 0$, $D = 2$ and when $T = 3$, $D = 8$. Using the concept of slope, find law of motion i.e. how distance depends upon time.

 [Watch Video Solution](#)

147. If points $(a, 0)$, $(0, b)$ and (x, y) are collinear, using the concept of slope prove that $\frac{x}{a} + \frac{y}{b} = 1$.

 [Watch Video Solution](#)

148. Prove that :The diagonals of a rhombus bisect each other at right angle.

 [Watch Video Solution](#)

149. Using the concept of slope, prove that medians of an equilateral triangle are perpendicular to the corresponding sides.

 [Watch Video Solution](#)

150. Prove that that a triangle which has one of the angle as 30^0 cannot have all vertices with integral coordinates.

 [Watch Video Solution](#)

151. Find the slopes of the lines which make the following angles with the positive direction of x-axis: $\frac{\pi}{4}$ ii. $\frac{2\pi}{3}$

 [Watch Video Solution](#)

152. Find the slopes of the lines which make the following angles with the positive direction of x-axis: $\frac{3\pi}{4}$ ii. $\frac{\pi}{3}$

 [Watch Video Solution](#)

153. Find the slope of a line passing through the following point:
 $(-3, 2)$ and $(1, 4)$



[Watch Video Solution](#)

154. Find the slope of a line passing through the following point:

$$(at_1^2, 2at_1) \text{ and } (at_2^2, 2at_2)$$



[Watch Video Solution](#)

155. Find the slope of a line passing through the following point:

$$(3, -5) \text{ and } (1, 2).$$



[Watch Video Solution](#)

156. State whether the two lines in each of the following are parallel, perpendicular or neither: through $(9,5)$ and $(-1,1)$; through $(3,-5)$ and $(8,-3)$



[Watch Video Solution](#)

157. State whether the two lines in each of the following are parallel, perpendicular or neither: through $(5,6)$ and $(2,3)$; through $(9,-2)$ and $(6,-5)$

 [Watch Video Solution](#)

158. State whether the two lines in each of the following are parallel, perpendicular or neither: through $(6,3)$ and $(1,1)$; through $(-2,5)$ and $(2,-5)$

 [Watch Video Solution](#)

159. State whether the two lines in each of the following are parallel, perpendicular or neither: passing through $(3,15)$ and $(16,6)$; passing through $(-5,3)$ and $(8,2)$

 [Watch Video Solution](#)

160. Find the slope of a line i. which bisects the first quadrant angle ii. which makes an angle of 30° with the positive direction of y-axis measured anticlockwise.



[Watch Video Solution](#)

161. Using the method of slope, show that the following points are collinear: $A(4, 8)$, $B(5, 12)$, $C(9, 28)$



[Watch Video Solution](#)

162. Using the method of slope, show that the following points are collinear: $A(16, -18)$, $B(3, -6)$, $C(-10, 6)$



[Watch Video Solution](#)

163. What is the value of y so that the line through $(3, y)$ and $(2, 7)$ is parallel to the line through $(-1, 4)$ and $(0, 6)$?



[Watch Video Solution](#)

164. What can be said regarding a line if its slope is i. positive ii. zero iii negative?



[Watch Video Solution](#)

165. Show that the line joining $(2, -3)$ and $(-5, 1)$ is parallel to the line joining $(7, -1)$ and $(0, 3)$.



[Watch Video Solution](#)

166. Show that the line joining $(2, -5)$ and $(-2, 5)$ is perpendicular to the line joining $(6, 3)$ and $(1, 1)$.





[Watch Video Solution](#)

167. Without using Pythagoras theorem, show that the points $A(0, 4)$, $B(1, 2)$ and $C(3, 3)$ are the vertices of a right angled triangle.



[Watch Video Solution](#)

168. Prove that the points $(-4, -1)$, $(-2, -4)$, $(4,0)$ and $(2,3)$ are the vertices of a rectangle.



[Watch Video Solution](#)

169. If three points $A(h, 0)$, $P(a, b)$ and $B(0, k)$ lie on a line, show that:

$$\frac{a}{h} + \frac{b}{k} = 1.$$



[Watch Video Solution](#)

170. The slope of a line is double of the slope of another line. If tangent of the angle between them is $\frac{1}{3}$, find the slopes of the lines.

 [Watch Video Solution](#)

171. Consider the following population and year graph: find the slope of the line AB and using it find what will be the population in the year 2010.

 [Watch Video Solution](#)

172. Without using distance formula, show that points $(-2, -1)$, $(4, 0)$, $(3, 3)$ and $(-3, 2)$ are the vertices of a parallelogram.

 [Watch Video Solution](#)

173. Find the angle between the X-axis and the line joining the points $(3, -1)$ and $(4, -2)$.



Watch Video Solution

174. Line through the points $(-2,6)$ and $(4,8)$ is perpendicular to the line through the points $(8,12)$ and $(x, 24)$. Find the value of x .



Watch Video Solution

175. Find the value of x for which the points $(x - 1)$, $(2, 1)$ and $(4, 5)$ are collinear.



Watch Video Solution

176. Find the angle between X-axis and the line joining the points $(-3,-1)$ and $(4,-2)$.



Watch Video Solution

177. By using the concept of slope, show that the points $(-2,-1)$, $(4,0)$, $(3,3)$ and $(-3,2)$ are the vertices of a parallelogram.

 [Watch Video Solution](#)

178. A quadrilateral has vertices $(4, 1)$, $(1, 7)$, $(-6, 0)$ AND $(-1, -9)$. Show that mid-points of the sides of this quadrilateral form a parallelogram.

 [Watch Video Solution](#)

179. Write down the equation of the following lines: x-axis

 [Watch Video Solution](#)

180. Write down the equation of the following lines: y - axis

 [Watch Video Solution](#)

181. Write down the equation of the following lines: A line parallel to x-axis at a distance of 3 units below x-axis.



[Watch Video Solution](#)

182. Write down the equation of the following lines: a line parallel to y-axis at a distance of 5 units on the left hand side of it.



[Watch Video Solution](#)

183. Find the equation of a line which is parallel to x-axis and passes through (3,-5).



[Watch Video Solution](#)

184. Find the equation of the line parallel to x-axis and passing through (3,-5).



[Watch Video Solution](#)

185. Find the equation of the line perpendicular to x-axis and having intercept -2 on x-axis.



[Watch Video Solution](#)

186. Find the equation of the line parallel to x-axis of and having intercept -2 on y-axis.



[Watch Video Solution](#)

187. Find the equation of the line parallel to x-axis of and having intercept -2 on y-axis.





[Watch Video Solution](#)

188. Draw the lines $x = -3$, $x = 2$, $y = -2$, $y = 3$ and write the coordinates of the vertices of the square so formed.



[Watch Video Solution](#)

189. Find the equations of the straight lines which pass through $(4,3)$ and are respectively parallel and perpendicular to the x-axis.



[Watch Video Solution](#)

190. Find the equation of a line which is equidistant from the lines $x = -2$ and $x = 6$.



[Watch Video Solution](#)

191. find the equation of a line equidistant from the lines $y = 10$ and $y = -2$.

 [Watch Video Solution](#)

192. Find the equation of a line with slope -1 and cutting of an intercept of 4 units on negative direction of y-axis.

 [Watch Video Solution](#)

193. Find the equation of a straight line which cuts off an intercept of 5 units on negative direction of y-axis and makes an angle 120° with the positive direction of x-axis.

 [Watch Video Solution](#)

194. Find the equation of a straight line cutting off an intercept -1 from y -axis and being equally inclined to the axes.

 [Watch Video Solution](#)

195. Find the equation of a straight line which cuts off an intercept of length 3 on y -axis and is parallel to the line joining the points $(3,-2)$ and $(1,4)$.

 [Watch Video Solution](#)

196. Find the equation of the straight line which makes an angle of 15° with the positive direction of x -axis and which cuts an intercept of length 4 on the negative direction of y -axis.

 [Watch Video Solution](#)

197. Find the equation of a line making an angle of 150° with the x-axis and cutting off an intercept 2 from y-axis.

 [Watch Video Solution](#)

198. Find the equation of a straight line: with slope 2 and y-intercept 3;

 [Watch Video Solution](#)

199. Find the equation of a straight line: with slope -2 and intersecting the x-axis at a distance of 3 units to the left of origin.

 [Watch Video Solution](#)

200. Find the equation of a straight line: with slope $-1/3$ and y-intercept -4.

 [Watch Video Solution](#)

201. Find the equation of a line which makes an angle of $\tan^{-1}(3)$ with the x-axis and cuts off an intercept of 4 units on negative direction of y-axis.



[Watch Video Solution](#)

202. Find the equation of a line which is perpendicular to the line joining (4,2) and (3,5) and cuts off an intercept of length 3 on y-axis.



[Watch Video Solution](#)

203. Find the equation of the perpendicular to the segment joining (4,3) and (-1,1) if it cuts off an intercept -3 from y-axis.



[Watch Video Solution](#)

204. Find the equation of the straight line intersecting y-axis at a distance of 2 units above the origin and making an angle of 0° with the positive direction of the x-axis



[Watch Video Solution](#)

205. Find the equation a line passing through (2,-3) and inclined at an angle of 15° with the positive direction of x-axis.



[Watch Video Solution](#)

206. Determine the equation of line through the point (-4 -3) and parallel to x-axis.



[Watch Video Solution](#)

207. Find the equation of the line for which $\tan \theta = \frac{1}{2}$, where θ is the inclination of the line and i. x-intercept equal to 4. ii. y-intercept is $-\frac{3}{2}$.

 [Watch Video Solution](#)

208. The perpendicular from the origin to a line meets it at the point (-2, 9) find the equation of the line.

 [Watch Video Solution](#)

209. Find the equation of the line passing through the point (0,2) making an angle $\frac{2\pi}{3}$ with the positive x-axis. Also, find equation of line parallel to it and crossing the y-axis at a distance of 2 units below the origin.

 [Watch Video Solution](#)

210. Two lines passing through the point $(2,3)$ intersect each other at an angle 60° . If slope of one line is 2, find the equation of the other line.

 [Watch Video Solution](#)

211. Find the equation of the line passing through $(-3,5)$ and perpendicular to the line through the points $(2,5)$ and $(-3,6)$.

 [Watch Video Solution](#)

212. A line perpendicular to the in segment joining the points $(1,0)$ and $(2,3)$ divides it in the ratio $1 : n$. Find the equation of the line.

 [Watch Video Solution](#)

213. Find the equation of the perpendicular bisector of the line segment joining the points $(1,1)$ and $(2,3)$.





[Watch Video Solution](#)

214. Find the equation of the straight line passing through the point (6,2) and having slope -3.



[Watch Video Solution](#)

215. Find the equation the straight line passing through (-2,3) and inclined at an angle of 45° with the x-axis.



[Watch Video Solution](#)

216. Find the equation of the line passing through (0,0) with slope m .



[Watch Video Solution](#)

217. Find the equation of the line passing through $(2, 2\sqrt{3})$ and inclined with x-axis at an angle of 75° .

 [Watch Video Solution](#)

218. Find the equation of the straight line which passes through the point $(1,2)$ and makes such an angle with the positive direction of x-axis whose sine is $\frac{3}{5}$.

 [Watch Video Solution](#)

219. Find the equation of the straight line passing through $(3,-2)$ and making an angle of 60° with the positive direction of y-axis.

 [Watch Video Solution](#)

220. Find the lines through the point $(0,2)$ making angles $\frac{\pi}{3}$ and $\frac{2\pi}{3}$ with the x-axis. Also, find the lines parallel to the cutting the y-axis at a distance of 2 units below the origin.



[Watch Video Solution](#)

221. Find the equation of the straight lines which cut off an intercept 5 from the y-axis and are equally inclined to the axes.



[Watch Video Solution](#)

222. Find the equation of the line which intercepts a length 2 on the positive direction of the x-axis and is inclined at an angle of 135° with the positive direction of y-axis .



[Watch Video Solution](#)

223. Find the equation of the straight line which divide the join of the points $(2,3)$ and $(-5,8)$ in the ratio $3:4$ and is also perpendicular to it.

 [Watch Video Solution](#)

224. Find the equation of the right bisector of the line segment joining the points $(3,4)$ and $(-1,2)$.

 [Watch Video Solution](#)

225. Find the equation of the right bisector of the line segment joining eth points $A(1, 0)$ and $B(2, 3)$

 [Watch Video Solution](#)

226. Find the equation of the line joining the points $(-1, 3)$ and $(4, -2)$.



 [Watch Video Solution](#)

227. Find the equation of the medians of the triangle ABC whose vertices are $A(2, 5)$, $B(-4, 9)$ and $C(-2, -1)$.

 [Watch Video Solution](#)

228. Prove that the points $(5, 1)$, $(1, -1)$ and $(11, 4)$ are collinear. Also find the equation of the straight line on which these points lie.

 [Watch Video Solution](#)

229. The Fahrenheit temperature F and absolute temperature K satisfy a linear equation. Given that $K = 273$ when $F = 32$ and that $K = 373$ when $F = 212$. Express K in terms of F and find the value of F , when $K = 0$.

 [Watch Video Solution](#)

230. Find the equation of the straight lines passing through the following pair of point: $(0, 0)$ and $(2, -2)$.

 [Watch Video Solution](#)

231. Find the equation of the straight lines passing through the following pair of point: $(0, -a)$ and $(at_2, a/t_2)$

 [Watch Video Solution](#)

232. Find the equation of the straight lines passing through the following pair of point: $(at_1, a/t_1)$ and $(at_2, a/t_2)$

 [Watch Video Solution](#)

233. Find the equation of the straight lines passing through the following pair of point: (a, b) and $(a + c \sin \alpha, b + c \cos \alpha)$





[Watch Video Solution](#)

234. Find the equation of the straight lines passing through the following pair of point: (a, b) and $(a + b, a - b)$



[Watch Video Solution](#)

235. Find the equation of the straight lines passing through the following pair of point: $(a \cos \alpha, a \sin \alpha)$ and $(a \cos \beta, a \sin \beta)$



[Watch Video Solution](#)

236. Find the equations to the sides of the triangles of the coordinates of whose angular points are respectively: $(1, 4)$, $(2, -3)$ and $(-1, -2)$.



[Watch Video Solution](#)

237. If the coordinates of the vertices of triangle ABC are $(-1, 6)$, $(-3, -9)$ and $(5, -8)$, respectively, then find the equation of the median through C .



[Watch Video Solution](#)

238. Find the equation of the side BC of the triangle ABC whose vertices are $A(-1, -2)$, $B(0, 1)$ and $C(2, 0)$ respectively. Also, find the equation of the median through $A(-1, -2)$.



[Watch Video Solution](#)

239. By using the concept of equation of a line, prove that the three points $(3, 0)$, $(-2, -2)$ and $(8, 2)$ are collinear.



[Watch Video Solution](#)

240. Prove that the line $y - x + 2 = 0$ divides the join of points $(3,-1)$ and $(8,9)$ in the ratio 2:3.

 [Watch Video Solution](#)

241. Find the equation to the straight line which bisects the distance between the points (a, b) , (a', b') and also bisects the distance between the points $(-a, b)$ and $(a', -b')$.

 [Watch Video Solution](#)

242. In what ratio is the line joining the points $(2, 3)$ and $(4, -5)$ divided by the line passing through the points $(6,8)$ and $(-3,-2)$.

 [Watch Video Solution](#)

243. The vertices of a quadrilateral are $A(-2, 6)$, $B(1, 2)$, $C(10, 4)$ and $D(7, 8)$. Find the equations of its diagonals.

 [Watch Video Solution](#)

244. The length L (in centimetre) of a copper rod is a linear function of its Celsius temperature C . In an experiment, if $L = 124.942$ when $C = 20$ and $L = 125.134$ when $C = 110$, express L in terms of C .

 [Watch Video Solution](#)

245. Find the equation of the line which cuts off an intercept 4 on the positive direction of x-axis and an intercept 3 on the negative direction of y-axis.

 [Watch Video Solution](#)

246. Find the equation of the straight line which makes equal intercepts on the axes and passes through the point (2,3).

 [Watch Video Solution](#)

247. Find the equation of the line which cuts off equal and positive intercepts from the axes and passes through the point (α, β) .

 [Watch Video Solution](#)

248. Find the equation of a straight line which passes through the point (4,-2) and whose intercept on y-axis is twice that on x-axis.

 [Watch Video Solution](#)

249. Find the equation of the straight line whose intercepts on X-axis and Y-axis are respectively twice and thrice of those by the line

$$3x + 4y = 12.$$



Watch Video Solution

250. Find the equation of the line through (2,3) so that the segment of the line intercepted between the axes is bisected at this point.



Watch Video Solution

251. A line passes through the point (3,-2). Find the locus of the middle point of the portion the line intercepted between the axes.



Watch Video Solution

252. Find the equations of the lines, which cut-off intercepts on the axes whose sum and product are 1 and -6 , respectively.



Watch Video Solution

253. Find equation of lines pass through origin and trisect the intercept of line $3x + 4y - 12$ between the axes.

 [Watch Video Solution](#)

254. Find the equation to the straight line: cutting off intercepts 3 and 2 from the axes.

 [Watch Video Solution](#)

255. Find the equation to the straight line: cutting off intercepts -5 and 6 from the axes.

 [Watch Video Solution](#)

256. Find the equation to the straight line which passes through the point (5,6) and has intercepts on the axes. i) equal in magnitude and both

positive ii) equal in magnitude but opposite in sign

 [Watch Video Solution](#)

257. A straight line passes through the point (α, β) and this point bisects the portion of the line intercepted between the axes. Show that the equation of the straight line is $\frac{x}{2\alpha} + \frac{y}{2\beta} = 1$.

 [Watch Video Solution](#)

258. Point R (h, k) divides a line segment between the axes in the ratio $1:2$. Find equation of the line.

 [Watch Video Solution](#)

259. Find the equation of the straight line which passes through the point $(-3, 8)$ and cuts off positive intercepts on the coordinate axes whose sum is 7.



[Watch Video Solution](#)

260. The equation of straight line which passes through the point $(-4,3)$ such that the portion of the line between the axes is divided by the point in ratio $5:3$ is -



[Watch Video Solution](#)

261. Find the equation of a line which passes through the point $(22, -6)$ and is such that the intercept on x-axis exceeds the intercept on y-axis by 5.



[Watch Video Solution](#)

262. Find the equation of the line which passes through $P(1, -7)$ and meets the axes at A and B respectively so that $4AP - 3BP = 0$.



[Watch Video Solution](#)

263. Find equation of the line passing through the point $(2, 2)$ and cutting off intercepts on the axes whose sum is 9.

 [Watch Video Solution](#)

264. Find the equation of straight line which passes through the point $P(2,6)$ and cuts the coordinate axis at the point A and B respectively so that $AP:BP=2:3$.

 [Watch Video Solution](#)

265. Find the equations of the straight lines which pass through the origin and trisect the portion of the straight line $2x + 3y = 6$ which is intercepted between the axes.

 [Watch Video Solution](#)

266. find the equation of the straight line passing through $(2, 1)$ and bisecting the portion of the straight line $3x - 5y = 15$ lying between the axes.



[Watch Video Solution](#)

267. Find the equation of the straight line passing through the origin and bisecting the portion of the line $ax + by + c = 0$ intercepted between the coordinate axes.



[Watch Video Solution](#)

268. Find the equation of the straight line which is at a distance 3 from the origin and perpendicular from the origin to the line makes an angle of 30° with the positive direction of the x-axis.



[Watch Video Solution](#)

269. the length of the perpendicular from the origin to a line is 7 and a line makes an angle of 150° with the positive direction of y -axis . then the equation of the line is:

 [Watch Video Solution](#)

270. Find the equation of the straight line upon which the length of perpendicular from origin is $3\sqrt{2}$ units and this perpendicular makes an angle of 75° with the positive direction of x -axis.

 [Watch Video Solution](#)

271. Find the equation of a line for which: $p = 5, \alpha = 60^\circ$

 [Watch Video Solution](#)

272. Find the equation of a line for which: $p = 8, \alpha = 225^\circ$

 [Watch Video Solution](#)

273. Find the equation of a line for which: $p = 8, \alpha = 300^\circ$



Watch Video Solution

274. Find the equation of the line whose perpendicular distance from the origin is 4 units and the angle which the normal makes with positive direction of x-axis is 150° .



Watch Video Solution

275. Find the equation of the straight line at a distance of 3 units from the origin such that the perpendicular from the origin to the line makes an angle α given by $\tan \alpha = \frac{5}{12}$ with the positive direction of x-axis.



Watch Video Solution

276. Find the equation of the straight line upon which the length of the perpendicular from the origin is 2 and the slope of this perpendicular is $\frac{5}{12}$.



[Watch Video Solution](#)

277. The length of the perpendicular from the origin to a line is 7 and a line makes an angle of 150° with the positive direction of x -axis . then the equation of the line is:



[Watch Video Solution](#)

278. Find the values of θ and p , if the equation $x \cos \theta + y \sin \theta = p$ is the normal form of the line $\sqrt{3}x + y + 2 = 0$.



[Watch Video Solution](#)

279. A straight line drawn through the point $P(2, 3)$ and is inclined at an angle of 30° with the x-axis. Find the coordinates of two points on it a distance 4 from P on either side of P .



[Watch Video Solution](#)

280. Find the distance of the line $4x - y = 0$ from the point $P(4, 1)$ measured along the line making an angle of 135° with the positive axis.



[Watch Video Solution](#)

281. Find the distance of the line $4x + 7y + 5 = 0$ from the point $(1, 2)$ along the line $2x - y = 0$.



[Watch Video Solution](#)

282. Find the direction in which a straight line must be drawn through the point $(-1, 2)$ so that its point of intersection with the line $x + y = 4$ may be at a distance of 3 units from this point.



[Watch Video Solution](#)

283. A line is such that its segment between the lines $5x - y + 4 = 0$ and $3x + 4y - 4 = 0$ is bisected at the point $(1,5)$. Obtain its equation.



[Watch Video Solution](#)

284. If the straight line passes through the point $P(3,4)$ makes an angle $\frac{\pi}{6}$ with x-axis and meets the line $12x + 5y + 10 = 0$ at Q , Then the length of PQ is :



[Watch Video Solution](#)

285. A Straight line drawn through the point $A(2, 1)$ making an angle $\pi/4$ with positive x-axis intersects another line $x + 2y + 1 = 0$ in the point B . Find length AB .

 [Watch Video Solution](#)

286. a line drawn through $A(4, -1)$ parallel to the line $3x - 4y + 1 = 0$. Find the coordinates of two points on this line which are at a distance of 5 units from A

 [Watch Video Solution](#)

287. The straight line through $P(x_1, y_1)$ inclined at an angle θ with the x-axis meets the line $ax + by + c = 0$ at Q . Find the length of PQ .

 [Watch Video Solution](#)

288. Find the distance of point $(2,3)$ from the line $2x - 3y + 9 = 0$ measured along a line making an angle of 45° with the x-axis.

 [Watch Video Solution](#)

289. Find the distance of the point $(2,5)$ from the line $3x + y + 4 = 0$ measured parallel to a line having slope $3/4$.

 [Watch Video Solution](#)

290. Find the distance of the point $(3, 5)$ from the line $2x + 3y = 14$ measured parallel to the line $x - 2y = 1$.

 [Watch Video Solution](#)

291. Find the distance of the point $(2,5)$ from the line $3x + y + 4 = 0$ measured parallel to the line $3x - 4y + 8 = 0$



Watch Video Solution

292. Find the distance of the line $2x + y = 3$ from the point $(-1, -3)$ in the direction of the line whose slope is 1.



Watch Video Solution

293. A line is such that its segment between the lines $5x - y + 4 = 0$ and $3x + 4y - 4 = 0$ is bisected at the point $(1,5)$. Obtain its equation.



Watch Video Solution

294. The equation of straight line passing through $(-2,-7)$ and having an intercept of length 3 between the straight lines : $4x + 3y = 12$, $4x + 3y = 3$ are : (A) $7x + 24y + 182 = 0$ (B) $7x + 24y + 18 = 0$ (C) $x + 2 = 0$ (D) $x - 2 = 0$



Watch Video Solution

295. Reduce the lines $3x - 4y + 4 = 0$ and $4x - 3y + 12 = 0$ to the normal form and hence determine which line is nearer to the origin.

 [Watch Video Solution](#)

296. Find the values of k for which the line $(k - 3)x - (4 - k^2)y + k^2 - 7k + 6 = 0$ is (a) Parallel to the x -axis, (b) Parallel to the y -axis, (c) Passing through the origin.

 [Watch Video Solution](#)

297. Find the equation of a line with slope 2 and the length of the perpendicular from the origin equal to $\sqrt{5}$.

 [Watch Video Solution](#)

298. Prove that the slope of a line is invariant under the translation of the axes.

 [Watch Video Solution](#)

299. The line $2x - y = 5$ turns about the point on it, whose ordinate and abscissae are equal through an angle of 45° in the anti-clockwise direction. Find the equation of the line in the new position.

 [Watch Video Solution](#)

300. Reduce the equation $\sqrt{3}x + y + 2 = 0$ to: (a) Slope intercept form and find slope and y-intercept. (b) Intercept form and find intercept on the axes (c) The normal form and find p and α

 [Watch Video Solution](#)

301. Reduce the following equations to the normal form and find p and α in each case: $x + \sqrt{3}y - 4 = 0$

 [Watch Video Solution](#)

302. Reduce the following equations to the normal form and find p and α

in each case: $x + y - \sqrt{2} = 0$



Watch Video Solution

303. Reduce the following equations to the normal form and find p and α

in each case: $x - y + 2\sqrt{2} = 0$



Watch Video Solution

304. Reduce the following equations to the normal form and find p and α

in each case: $x - 3 = 0$



Watch Video Solution

305. Reduce the following equations to the normal form and find p and α

in each case: $y - 2 = 0$



[Watch Video Solution](#)

306. Put the equation $\frac{x}{a} + \frac{y}{b} = 1$ to the slope intercept form and find its slope and y-intercept

[Watch Video Solution](#)

307. Reduce the lines $3x - 4y + 4 = 0$ and $2x + 4y - 5 = 0$ to the normal form and hence find which line is nearer to the origin.

[Watch Video Solution](#)

308. Show that the origin is equidistant from the lines $4x + 3y + 10 = 0$; $5x - 12y + 26 = 0$ and $7x + 24y = 50$.

[Watch Video Solution](#)

309. Find the values of θ and p , if the equation $x \cos \theta + y \sin \theta = p$ is the normal form of the line $\sqrt{3}x + y + 2 = 0$.

 [Watch Video Solution](#)

310. Reduce the equation $3x - 2y + 6 = 0$ to the intercept form and find the x and y intercepts.

 [Watch Video Solution](#)

311. The perpendicular distance of a line from the origin is 5 units and its slope is -1. Find the equation of the line.

 [Watch Video Solution](#)

312. Find the coordinates of the point of intersection of the lines $2x - y + 3 = 0$ and $x + 2y - 4 = 0$.





Watch Video Solution

313. Find the area of the triangle formed by the lines $y = x, y = 2x, y = 3x + 4$



Watch Video Solution

314. Find the equations of the medians of a triangle, the equations of whose sides are : $3x+2y+6=0, 2x-5y+4=0$ and $x-3y-6=0$.



Watch Video Solution

315. Show that the area of the triangle formed by the lines $y = m_1x + c_1, y = m_2x + c_2$ and $x = 0$ is $\frac{(c_1 - c_2)^2}{2|m_1 - m_2|}$



Watch Video Solution

316. Find the equation of the line parallel to y-axis and drawn through the point of intersection of the lines $x - 7y + 5 = 0$ and $3x + y = 0$.

 [Watch Video Solution](#)

317. Find the point of intersection of the following pairs of lines:
 $2x - y + 3 = 0$ and $x + y - 5 = 0$

 [Watch Video Solution](#)

318. Find the point of intersection of the following pairs of lines:
 $bx + ay = ab$ and $bx + ay = ab$.

 [Watch Video Solution](#)

319. Find the point of intersection of the following pairs of lines:
 $y = m_1x + \frac{a}{m_1}$ and $y = m_2x + \frac{a}{m_2}$.



[Watch Video Solution](#)

320. Find the coordinates of the vertices of a triangle, the equations of whose sides are: $x + y - 4 = 0$, $2x - y + 3 = 0$ and $x - 3y + 2 = 0$

[Watch Video Solution](#)

321. Find the coordinates of the vertices of a triangle, the equations of whose sides are:

$$y(t_1 + t_2) = 2x + 2at_1t_2, \quad y(t_2 + t_3) = 2x + 2at_2t_3 \text{ and } y(t_3 + t_1) = 2x$$

[Watch Video Solution](#)

322. Show that the area of the triangle formed by the lines

$$y = m_1x + c_1, \quad y = m_2x + c_2 \text{ and } x = 0 \text{ is } \frac{(c_1 - c_2)^2}{2|m_1 - m_2|}$$

[Watch Video Solution](#)

323. Find the area of triangle formed by the lines :
 $y = 0$, $x = 2$ and $x + 2y = 3$.

 [Watch Video Solution](#)

324. Find the area of triangle formed by the lines :
 $x + y - 6 = 0$, $x - 3y - 2 = 0$ and $5x - 3y + 2 = 0$

 [Watch Video Solution](#)

325. Find the equations of the medians of a triangle, the equations of whose sides are:
 $3x + 2y + 6 = 0$, $2x - 5y + 4 = 0$ and $x - 3y - 6 = 0$

 [Watch Video Solution](#)

326. Prove that the lines $y = \sqrt{3}x + 1$, $y = 4$ and $y = -\sqrt{3}x + 2$ form an equilateral triangle.



[Watch Video Solution](#)

327. Classify the following pairs of lines as coincident, parallel or intersecting: $2x + y - 1 = 0$ and $3x + 2y + 5 = 0$



[Watch Video Solution](#)

328. Classify the following pairs of lines as coincident, parallel or intersecting: $3x + 2y - 4 = 0$ and $6x + 4y - 8 = 0$



[Watch Video Solution](#)

329. Find the equation of the line joining the point (3,5) to the point of intersection of the lines $4x + y - 1 = 0$ and $7x - 3y - 35 = 0$



[Watch Video Solution](#)

330. Find the equation of the line passing through the point of intersection of the lines $4x - 7y - 3 = 0$ and $2x - 3y + 1 = 0$ that has equal intercept to axes.



[Watch Video Solution](#)

331. Show that the area of the triangle formed by the lines $y = m_1x$, $y = m_2x$ and $y = c$ is equal to $\frac{c^2}{4}(\sqrt{33} + \sqrt{11})$ where m_1, m_2 are the roots of the equation $x^2 + (\sqrt{3} + 2)x + \sqrt{3} - 1 = 0$.



[Watch Video Solution](#)

332. Prove that the lines $\sqrt{3}x + y = 0$, $\sqrt{3}y + x = 0$, $\sqrt{3}x + y = 1$ and $\sqrt{3}y + x = 1$ form a rhombus.



[Watch Video Solution](#)

333. Find the equation of the line passing through the intersection of the lines $2x + y = 5$ and $x + 3y + 8 = 0$ and parallel to the line $3x + 4y = 7$.



[Watch Video Solution](#)

334. Prove that the lines $3x + y - 14 = 0$, $x - 2y = 0$ and $3x - 8y + 4 = 0$ are concurrent.



[Watch Video Solution](#)

335. If the lines $a_1x + b_1y + 1 = 0$, $a_2x + b_2y + 1 = 0$ and $a_3x + b_3y + 1 = 0$ are concurrent, show that the points (a_1, b_1) , (a_2, b_2) and (a_3, b_3) are collinear.



[Watch Video Solution](#)

336. Show that the following lines are concurrent:

$$L_1 = (a - b)x + (b - c)y + (c - a) = 0$$

$$L_2 = (b - c)x + (c - a)y + (a - b) = 0$$

$$L_3 = (c - a)x + (a - b)y + (b - c) = 0$$



[Watch Video Solution](#)

337. Prove that the following sets of three lines are concurrent:

$$15x - 18y + 1 = 0, 12x + 10y - 3 = 0 \text{ and } 6x + 66y - 11 = 0.$$



[Watch Video Solution](#)

338. Prove that the following sets of three lines are concurrent:

$$\frac{x}{a} + \frac{y}{b} = 1, \frac{x}{b} + \frac{y}{a} = 1 \text{ and } y = x$$



[Watch Video Solution](#)

339. For what value of λ are the three lines $2x - 5y + 3 = 0$, $5x - 9y + \lambda = 0$ and $x - 2y + 1 = 0$ concurrent?

 [Watch Video Solution](#)

340. Find the conditions that the straight lines $y = m_1x + c_1$, $y = m_2x + c_2$ and $y = m_3x + c_3$ may meet in a point.

 [Watch Video Solution](#)

341. Show that the straight lines $L_1 = (b + c)x + ay + 1 = 0$, $L_2 = (c + a)x + by + 1 = 0$ and $L_3 = (a + b)x + cy + 1 = 0$ are concurrent.

 [Watch Video Solution](#)

342. If the three lines $ax + a^2y + 1 = 0$, $bx + b^2y + 1 = 0$ and $cx + c^2y + 1 = 0$ are concurrent, show that at least two of three constants a, b, c are equal.



[Watch Video Solution](#)

343. If a, b, c are in A.P. prove that the straight lines $ax + 2y + 1 = 0$, $bx + 3y + 1 = 0$ and $cx + 4y + 1 = 0$ are concurrent.



[Watch Video Solution](#)

344. Show that the perpendicular bisectors of the sides of a triangle are concurrent.



[Watch Video Solution](#)

345. Find the equation of the line which is parallel to $3x - 2y + 5 = 0$ and passes through the point $(5, -6)$

 [Watch Video Solution](#)

346. Find the equation of the straight line that passes through the point $(3, 4)$ and is perpendicular to the line $3x + 2y + 5 = 0$

 [Watch Video Solution](#)

347. Find equation of the line perpendicular to the line $x - 7y + 5 = 0$ and having x intercept 3.

 [Watch Video Solution](#)

348. A person standing at the junction (crossing) of two straight paths represented by the equations $2x - 3y + 4 = 0$ and $3x + 4y - 5 = 0$

wants to reach the path whose equation is $6x - 7y + 8 = 0$ in the least time. Find equation of the path that he should follow.

 [Watch Video Solution](#)

349. The equations of two sides of a triangle are $3x - 2y + 6 = 0$ and $4x + 5y - 20 = 0$ and the orthocentre is $(1,1)$. Find the equation of the third side.

 [Watch Video Solution](#)

350. Find the circumcentre of the triangle whose sides are $3x - y + 3 = 0$, $3x + 4y + 3 = 0$ and $x + 3y + 11 = 0$.

 [Watch Video Solution](#)

351. Find the equation of a line passing through the point $(2,3)$ and parallel to the line $3x - 4y + 5 = 0$.



Watch Video Solution

352. find the equation of a line passing through $(3,-2)$ and perpendicular to the line $x - 3y + 5 = 0$



Watch Video Solution

353. Find the equation of the perpendicular bisector of the line joining the points $(1,3)$ and $(3,1)$.



Watch Video Solution

354. Find the equation of the altitudes of triangle ABC whose vertices are $A(2,-2)$, $B(1,1)$ and $C(-1,0)$



Watch Video Solution

355. Find the equation of a line which is perpendicular to the line $\sqrt{3}x - y + 5 = 0$ and which cuts off an intercept of 4 units with the negative direction of y-axis.



[Watch Video Solution](#)

356. Find the equation of the straight line through the point (α, β) and perpendicular to the line $lx + my + n = 0$.



[Watch Video Solution](#)

357. Find the equation of the straight line perpendicular to $2x - 3y = 5$ and cutting off an intercept 1 on the positive direction of the x-axis.



[Watch Video Solution](#)

358. Find the equation of the straight line perpendicular to $5x - 2y = 8$ and which passes through the mid point of the line segment joining $(2,3)$ and $(4,5)$.



[Watch Video Solution](#)

359. Find the equation of the straight line which has y-intercept equal to $4/3$ and is perpendicular to $3x - 4y + 11 = 0$.



[Watch Video Solution](#)

360. Find the equation of the right bisector of the line segment joining the points (a, b) and (a_1, b_1) .



[Watch Video Solution](#)

361. Find the image of the point (2,1) with respect to the line mirror

$$x + y - 5 = 0$$



[Watch Video Solution](#)

362. If the image of the point (2, 1) with respect to a line mirror be (5, 2), find the equation of the mirror.



[Watch Video Solution](#)

363. Find the equation to the straight line parallel to $3x - 4y + 6 = 0$ and passing through the middle point of the joint of points (2,3), and (4,-1).



[Watch Video Solution](#)

364. Prove that the lines $2x - 3y + 1 = 0$, $x + y = 3$, $2x - 3y = 2$ and $x + y = 4$ form a parallelogram.



[Watch Video Solution](#)

365. Find the equation of a line drawn perpendicular to the line $\frac{x}{4} + \frac{y}{6} = 1$ through the point where it meets the y axis.



[Watch Video Solution](#)

366. The perpendicular from the origin to the line $y = mx + c$ meets it at the point $(-1, 2)$. Find the values of m and c .



[Watch Video Solution](#)

367. Find the equation of the right bisector of the line segment joining the points $(3, 4)$ and $(-1, 2)$.

 [Watch Video Solution](#)

368. The line through $(h, 3)$ and $(4, 1)$ intersects the line $kx + 7y - 19 = 0$ at right angle. Find the value of h .

 [Watch Video Solution](#)

369. Find the image of the point $(3, 8)$ with respect to the line $x + 3y = 7$ assuming the line to be a plane mirror.

 [Watch Video Solution](#)

370. Find the coordinates of the foot of the perpendicular from the point $(-1, 3)$ to the line $3x - 4y - 16 = 0$



Watch Video Solution

371. Find the projection of the point $(1,0)$ on the line joining the points $(-1,2)$ and $(5,4)$.



Watch Video Solution

372. Find the equation of a line perpendicular to the line $3x + y + 5 = 0$ and at a distance of 3 units from the origin.



Watch Video Solution

373. The line $2x + 3y = 12$ meets the x-axis at A and y-axis at B. The line through $(5,5)$ perpendicular to AB meets the x-axis and the line AB at C and E respectively. If O is the origin of coordinates, find the area of figure OCEB.



Watch Video Solution

374. Find the equation of the straight line which cuts off intercept on X-axis which is twice that on Y-axis and is at a unit distance from the origin.

 [Watch Video Solution](#)

375. The equations of the perpendicular bisectors of the sides AB and AC of triangle ABC are $x - y + 5 = 0$ and $x + 2y = 0$, respectively. If the point A is $(1, -2)$, then find the equation of the line BC .

 [Watch Video Solution](#)

376. Find the angles between the pairs of straight lines:
 $x + \sqrt{3}y - 5 = 0$ and $\sqrt{3}x + y - 7 = 0$

 [Watch Video Solution](#)

377. Find the angles between the pairs of straight lines:

$$y = (2 - \sqrt{3})x + 5 \text{ and } y = (2 + \sqrt{3})x - 7.$$

 [Watch Video Solution](#)

378. Find the obtuse angle between the lines

$$x - 2y + 3 = 0 \text{ and } 3x + y - 1 = 0.$$

 [Watch Video Solution](#)

379. A line passing through the points $(a, 2a)$ and $(-2, 3)$ is perpendicular to the line $4x + 3y + 5 = 0$, find the value of a .

 [Watch Video Solution](#)

380. The hypotenuse of a right angled triangle has its ends at the points $(1, 3)$ and $(4, 1)$. Find the equation of the legs (perpendicular

sides) of the triangle.

 [Watch Video Solution](#)

381. Find the angles between each of the following pairs of straight line:

$$3x + y + 12 = 0 \text{ and } x + 2y - 1 = 0$$

 [Watch Video Solution](#)

382. Find the angles between each of the following pairs of straight line:

$$3x + 4y - 7 = 0 \text{ and } 4x - 3y + 5 = 0$$

 [Watch Video Solution](#)

383. Find the angles between each of the following pairs of straight line:

$$3x - y + 5 = 0 \text{ and } x - 3y + 1 = 0$$

 [Watch Video Solution](#)

384. Find the angles between each of the following pairs of straight line:

$$x - 4y = 3 \text{ and } 6x - y = 11.$$

 [Watch Video Solution](#)

385. Find the acute angle between the lines

$$2x - y + 3 = 0 \text{ and } x + y + 2 = 0.$$

 [Watch Video Solution](#)

386. Prove that the points $(2,-1)$, $(0,2)$, $(2,3)$ and $(4,0)$ are the coordinates other vertices of a parallelogram and find the angle between its diagonals.

 [Watch Video Solution](#)

387. Find the angle between the line joining the points $(2,0)$, $(0,3)$ and the line $x + y = 1$.

 [Watch Video Solution](#)

388. If θ is the angle which the straight line joining the points (x_1, y_1) and (x_2, y_2) subtends at the origin, prove that

$$\tan \theta = \frac{x_2 y_1 - x_1 y_2}{x_1 x_2 + y_1 y_2} \text{ and } \cos \theta = \frac{x_1 x_2 + y_1 y_2}{\sqrt{x_1^2 x_2^2 + y_1^2 x_2^2 + x_1^2 y_2^2 + y_1^2 y_2^2}}$$

 [Watch Video Solution](#)

389. Find the angle between the lines $x = a$ and $by + c = 0$.

 [Watch Video Solution](#)

390. Find the tangent of the angle between the lines whose intercepts on the axes are respectively $a, -b$ and $b, -a$



Watch Video Solution

391. Show that the line $a^2x + ay + 1 = 0$ is perpendicular to the line $x - ay = 1$ for all non zero real values of a .



Watch Video Solution

392. Show that the tangent of an angle between the lines $\frac{x}{a} + \frac{y}{b} = 1$ and $\frac{x}{a} - \frac{y}{b} = 1$ is $\frac{2ab}{a^2 - b^2}$



Watch Video Solution

393. Find the values of the parameter a so that the point $(a, 2)$ is an interior point of the triangle formed by the lines $x+y-4=0$, $3x-7y-8=0$ and $4x-y-31=0$.



Watch Video Solution

394. determine whether the point $(-3, 2)$ lies inside or outside the triangle whose sides are given by the equations $x+y-4=0, 3x-7y+8=0, 4x-y-31=0$



[Watch Video Solution](#)

395. Find the distance between the line $12x - 5y + 9 = 0$ and the point $(2,1)$.



[Watch Video Solution](#)

396. If p and q be the perpendicular form the origin upon the straight lines $x \sec \theta + y \cos \theta = a$ and $x \cos \theta - y \sin \theta = a \cos 2\theta$ Prove that $4p^2 + q^2 = a^2$.



[Watch Video Solution](#)

397. What are the points on x-axis whose perpendicular distance from the line $4x + 3y = 12$ is 4?



Watch Video Solution

398. Find the points on $x = 0$ line whose perpendicular distance from the line $4x - 3y - 12 = 0$ is 3.



Watch Video Solution

399. The points on $x + y = 4$ that lie at a unit distance from the line $4x + 3y - 10 = 0$ are



Watch Video Solution

400. Find the distance of the point (4,5) from the straight line $3x - 5y + 7 = 0$



Watch Video Solution

401. Find the perpendicular distance of the line joining the points $(\cos \theta, \sin \theta)$ and $(\cos \varphi, \sin \varphi)$ from the origin.

 [Watch Video Solution](#)

402. Find the length of the perpendicular from the origin to the straight line joining the two points whose coordinates are $(a \cos \alpha, a \sin \alpha)$ and $(a \cos \beta, a \sin \beta)$.

 [Watch Video Solution](#)

403. Show that the perpendiculars let fall from any point on the straight line $2x + 11y = 5$ upon the two straight lines $24x + 7y = 20$ and $4x - 3y = 2$ are equal to each other.

 [Watch Video Solution](#)

404. Find the length of the perpendicular draw from the point $(4, 7)$ upon the straight line passing through the origin and the point of intersection of the lines $2x - 3y + 14 = 0$ and $5x + 4y = 7$



[Watch Video Solution](#)

405. What are the points on the x-axis whose perpendicular distance from the line $\frac{x}{a} + \frac{y}{b} = 1$ is a



[Watch Video Solution](#)

406. Show that the product of perpendiculars on the line $\frac{x}{a} \cos \theta + \frac{y}{b} \sin \theta = 1$ from the points $(\pm \sqrt{a^2 - b^2}, 0)$ is b^2 .



[Watch Video Solution](#)

407. Find the perpendicular distance from the origin of the perpendicular from the point (1,2) upon the straight line $x - \sqrt{3}y + 4 = 0$.

 [Watch Video Solution](#)

408. Find the distance of the point (1,2) from the straight line with slope 5 and passing through the point of intersection of $x + 2y = 5$ and $x - 3y = 7$.

 [Watch Video Solution](#)

409. What are the points on the yaxis whose distance from the line $\frac{x}{3} + \frac{y}{4} = 1$ is 4 units.

 [Watch Video Solution](#)

410. In the triangle ABC with vertices A (2, 3), B (4, -1) and C (1, 2), find the equation and length of altitude from the vertex A.



Watch Video Solution

411. Show that the path of a moving point such that its distances from two lines $3x - 2y = 5$ and $3x + 2y = 5$ are equal is a straight line.



Watch Video Solution

412. If sum of the perpendicular distances of a variable point $P(x, y)$ from the lines $x + y - 5 = 0$ and $3x - 2y + 7 = 0$ is always 10. Show that P must move on a line.



Watch Video Solution

413. Find the distance between the parallel lines
 $3x - 4y + 9 = 0$ and $6x - 8y - 15 = 0$.

 [Watch Video Solution](#)

414. Find the distance between the parallel lines
 $9x + 6y - 7 = 0$ and $3x + 2y + 6 = 0$.

 [Watch Video Solution](#)

415. Determine the distance between the pair of parallel lines :
 $4x - 3y - 9 = 0$ and $4x - 3y - 24 = 0$

 [Watch Video Solution](#)

416. Determine the distance between the pair of parallel lines:
 $8x + 15y - 34 = 0$ and $8x + 15y + 31 = 0$



[Watch Video Solution](#)

417. Determine the distance between the following pair of parallel lines:

$$y = mx + c \text{ and } y = mx + d$$

[Watch Video Solution](#)

418. Determine the distance between the following pair of parallel lines:

$$4x + 3y - 11 = 0 \text{ and } 8x + 6y = 15.$$

[Watch Video Solution](#)

419. If two sides of a square are along $5x - 12y + 26 = 0$ and

$$5x - 12y - 65 = 0$$
 then find its area.

[Watch Video Solution](#)

420. Prove that the lines $2x + 3y = 19$ and $2x + 3y + 7 = 0$ are equidistant from the line $2x + 3y = 6$.

 [Watch Video Solution](#)

421. Find the equation of the line midway between the parallel lines $9x + 6y - 7 = 0$ and $3x + 2y + 6 = 0$.

 [Watch Video Solution](#)

422. Show that the area of the parallelogram formed by the lines $2x - 3y + a = 0$, $3x - 2y - a = 0$, $2x - 3y + 3a = 0$ and $3x - 2y - 2a = 0$.

 [Watch Video Solution](#)

423. Prove that the area of the parallelogram contained by the lines $4y - 3x - a = 0$, $3y - 4x + a = 0$, $4y - 3x - 3a = 0$, and

$$3y - 4x + 2a = 0 \text{ is } \left(\frac{2}{7}\right)a^2.$$



Watch Video Solution

424. The equation of two straight lines through $(7, 9)$ and making an angle of 60° with the line $x - \sqrt{3}y - 2\sqrt{3} = 0$ is



Watch Video Solution

425. Find the equation of the lines through the point $(3, 2)$ which make an angle of 45° with the line $x - 2y = 3$.



Watch Video Solution

426. Show that the equation of the straight line through the origin angle φ with the line $y = mx + b$ is $\frac{y}{x} = \frac{m \pm \tan\varphi}{1 \pm m \tan\varphi}$



Watch Video Solution

427. One diagonal of a square is along the line $8x - 15y = 0$ and one of its vertices is $(1, 2)$. Then the equations of the sides of the square passing through this vertex are

- (A) $23x + 7y = 9, 7x + 23y = 53$
- (B) $23x - 7y + 9 = 0, 7x + 23y + 53 = 0$
- (C) $23x - 7y - 9 = 0, 7x + 23y - 53 = 0$
- (D) none of these



[Watch Video Solution](#)

428. Find the equation of the straight lines passing through the origins and making an angle of 45° with the straight line $\sqrt{3}x + y = 11$.



[Watch Video Solution](#)

429. Find the equations of the straight lines passing through $(2, -10)$ and making an angle of 45° with the line $6x + 5y - 8 = 0$



[Watch Video Solution](#)

430. Find the equations of the lines which pass through the origin and are inclined at an angle $\tan^{-1} m$ to the line $y = mx + c$.

 [Watch Video Solution](#)

431. Find the equations of the straight lines passing through the point $(2,3)$ and inclined at an angle of 45° to the line $3x + y - 5 = 0$.

 [Watch Video Solution](#)

432. The equation of one side of an equilateral triangle is $x - y = 0$ and one vertex is $(2 + \sqrt{3}, 5)$. Prove that a second side is $y + (2 - \sqrt{3})x = 6$ and find the equation of the third side.

 [Watch Video Solution](#)

433. Find the equations of two straight lines passing through $(1,2)$ and making an angle of 60° with the line $x + y = 0$. Also, find the area of the triangle formed by the three lines.

 [Watch Video Solution](#)

434. Show that the point $(3,-5)$ lies between the parallel lines $2x + 3y - 7 = 0$ and $2x + 3y + 12 = 0$ and find the equation of lines through $(3,-5)$ cutting the above lines at an angle of 45° .

 [Watch Video Solution](#)

435. If two opposite vertices of a square are $(1,2)$ and $(5,8)$ find the coordinates of its other two vertices and the equations of its sides.

 [Watch Video Solution](#)

436. Obtain the equations of the line passing through the intersection of lines $4x - 3y - 1 = 0$ and $2x - 5y + 3 = 0$ and equally inclined to the axes.

 [Watch Video Solution](#)

437. Let a, b, c be parameters. Then the equation $ax + by + c = 0$ will represent a family of straight lines passing through a fixed point iff there exists a linear relation between $a, b,$ and c .

 [Watch Video Solution](#)

438. Find the equation of a straight line through the point of intersection of the lines $4x - 3y = 0$ and $2x - 5y + 3 = 0$ and parallel to $4x + 5y + 6 = 0$.

 [Watch Video Solution](#)

439. Find the equation of a straight line passing through the point of intersection of $x + 2y + 3 = 0$ and $3x + 4y + 7 = 0$ and perpendicular to the straight line $x - y + 9 = 0$.

 [Watch Video Solution](#)

440. Find the equation of the line passing through the point of intersection of $2x - 7y + 11 = 0$ and $x + 3y - 8 = 0$ and is parallel to i. x-axis ii. y-axis.

 [Watch Video Solution](#)

441. Find the equation of the straight line drawn through the point of intersection of the lines $x + y = 4$ and $2x - 3y = 1$ and perpendicular to the line cutting off intercepts 5,6 on the axes.

 [Watch Video Solution](#)

442. Prove that the family of lines represented by $x(1 + \lambda) + y(2 - \lambda) + 5 = 0$, λ being arbitrary, pass through a fixed point. Also find the fixed point.

 [Watch Video Solution](#)

443. Find the equation of the straight line passing through the point of intersection of intersection of $2x + y - 1 = 0$ and $x + 3y - 2 = 0$ and making with the coordinate axes a triangle of area $3/8$ sq.units.

 [Watch Video Solution](#)

444. Find the equation of the line through the point of intersection of, the lines $x - 3y + 1 = 0$ and $2x + 5y - 9 = 0$ and whose distance from the origin is $\sqrt{5}$

 [Watch Video Solution](#)

445. Write an equation representing a pair of lines through the point (a, b) and parallel to the coordinate axes.



Watch Video Solution

446. Write the coordinates of the orthocentre of the triangle formed by the lines $x^2 - y^2 = 0$ and $x + 6y = 18$.



Watch Video Solution

447. If the centroid of a triangle formed by the points $(0,0)$, $(\cos \theta, \sin \theta)$ and $(\sin \theta, -\cos \theta)$ lies on the line $y = 2x$ then write the value of $\tan \theta$.



Watch Video Solution

448. Write the value of $\theta \in \left(0, \frac{\pi}{2}\right)$ for which area of the triangle formed by points $O(0, 0)$, $A(a \cos \theta, b \sin \theta)$ and $B(a \cos \theta, -b \sin \theta)$ is

maximum.



Watch Video Solution

449. The distance between the lines $4x + 3y = 11$ and $8x + 6y = 15$ is



Watch Video Solution

450. Write the coordinates of the orthocentre of the triangle formed by the lines $xy = 0$ and $x + y = 1$.



Watch Video Solution

451. If the lines $x + ay + a = 0$, $bx + y + b = 0$ and $cx + cy + 1 = 0$ are concurrent, then write the value of $2abc - ab - bc - ca$.



Watch Video Solution

452. Write the area of the triangle formed by the coordinate axes and the line $(\sec\theta - \tan\theta)x + (\sec\theta + \tan\theta)y = 2$.

 [Watch Video Solution](#)

453. Write the coordinates of the image of the point $(3, 8)$ in the lines $x + 3y - 7 = 0$.

 [Watch Video Solution](#)

454. Write the integral values of m for which the x-coordinates of the point of intersection of the lines $y = mx + 1$ and $3x + 4y = 9$ is an integer.

 [Watch Video Solution](#)

455. The equation $(b - c)x + (c - a)y + (a - b) = 0$ and $(b^3 - c^3)x + (c^3 - a^3)y + a^3 - b^3 = 0$ will represent the same line if

 [Watch Video Solution](#)

456. If a, b, c are in G.P. write the area of the triangle formed by the line $ax + by + c = 0$ with the coordinates axes.

 [Watch Video Solution](#)

457. Write the locus of a point the sum of whose distances from the coordinates axis is unity.

 [Watch Video Solution](#)

458. If a, b, c are in A.P., then the line $ax + by + c = 0$ passes through a fixed point. write the coordinates of that point.





[Watch Video Solution](#)

459. Find the locus of the mid points of the portion of the lines $x \sin \theta + y \cos \theta = p$ intercepted between the axes.



[Watch Video Solution](#)

460. L is a variable line such that the algebraic sum of the distances of the points (1,1) (2,0) and (0,2) from the line is equal to zero. The line L will always pass through a. (1,1) b. (2,1) c. (1,2) d. none of these



[Watch Video Solution](#)

461. The acute angle between the medians drawn from the acute angles of a right angle isosceles triangle is



[Watch Video Solution](#)

462. The distance between the orthocentre and circumcentre of the triangle with vertices $(1, 2)$, $(2, 1)$ and $\left(\frac{3 + \sqrt{3}}{2}, \frac{3 + \sqrt{3}}{2}\right)$ is

a. 0 b. $\sqrt{2}$ c. $3 + \sqrt{3}$ d. none of these

 [Watch Video Solution](#)

463. The equation of the straight line which passes through the point $(-4, 3)$ such that the portion of the line between the axes is divided internally by the point in the ratio $5:3$ is $9x - 20y + 96 = 0$
 $9x + 20y = 24$ $20x - 9y + 53 = 0$ none of these

 [Watch Video Solution](#)

464. The point which divides the join of $(1,2)$ and $(3,4)$ externally in the ratio $1:1$ a. lies in the III quadrant b. lies in the II quadrant c. lies in the I quadrant d. cannot be found

 [Watch Video Solution](#)

465. A line passes through the point $(2, 2)$ and is perpendicular to the line $3x + y = 3$, then its y -intercept is

 [Watch Video Solution](#)

466. If the lines $ax + 12y + 1 = 0$, $bx + 13y + 1 = 0$ and $cx + 14y + 1 = 0$ are concurrent, then a, b, c are in a. H.P. b. G.P. c. A.P. d. none of these

 [Watch Video Solution](#)

467. The number of real values of λ for which the lines $x - 2y + 3 = 0$, $\lambda x + 3y + 1 = 0$ and $4x - \lambda y + 2 = 0$ are concurrent is a. 0 b. 1 c. 2 d. Infinite

 [Watch Video Solution](#)

468. The equations of the sides AB , BC and CA of triangle ABC are $y - x = 2$, $x + 2y = 1$ and $3x + y$ respectively. The equation of the altitude through B is $x - 3y + 1 = 0$ b. $x - 3y + 4 = 0$ c. $3x - y + 2 = 0$ d. none of these

 [Watch Video Solution](#)

469. If p_1 and p_2 are the lengths of the perpendiculars from the origin upon the lines $x \sec \theta + y \csc \theta = a$ and $x \cos \theta - y \sin \theta = a \cos 2\theta$ respectively, then a. $4p_1^2 + p_2^2 = a^2$ b. $p_1^2 - 4p_2^2 = a^2$ c. $p_1^2 + p_2^2 = a^2$ d. none of these

 [Watch Video Solution](#)

470. Area of the triangle formed by the points $((a + 3)(a + 4), a + 3)$, $((a + 2)(a + 3), (a + 2))$ and $(a + 1), (a + 2)$, is $25a^2$ b. 5^2 c. $24a^2$ d. none of these

 [Watch Video Solution](#)

[Watch Video Solution](#)

471. If $a + b + c = 0$, then the family of lines $3ax + by + 2c = 0$ pass through fixed point a. $(2, 2/3)$ b. $(2/3, 2)$ c. $(-2, 2/3)$ d. none of these

 [Watch Video Solution](#)

472. The line segment joining the points $(-3, -4)$, and $(1, -2)$ is divided by y-axis in the ratio a. 1:3 b. 2:3 c. 3:1 d. 3:2

 [Watch Video Solution](#)

473. The area of a triangle with vertices at $(-4, -1)$, $(1, 2)$ and $(4, -3)$ is a. 17 b. 16 c. 15 d. none of these

 [Watch Video Solution](#)

474. The line segment joining the points (1,2) and (-2,1) is divided by the line $3x + 4y = 7$ in the ratio a. 3:4 b. 4:3 c. 9:4 d. 4:9

 [Watch Video Solution](#)

475. If the point (5,2) bisects the intercept of a line between the axes, then its equation is $5x + 2y = 20$ b. $2x + 5y = 20$ c. $5x - 2y = 20$ d. $2x - 5y = 20$

 [Watch Video Solution](#)

476. $A(6, 3)$, $B(-3, 5)$, $C(4, -2)$ and $D(x, 3x)$ are four points. If $\Delta' DBC \therefore \Delta' ABC = 1:2$, then x is equal to a. $11/8$ b. $8/11$ c. 3 d. none of these

 [Watch Video Solution](#)

477. If p be the length of the perpendicular from the origin on the line $x/a + y/b = 1$, then $p^2 = a^2 + b^2$ b. $p^2 = \frac{1}{a^2} + \frac{1}{b^2}$ c. $\frac{1}{p^2} = \frac{1}{a^2} + \frac{1}{b^2}$ d. none of these



Watch Video Solution

478. The equation of the line passing through (1,5) and perpendicular to the line $3x - 5y + 7 = 0$ is a. $5x + 3y - 20 = 0$ b. $3x - 5y + 7 = 0$ c. $3x - 5y + 6 = 0$ d. $5x + 3y + 7 = 0$



Watch Video Solution

479. The figure formed by the lines $ax \pm y \pm c = 0$ is a. a rectangle b. a square c. a rhombus d. none of these



Watch Video Solution

480. Two vertices of triangle are (2,-1) and (3,2) and third vertex lies on the line $x + y = 5$. If the area of the triangle is 4 square units, then the third vertex is a. (0,5) or (4,1) b. (5,0) or (1,4) c. (5,0) or (4,1) d. (0,5) or (1,4)



Watch Video Solution

481. Find the gradient of a straight line which is passes through the point (-3, 6) and the mid point of (4,-5) and (-2, 9)



Watch Video Solution

482. The angle between the lines $5x + 3y - 7 = 0$ and $15x + 9y + 14 = 0$ is a. 0° b. 60° c. 45° d. 30°



Watch Video Solution

483. Distance between the lines $5x + 3y - 7 = 0$ and $15x + 9y + 14 = 0$ is $\frac{35}{\sqrt{34}}$ b. $\frac{1}{3\sqrt{34}}$ c. $\frac{35}{3\sqrt{34}}$ d. $35/2\sqrt{34}$

 [Watch Video Solution](#)

484. The value of λ for which the lines $3x + 4y = 5$, $5x + 4y = 4$ and $\lambda x + 4y = 6$ meet at a point is a. 2 b. 3 c. 1 d. 4

 [Watch Video Solution](#)

485. Three vertices of a parallelogram, taken in order, are $(-1, -6)$, $(2, -5)$ and $(7, 2)$. Write the coordinates of its fourth vertex.

 [Watch Video Solution](#)

486. The centroid of triangle is $(2,7)$ and two of its vertices are $(4,8)$ and $(-2,6)$. The third vertex is

a. $(0, 0)$ b. $(4, 7)$ c. $(7, 4)$ d. $(7, 7)$



[Watch Video Solution](#)

487. If the lines $x + q = 0$, $y - 2 = 0$ and $3x + 2y + 5 = 0$ are concurrent then the value of q will be 1 b. 2 c. 3 d. 5



[Watch Video Solution](#)

488. The medians AD and BE of a triangle with vertices $A(0, b)$, $B(0, 0)$ and $C(a, 0)$ are perpendicular to each other, if $a = \frac{b}{2}$

b. $b = \frac{a}{2}$ c. $ab = 1$ d. $a = \pm \sqrt{2}b$



[Watch Video Solution](#)

489. The equation of the line with gradient $-\frac{3}{2}$ which is concurrent with the lines $4x + 3y - 7 = 0$ and $8x + 5y - 1 = 0$

 [Watch Video Solution](#)

490. A point equidistant from the line $4x + 3y + 10 = 0$, $5x - 12y + 26 = 0$ and $7x + 24y - 50 = 0$ is a. (1,-1)
b. (1,1)c. (0,0)d. (0,1)

 [Watch Video Solution](#)

491. Find the ratio in which the line $3x + 4y + 2 = 0$ divides the distance between the lines $3x + 4y + 5 = 0$ and $3x + 4y - 5 = 0$.

 [Watch Video Solution](#)

492. The coordinates of the foot of the perpendicular from the point $(2,3)$ on the line $x + y - 11 = 0$ are

(a) $(-6, 5)$ b. $(5, 6)$ c. $(-5, 6)$ d. $(6, 5)$



Watch Video Solution

493. Find the image of the point $(4, -13)$ in the line $5x + y + 6 = 0$.



Watch Video Solution