MATHS

BOOKS - RD SHARMA MATHS (ENGLISH)

DIFFERENTIALS, ERRORS AND APPROXIMATIONS

Others

1. Find the approximate value of $(\log)_{10}1005$, given that $(\log)_{10}e = 0.4343$

Watch Video Solution

2. The height of a cone increases by $k\%$ its semi-vertical angle remaining the same. What is the approximate percentage increase (i) in total surface area, and (ii) in the volume, assuming that k is small?

Watch Video Solution

3. The pressure p and the volume v of a gas are connected by the relation $pv^{1.4} = const.$ Find the percentage error in p corresponding to a decrease of 1/2 % in v.

Watch Video Solution

4. Find the percentage error in calculating the surface area of a cubical box if an error of 1% is made in measuring the lengths of edges of the cube.

Watch Video Solution

5. A circular metal plate expends under heating so that its radius increases by $k\%$. Find the approximate increase in the area of the plate, if the radius of the plate before heating is 10 cm.

Watch Video Solution

6. The radius of a sphere shrinks from 10 to 9.8 cm. Find approximately the decrease in its volume.

Watch Video Solution

7. If $y = \sin x and x$ change from $\frac{\pi}{2} \to \frac{22}{14}$, what is the approximate change in y?

Watch Video Solution

8. find the approximate volume of metal in a hollow spherical shell whose internal and external radii are 3cm and 3.0005cm, respectively.

Watch Video Solution

9. Use differentials to approximate the cube root of 127.

Watch Video Solution

10. Use differentials to find the approximate value of $(\log)_e(4.01)$, having given that $(\log)_e 4 = 1.3863$.

Watch Video Solution

11. If the ratio of base radius and height of a cone is 1:2 and percentage error in radius is $\lambda\%$, then the error in its volume is $\lambda\%$ (2) 2 $\lambda\%$ (c) 3 $\lambda\%$ (d) none of these

Watch Video Solution

12. The pressure P and volume V of a gas are connected by the relation $PV^{\frac{1}{4}=}$ constant. The percentage increase in the pressure corresponding to a deminition of % in the volume is $\frac{1}{2}\%$ (b) $\frac{1}{4}\%$ (c) $\frac{1}{8}\%$ (d) none of these

Watch Video Solution

13. If $y = x^n,$ then the ratio of relative errors in y and x is (a) $1:1$ (b) 2:1 (c) 1:n (d) n:1

Watch Video Solution

14. Find the approximate change in the volume V of a cube of side x meters caused by increasing by side by 2%.

Watch Video Solution

15. A circular metal plate expands under heating so that its radius increases by 2%. Find the approximate increase in the area of

the plate if the radius of the plate before heating is 10cm.

Watch Video Solution

16. The time t of a complete oscillation of a simple pendulum of length l is given by the equation $T = 2\pi\sqrt{\frac{1}{g}}$ where g is constant. What is the percentage error in T when l is increased by 1%?

Watch Video Solution

17. If $y = x^4 - 10$ and if x changes from 2 to 1.99, what is the approximate change in y? Also, find the changed value of y.

Watch Video Solution

18. If in a triangle ABC , the side c and the angle C remain constant, while the remaining elements are changed slightly, using differentials show that $\frac{da}{csA} + \frac{db}{\cos B} = 0$

Watch Video Solution

19. Using differentials find the approximate value of $\tan 46^0$, if it is being given that $1^0 = 0.01745$ radians.

Watch Video Solution

20. If there is an error of 2% in measuring the length of simple pendulum, then percentage error in its period is: (a) 1% (b)2% (c) 3% (d) 4%

Watch Video Solution

21. If a triangle ABC, inscribed in a fixed circle, be slightly varied in such away as to have its vertices always on the circle, then show that $\frac{da}{cas A} + \frac{db}{\cos B} + \frac{dc}{\cos C} = 0.$

Watch Video Solution

22. If an error of $k\%$ is made in measuring the radius of a sphere, then percentage error in its volume. k% (b) 3k% (c) 3k% (d) $\frac{k}{3}\%$

Watch Video Solution

23. If there is an error of a% in measuring the edge of a cube, then percentage error in its surface is 2a% (b) $\frac{a}{2}\%$ (c) $3a\%$ (d) none of these

Watch Video Solution

24. While measuring the side of an equilateral triangle an error of k% is made, the percentage error in its area

Watch Video Solution

25. The height of a cylinder is equal to the radius. If an error of $\alpha\%$ is made in the height, then percentage error in its volume is $\alpha\%$ (b) $2\alpha\%$ (c) $3\alpha\%$ (d) none of these

Watch Video Solution

26. A sphere of radius $100mm$ shrinks to radius 98mm, then the approximate decrease

in its volume is (a)$12000\pi mm^3$ (b) $80000\pi mm^3$ (C) $8000\pi mm^3$ (d) $120\pi mm^3$

Watch Video Solution

27. If $(\log)_e 4 - 1.3868, then (\log)_e 4.01 =$ 1.3968 (b) 1.3898 (c) 1.3893 (d) none of these

Watch Video Solution

28. Find the percentage error in calculating the volume of a cubical box if an error if 1% is

made in measuring the length of edges of the cube.

Watch Video Solution

29. The approximate value of $(33)^{\frac{1}{5}}$ is

Watch Video Solution

30. Use differentials to approximate $\sqrt{25.2}$

Watch Video Solution

31. The circumference of a circle is measured as 28cm with an error of 0.01cm. The percentage error in the area is

Watch Video Solution

32. If $y = x^4 - 10$ and if x changes from 2 to 1.99, what is the approximate change in y ? Also, find the changed value of y.

Watch Video Solution

33. A circular metal plate expands under heating so that its radius increases by 2%. Find the approximate increase in the area of the plate if the radius of the plate before heating is 10 cm.

Watch Video Solution

34. Find the percentage error in calculating the volume of a cubical box if an error of 1% is made in measuring the length of edges of the cube.

Watch Video Solution

35. The time t of a complete oscillation of a simple pendulum of length l is given by the equation $T = 2\pi\sqrt{\frac{1}{g}}$ where g is constant. What is the percentage error in T when l is increased by 1%?

Watch Video Solution

36. Find the approximate change in the volume V of a cube of side x meters caused by increasing the side by 2%.

Watch Video Solution

37. If the radius of a sphere is measured as 9 cm with an error of 0.03 cm, then find the approximating error in calculating its volume.

Watch Video Solution

38. Find the approximate value of $f(3.02)$, where $f(x) = 3x^2 + 5x + 3$.

Watch Video Solution

39. Find the approximate volume of metal in a hollow spherical shell whose internal and external radii are 3 cm and 3.0005 cm, respectively.

Watch Video Solution

40. Use differentials to approximate $\sqrt{25.2}$.

Watch Video Solution

41. Use differentials to approximate the cube root of 127.

Watch Video Solution

42. Use differentials to find the approximate value of $\sqrt{0.037}$.

Watch Video Solution

43. Use differentials to find the approximate value of $(\log)_e(4.01)$, having given that $(\log)_e 4 = 1.3863$.

Watch Video Solution

44. Using differentials find the approximate value of $\tan 46^0$, if it is being given that $1^0 = 0.01745$ radians.

Watch Video Solution

45. If in a triangle ABC , the side c and the angle C remain constant, while the remaining elements are changed slightly, using differentials show that $\frac{da}{csA} + \frac{db}{\cos B} = 0$

Watch Video Solution

46. If a triangle ABC, inscribed in a fixed circle, be slightly varied in such away as to have its vertices always on the circle, then show that $\frac{da}{casA} + \frac{db}{\cos B} + \frac{dc}{\cos C} = 0.$

Watch Video Solution

47. If $y = \sin x$ and x changes from $\pi/2$ to $22/14$, what is the approximate change in y?

Watch Video Solution

48. The radius of a sphere shrinks from 10 to 9.8 cm. Find approximately the decrease in its volume.

Watch Video Solution

49. A circular metal plate expands under heating so that its radius increases by k%. Find the approximate increase in the area of the plate, if the radius of the plate before heating is 10 cm.

Watch Video Solution

50. Find the percentage error in calculating the surface area of a cubical box if an error of

1% is made in measuring the lengths of edges of the cube.

Watch Video Solution

51. If there is an error of 0.1% in the measurement of the radius of a sphere, find approximately the percentage error in the calculation of the volume of the sphere.

Watch Video Solution

52. The pressure p and the volume v of a gas are connected by the relation $pv^{1.4} = const.$ Find the percentage error in p corresponding to a decrease of % in v.

Watch Video Solution

53. The height of a cone increases by $k\%$ its semi-vertical angle remaining the same. What is the approximate percentage increase (i) in

total surface area, and (ii) in the volume, assuming that k is small?

Watch Video Solution

54. Show that the relative error in computing the volume of a sphere, due to an error in measuring the radius, is approximately equal to three times the relative error in the radius.

Watch Video Solution

55. Using differentials, find the approximate value of $\sqrt{25.02}$

Watch Video Solution

56. Using differentials, find the approximate value of $(0.009)^{1/3}$

Watch Video Solution

57. Using differentials, find the approximate value of $(0.007)^{1/3}$

Watch Video Solution

58. Using differentials, find the approximate value of $\sqrt{401}$

Watch Video Solution

59. Using differentials, find the approximate value of $(15)^{1/4}$

Watch Video Solution

60. Using differentials, find the approximate value of $(255)^{1/4}$

Watch Video Solution

61. Using differentials, find the approximate value of $\frac{1}{(2.002)^2}$

Watch Video Solution

62. Using differentials, find the approximate value of $(\log)_e 4.04$, it being given that $(\log)_{10} 4 = 0.6021$ and $(\log)_{10} e = 0.4343$.

Watch Video Solution

63. Using differentials, find the approximate value of $(\log)_e 10.02$, it being given that $(\log)_e 10 = 2.3026$.

Watch Video Solution

64. Using differentials, find the approximate value of $(\log)_{10} 10.1$, it being given that $(\log)_{10} e = 0.4343$.

Watch Video Solution

65. Find the approximate value of $\cos 61o$ using differentials, it being given that $\sin 60o = 0.86603$ and $1o = 0.01745$ radian

Watch Video Solution

66. Find approximate value of $\frac{1}{\sqrt{25.1}}$ using differentials.

Watch Video Solution

67. Using differentials, find approximate value of $\sin\left(\frac{22}{14}\right)$

Watch Video Solution

68. Approximate $\cos\left(\frac{11\pi}{36}\right)$ using differentials.

Watch Video Solution

69. Approximate $(80)^{1/4}$ using differentials

Watch Video Solution

70. Use differentials and find approximate value of $(29)^{1/3}$

Watch Video Solution

71. Using differentials, find the approximate value of $(66)^{1/3}$

Watch Video Solution

72. Using differentials, find the approximate value of $\sqrt{26}$

Watch Video Solution

73. Using differentials, find the approximate value of $\sqrt{37}$

Watch Video Solution

74. Using differentials, find the approximate value of $\sqrt{0.48}$

Watch Video Solution

75. Using differentials, find the approximate value of $(82)^{\frac{1}{4}}$ upto 3 places of decimal .

Watch Video Solution

76. Use differentials to find the approximate value of $\left(\frac{17}{18}\right)^{\frac{1}{4}}$

Watch Video Solution

77. Using differentials, find the approximate value of $(33)^{1/5}$

Watch Video Solution

78. Using differentials, find the approximate value of $\sqrt{36.6}$

Watch Video Solution

79. Using differentials, find the approximate value of $25^{1/3}$

Watch Video Solution

80. Using differentials, find the approximate value of $\sqrt{49.5}$

Watch Video Solution

81. Using differentials, find the approximate value of $(3.968)^{3/2}$

Watch Video Solution

82. Using differentials, find the approximate value of $(1.999)^5$

Watch Video Solution

83. Using differentials, find the approximate value of $\sqrt{0.082}$

Watch Video Solution

84. Find the approximate value of $f(2.01)$, where $f(x) = 4x^2 + 5x + 2$.

Watch Video Solution

85. Find the approximate value of $f(5.001)$, where $f(x) = x^3 - 7x^2 + 15$.

Watch Video Solution

86. Find the approximate value of $(\log)_{10}1005$, given that $(\log)_{10}e = 0.4343$

Watch Video Solution

87. If the radius of a sphere is measured as 9 cm with an error of 0.03 cm, find the approximate error in calculating its surface area.

Watch Video Solution

88. Find the approximate change in the surface area of a cube of side x metres caused by decreasing the side by 1%.

Watch Video Solution

89. If the radius of a sphere is measured as 7 m with an error or 0.02 m, find the approximate error in calculating its volume.

Watch Video Solution

90. Find the approximate change in the volume of a cube of side x metres caused by increasing the side by 1%.

Watch Video Solution

91. For the function $y = x^2$, if $x = 10$ and $x = 0.1$. Find y .

Watch Video Solution

92. If $y = (\log)_e x$, then find y when $x = 3$ and $x = 0.03$.

Watch Video Solution

93. If the relative error in measuring the radius of a circular plane is α , find the relative error in measuring its area.

Watch Video Solution

94. If the percentage error in the radius of a sphere is α , find the percentage error in its volume.

Watch Video Solution

95. A piece of ice is in the form of a cube melts so that the percentage error in the edge of cube is a , then find the percentage error in its volume.

Watch Video Solution

96. If there is an error of 2% in measuring the length of simple pendulum, then percentage error in its period is: 1% (b) 2% (c) 3% (d) 4%

Watch Video Solution

97. If there is an error of a% in measuring the edge of a cube, then percentage error in its surface is (a) 2a% (b) $\frac{a}{2}\%$ (c) 3a% (d) none of these

Watch Video Solution

98. If an error of k% is made in measuring the radius of a sphere, then percentage error in its volume is (a) k% (b) 3k% (c) 2k% (d) $k/3\ \%$

Watch Video Solution

99. The height of a cylinder is equal to the radius. If an error of $\alpha\ \%$ is made in the height, then percentage error in its volume is $\alpha\ \%$ (b) $2\alpha\ \%$ (c) $3\alpha\ \%$ (d) none of these

Watch Video Solution

100. While measuring the side of an equilateral triangle an error of $k\%$ is made, the percentage error in its area is $k\%$ (b) $2k\%$ (c) $\frac{k}{2}\%$ (d) $3k\%$

Watch Video Solution

101. If $(\log)_e 4 = 1.3868$, then $(\log)_e 4.01 =$

(a) 1.3968 (b) 1.3898 (c) 1.3893 (d) none of these

Watch Video Solution

102. A sphere of radius 100 mm shrinks to radius 98 mm, then the approximate decrease in its volume is $12000\,\pi\,mm^3$ (b) $800\,\pi\,mm^3$ (c) $80000\,\pi\,mm^3$ (d) $120\,\pi\,mm^3$

Watch Video Solution

103. If the ratio of base radius and height of a cone is 1:2 and percentage error in radius is

$\lambda\%$, then the error in its volume is $\lambda\%$ (b) $2\lambda\%$ (c) $3\lambda\%$ (d) none of these

Watch Video Solution

104. The pressure P and volume V of a gas are connected by the relation $PV^{\frac{1}{4}=}$ constant. The percentage increase in the pressure corresponding to a deminition of % in the volume is $\frac{1}{2}\%$ (b) $\frac{1}{4}\%$ (c) $\frac{1}{8}\%$ (d) none of these

Watch Video Solution

105. If $y = x^n$, then the ratio of relative errors in $y and x$ is $1:1$ (b) 2:1 (c) 1:n (d) n:1

Watch Video Solution

106. The approximate value of $(33)^{1/5}$ is (a) 2.0125 (b) 2.1 (c) 2.01 (d) none of these

Watch Video Solution

107. The circumference of a circle is measured as 28cm with an error of 0.01cm. The percentage error in the area is $\frac{1}{14}$ (b) 0.01 (c) $\frac{1}{7}$ (d) none of these

Watch Video Solution