



MATHS

BOOKS - RD SHARMA MATHS (ENGLISH)

THE PLANE

Others

1. Find the distance of the point $2\hat{i}+\hat{j}-\hat{k}$ from the plane $\overrightarrow{r}\left(\hat{i}-2\hat{j}+4\hat{k}
ight)=9$.

Watch Video Solution

2. Find the distance of the point (21,0) from the plane 2x + y + 2z + 5 = 0.

3. Show that the points $\hat{i} - \hat{j} + 3\hat{k}and3(\hat{i} + \hat{j} + \hat{k})$ are equidistant from the plane $\overrightarrow{r}5\hat{i} + 2\hat{j} + \hat{k} + 9 = 0$ and lie on opposite sides of it.



4. Find the equations of the planes parallel to the plane x - 2y + 2z - 3 = 0 which is at a unit distance from the point (1, 2, 3).

Watch Video Solution

5. Find the equation of the plane which contains the line of intersection

of the planes x + 2y + 3z - 4 = 0 and 2x + y - z + 5 = 0 and which is

perpendicular to the plane 5x + 3y - 6z + 8 = 0.

6. Find the equation of the plane passing through the intersection of the planes 2x + 3y - z + 1 = 0 and x + y - 2z + 3 = 0 and perpendicular to the plane 3x - y - 2z - 4 = 0.

Watch Video Solution

7. Find the equation of the plane passing through the intersection of the planes \overrightarrow{r} . $(2\hat{i} + \hat{j} + 3\hat{k}) = 7$, \overrightarrow{r} . $(2\hat{i} + 5\hat{j} + 3\hat{k}) = 9$ the point (2, 1, 3).

Watch Video Solution

8. Find the equation of the plane passing through (a, b, c) and parallel to the plane $\overrightarrow{r}is\hat{i}+\dot{\hat{j}}+\hat{k}=2.$

9. Two systems of rectangular axes have the same origin. If a plane cuts them at distances a, b, canda', b', c' respectively, prove that $\frac{1}{a^2} + \frac{1}{b^2} + \frac{1}{c^2} = \frac{1}{a'^2} + \frac{1}{b'^2} + \frac{1}{c'^2}$

Watch Video Solution

10. A variable plane is at a constant distance p from the origin and meets the coordinate axes in A, B, C. Show that the locus of the centroid of the tetrahedron OABC is $x^{-2} + y^{-2} + z^{-2} = 16p^{-2}$

Watch Video Solution

11. Find the equation of the plane passing through the intersection of the planes 2x - 3y + z - 4 = 0 and x - y + z + 1 = 0 and perpendicular to the plane x + 2y - 3z + 6 = 0.

12. Find the equation of the plane through the line of intersection of $\vec{r} \cdot 2\hat{i} - 3\hat{j} + 4\hat{k} = 1$ and $\vec{r} \cdot \hat{i} - \hat{j} + 4 = 0$ and perpendicular to $\vec{r} \cdot 2\hat{i} - \hat{j} + \hat{k} + 8 = 0.$

Watch Video Solution

13. Find the equation of the plane which is perpendicular to the plane 5x + 3y + 6z + 8 = 0 add which contains the line of intersection of the planes x + 2y + 3z - 4 = 0 and 2x + y - z + 5 = 0.

Watch Video Solution

14. Find the equation of a plane through the intersection of the planes $\vec{r} \cdot \hat{i} + 3\hat{j} - \hat{k} = 5$ and $\vec{r} \cdot 2\hat{i} - \hat{j} + \hat{k} = 3$ and passing through the point (2, 1, -2).

15. Find the vector equation of the following plane in non-parametric
form:
$$\overrightarrow{r} = (\lambda - 2\mu)\hat{i} + (3 - \mu)\hat{j} + (2\lambda + \mu)\hat{k}$$
.
Watch Video Solution

16. Find the vector equation of the plane

 $\overrightarrow{r}=(1+s-t)\hat{i}+(2-s)\hat{j}+(3-2s+2t)\hat{k}$ in non-parametric form.

Watch Video Solution

17. Find the Cartesian form the equation of the plane $ec{r}=(s-2t)\hat{i}+(3-t)\hat{j}+(2s+t)\hat{k}$.

Watch Video Solution

18. Find the vector equation of the following plane in scalar product form: $\vec{r} = (\hat{i} - \hat{j}) + \lambda(\hat{i} + \hat{j} + \hat{k}) + \mu(\hat{i} - 2\hat{j} + 3\hat{k}).$ **19.** The plane x - 2y + 3z = 0 is rotated through a right angle about the line of intersection with the plane 2x + 3y - 4z - 5 = 0, find the equation of the plane in its new position.

Watch Video Solution

20. The plane lx + my = 0 is rotated through an angle α about its line of intersection with the plane z=0. Prove that the equation of the plane in its new position is $lx + my \pm \left(\sqrt{l^2 + m^2} \tan \alpha\right) z = 0.$

Watch Video Solution

21. Find the vector equation of the line passing through the point (1, -1, 2) and perpendicular to the plane 2x - y + 3z - 5 = 0.

22. Find the vector equation of the plane passing through the intersection of the planes x - 2y + z = 1 and 2x + y + z = 8 and parallel to the line with direction ratios proportional to 1, 2, 1. Find also the perpendicular distance of (1, 1, 1) from this plane.

Watch Video Solution

23. If 30 oxen can plough $\frac{1}{7}$ th of the field in 4 hrs , in how many hour will 18 oxen take to do the remaining work?

Watch Video Solution

24. Find the equation of the plane through the points (1, 0, -1), (3, 2, 2) and parallel to the line $\frac{x-1}{1} = \frac{y-1}{-2} = \frac{z-2}{3}$.

25. Find the angle between line $\frac{x+1}{3} = \frac{y-1}{2} = \frac{z-2}{4}$ and the plane 2x + y - 3z + 4 = 0.

Watch Video Solution

26. Show that the line whose vector equation is $\vec{r} = (2\hat{i} - 2\hat{j} + 3) + \lambda(\hat{i} - \hat{j} + 4\hat{k})$ is parallel to the plane whose vector equation $\vec{r}(\hat{i} + 5\hat{j} + \hat{k}) = 5$. Also, find the distance between them.

Watch Video Solution

27. Show that the line whose vector equation is $\vec{r} \cdot 2\hat{i} + 5\hat{j} - 7\hat{k} + \lambda(\hat{i} + 3\hat{j} + 4\hat{k})$ is parallel to the plane whose vector equation is $\vec{r} \cdot \hat{i} + \hat{j} - \hat{k} = 7$. Also find the distance between them.

28. Find the vector equation of the line passing through the point (1, -1, 2) and perpendicular to the plane 4x - 2y - 5z - 2 = 0.

Watch Video Solution

29. Show that the line $\overrightarrow{r}=\hat{i}+\hat{j}+\lambda\Big(2\hat{i}+\hat{j}+4\hat{k}\Big)$ is parallel to the

plane $\overrightarrow{r}\left(-2\hat{i}+\hat{k}
ight)=5$. Also, find the distance between the line and

the plane.

Watch Video Solution

30. Find the plane passing through (4, -1, 2) and parallel to the lines

$$rac{x+2}{3} = rac{y-2}{-1} = rac{z+1}{2} and rac{x-2}{1} = rac{y-3}{2} = rac{z-4}{3}$$

Watch Video Solution

31. Find the angle between the lines $\overrightarrow{r} = \hat{i} + 2\hat{j} - \hat{k} + \lambda(\hat{i} - \hat{j} + \hat{k})$ and the plane \overrightarrow{r} . $(2\hat{i} - \hat{j} + \hat{k}) = 4$.



35. Find the distance between the parallel planes

$$\overrightarrow{r}$$
. $(\hat{i} + 2\hat{j} + 3\hat{k}) + 7 = 0$ and \overrightarrow{r} . $(2\hat{i} + 4\hat{j} + 6\hat{k}) + 7 = 0$.

36. Find the equation of the plane which passes through the point (3, 4, -1) and is parallel to the plane 2x - 3y + 5z + 7 = 0. Also, find the distance between the two planes.

Watch Video Solution

37. Find the distance of the point (3,3,3) from the plane \overrightarrow{r} . $\left(5\hat{i}+2\hat{j}-7\hat{k}\right)+9=0$

38. Find the equations of the planes parallel to the plane x + 2y - 2z + 8 = 0 which are at distance of 2 units from the point (2, 1, 1).



40. Find the equation of the plane through the intersection of the planes

$$3x-4y+5z=10and2x+2y-3z=4$$
 and parallel to the line $x=2y=3z$.

41. If the line drawn from (4, -1, 2) meets a plane at right angles at the point (-10, 5, 4), find the equation of the plane.



42. If O is the origin and the coordinates of A are (a, b, c). Find the direction cosines of OA and the equation of the plane through A at right angles to OA.

Watch Video Solution

43. Find the vector equation of a lane passing through a point having position vector 2i + 3j - 4k and perpendicular to the vector 2i - j + 2k. Also, reduce it to Cartesian form.

44. The foot of perpendicular drawn from the origin to the plane is (4, -2, -5). Find the equation of the plane.



45. If the line drawn from the point (-2, -1, -3) meets a plane at right angle at the point (1, -3, 3), find the equation of the plane.

> Watch Video Solution

46. Find the equation of the plane which bisects the line segment joining

the points A(2, 3, 4) and B(4, 5, 8) at right angles.



47. Find the equation of the plane passing through the point (1, -1, 2)

having 2, 3, 2 as direction ratios of normal to the plane.



48. Let \overrightarrow{n} be a vector of magnitude $2\sqrt{3}$ such that it makes equal acute angles with the coordinate axes. Find the vector and Cartesian forms of the equation of a plane passing through (1, -1, 2) and normal to \overrightarrow{n} .

Watch Video Solution

49. A vector \overrightarrow{n} of magnitude 8 units is inclined to x-axis at 45^0 , y-axis at 60^0 and an acute angle with z-axis. If a plane passes through a point $(\sqrt{2}, -1, 1)$ and is normal to \overrightarrow{n} , find its equation in vector form.

Watch Video Solution

50. A plane passes through the point (1, -2, 5) and is perpendicular to the line joining the origin to the point $3\hat{i} + \hat{j} - \hat{k}$. Find the vector and Cartesian forms of the equation of the plane.

51. Find the vector and Cartesian equations of the plane containing the

$$ec{r}=2\hat{i}+\hat{j}-3\hat{k}+\lambda\Big(\hat{i}+2\hat{j}+5\hat{k}\Big)$$
and, $ec{r}=3\hat{i}+3\hat{j}+2\hat{k}+\mu\Big(3\hat{i}-2\hat{j}+2\hat{k}+\mu\Big)$

Watch Video Solution

52. Find the equation of the plane containing the line $\frac{x+1}{3} = \frac{y-3}{5} = \frac{z+2}{-2}$ and the point (0, 7, -7) and show that the line $\frac{x}{1} = \frac{y-7}{-3} = \frac{z+7}{2}$ also lies in the same plane.

Watch Video Solution

53. If the lines
$$\frac{x+4}{3} = \frac{y+6}{5} = \frac{z-1}{-2}$$
 and $3x - 2y + z + 5 = 0 = 2x + 3y + 4z - k$ are coplanar, then $k = (a) - 4$ (2)3 (3)2 (4) 4 (5)1

54. Equation of plane which passes through the intersection point of the lines $L_1: \frac{x-1}{3} = \frac{y-2}{1} = \frac{z-3}{2}$ and $L_2: \frac{x-2}{2} = \frac{y-1}{2} = \frac{z-6}{-1}$ and has the largest distance from origin

Watch Video Solution

55. Find the coordinates of the point where the line $\frac{x-2}{3} = \frac{y+1}{4} = \frac{z-2}{2}$ intersect the plane x - y + z - 5 = 0. Also,

find the angel between the line and the plane.

O Watch Video Solution

56. Find the shortest distance between the skew-line4s
$$l_1: \frac{x-1}{2} = \frac{y+1}{1} = \frac{z-2}{4}$$
 and $l_2: \frac{x+2}{4} = \frac{y-0}{-3} = \frac{z+1}{1}$

57. Find the distance between the line $\overrightarrow{r} = \left(-\hat{i}+3\hat{k}
ight) + \lambda\left(\hat{i}-2\hat{j}
ight)$

and the line passing through $(0,\ -1,2)$ and $(1,\ -2,3)$.





59. Find the image of the point having position vector $\hat{i} + 3\hat{j} + 4\hat{k}$ in the

planer.
$$\overrightarrow{r}.\left(2\hat{i}-\hat{j}+\hat{k}
ight)+3=0$$

Watch Video Solution

60. A plane meets the coordinate axes at A, BandC respectively such that the centroid of triangle ABC is (1, -2, 3). Find the equation of

the plane.					
Watch Video Solution					
61. Find the equation of a plane which meets the axes in A , $BandC$, given that the centroid of the triangle ABC is the point (α, β, γ) Vatch Video Solution					
62.	Show	that	the	four	points
$(0,\ -1,\ -1),(-4,4,4),(4,5,1) and (3,9,4)$ are coplanar. Find the					
equation of plane containing them.					

Watch Video Solution

63. If from a point P(a, b, c) prpendiculars PAandPB are drawn to yzandzx - planes, find the eqution of th plane OAB.

64. Find the equation of the plane through the points A(2, 2, -1), B(3, 4, 2) and C(7, 0, 6.)



65. A variable plane moves in such a way that the sum of the reciprocals of its intercepts on the three coordinate axes is constant. Show that the plane passes through a fixed point.

66. A plane meets the coordinate axes in A, B, C such that the centroid of triangle ABC is the point (p, q, r). Show that the equation of the plane is $\frac{x}{p} + \frac{y}{q} + \frac{z}{r} = 3$.

67. Write the equation of the plane whose intercepts on the coordinate

axes are -4, 2and3 respectively.



70. Find the image of the point with position vector $3\hat{i} + \hat{j} + 2\hat{k}$ in the plane \overrightarrow{r} . $(2\hat{i} - \hat{j} + \hat{k}) = 4$. Also, find the position vectors of the foot



(1,3/2,2) to the plane 2x-2y+4z+5=0.

Watch Video Solution

72. Find the distance between the point with position vector $\hat{i} - 5\hat{j} - 10\hat{k}$ and the point of intersection of the line $\frac{x-2}{3} = \frac{y+1}{4} = \frac{z-2}{12}$ with the plane x - y + z = 5.

Watch Video Solution

73. Find the equation of the plane through the intersection of the planes 3x - 4y + 5z = 10 and 2x + 2y - 3z = 4 and parallel to the line

$$x = 2y = 3z$$
.



74. Show that the plane whose vector equation is $\overrightarrow{r}\,\hat{i}+2\dot{\hat{j}}-\hat{k}=1.\,$ and

the line whose vector equation is
$$\overrightarrow{r}=\Big(-\hat{i}+\hat{j}+\hat{k}\Big)+\lambda\Big(2\hat{i}+\hat{j}+4\hat{k}\Big)$$
 are parallel. Also, find the

distance between them.

Watch Video Solution

75. Prove that the lines
$$\frac{x+1}{3} = \frac{y+3}{5} = \frac{z+5}{7}$$
 and $\frac{x-2}{1} = \frac{y-4}{4} = \frac{z-6}{7}$ are coplanar .

Also, find the plane containing these two lines.

76. Show that the lines
$$\overrightarrow{r} = \left(\hat{i} + \hat{j} - \hat{k}\right) + \lambda \left(3\hat{i} - \hat{j}\right) and \overrightarrow{r} = \left(4\hat{i} - \hat{k}\right) + \mu \left(2\hat{i} + 3\hat{k}\right)$$
 are

coplanar. Also, find the plane containing these two lines.

77. Find the distance of the point P(-1, -5, -10) from the point of intersection of the line joining the points A(2, -1, 2)andB(5, 3, 4)

with the plane x - y + z = 5.



78. Find the distance of the point (1, -2, 3) from the plane x - y + z = 5 measured parallel to the line whose direction cosines are proportional to 2, 3, -6.

79. Show that the plane whose vector equation is $\overrightarrow{r} \cdot (\hat{i} + 2\hat{j} = \hat{k}) = 3$ contains the line whose vector equation is $\overrightarrow{r} \cdot (\hat{i} + \hat{j}) + \lambda (2\hat{i} + \hat{j} + 4\hat{k})$.

Watch Video Solution

80. Find the equation of the plane passing through the point (0, 7, -7)and containing the line $\frac{x+1}{-3} = \frac{y-3}{2} = \frac{z+2}{1}$.

Watch Video Solution

81. Find the equation of the plane passing through the points (1, -1, 2) and (2, -2, 2) and which is perpendicular to the plane x - 2y + 2z = 9

82. Find the equation of the plane passing through the point whose coordinates are (-1, 1, 1) and (1, -1, 1) and perpendicular to the plane x + 2y + 3z = 5.

Watch Video Solution

83. Find the equation of the plane passing through the point (1, 1, -1) and perpendicular to the planes

$$x + 2y + 3z - 7 = 0$$
 and $2x - 3y + 4z = 0$.

Watch Video Solution

84. Find the equation of the plane passing through the point (-1, -1, 2) and perpendicular to the planes 3x + 2y - 3z = 1 and 5x - 4y + z = 5.



86. If the angle between the planes $\overrightarrow{r}:\left(2\hat{i}-\hat{j}+\lambda\hat{k}\right)=5$ and $\overrightarrow{r}:\left(3\hat{i}+2\hat{j}+2\hat{k}\right)=4$. are perpendicular.

Find the value of λ .

Watch Video Solution

87. Find the vector equation of the plane passing through the points $3\hat{i} + 4\hat{j} + 2\hat{k}, 2\hat{i} - 2\hat{j} - \hat{k}and7\hat{i} + 6\hat{k}$

Watch Video Solution

88. Find the angle between the planes $\vec{r} 2\hat{i} - \hat{j} + \hat{k} = 6$ and $\vec{r} \hat{i} + \hat{j} + 2\hat{k} = 5$. 89. Find the vector equation of the plane passing through the points

(1,1,0), (1,2,1) and (-2,2,-1).

Watch Video Solution

90. Find the vector equation of the plane passing through the points A(a, 0, 0), B(0, b, 0) and C(0, 0, c). Reduce it to normal form. If plane ABC is at a distance p from the origin, prove that $\frac{1}{p^2} = \frac{1}{a^2} + \frac{1}{b^2} + \frac{1}{c^2}$.

Watch Video Solution

91. Reduce the equation $\overrightarrow{r}\left(3\hat{i}-4\hat{j}+12\hat{k}
ight)=5$ to normal form and

hence find the length of perpendicular from the origin to the plane.

92. Find the vector equation of a plane which is at a distance of 8 units from the origin and which is normal to the vector $2\hat{i} + \hat{j} + 2\hat{k}$.



Watch Video Solution

94. Find the coordinates of the foot of the perpendicular drawn from the

origin to the plane 2x - 3y + 4z - 6 = 0.

Watch Video Solution

95. Find the equation of a plane which is at a distance of $3\sqrt{3}$ units from the origin and the normal to which is equally inclined with the coordinate

Watch Video Solution

96. Find the equation of the plane passing through the point (-1, 2, 1)and perpendicular to the line joining the points (-3, 1, 2) and (2, 3, 4). Find also the perpendicular distance of the origin from this plane.

Watch Video Solution

97. Find the vector equation of the plane passing through the points A(2, 2, -1), B(3, 4, 1) and C(7, 0, 6). Also, find the Cartesian equation of the plane.



98. Find the equation of the plane passing through the point (1, 2, 1)and perpendicular to the line joining the points (1, 4, 2) and (2, 3, 5). find also the perpendicular distance of the origin from this plane.



99. If from a point P(a, b, c) perpendiculars PAandPB are drawn to

YZandZX - planes find the vectors equation of the plane OAB.

Watch Video Solution

100. Find the vector equation of the plane passing through the points having position vectors $\hat{i} + \hat{j} - 2\hat{k}$, $2i - \hat{j} + \hat{k}$ and $\hat{i} + 2\hat{j} + \hat{k}$.

Watch Video Solution

101. Find the equation of the plane through the points P(1, 1, 0), Q(1, 2, 1) and R(-2, 2, -1).

102. Find the equation of the plane passing through the following points:

 $(2,\ 1,\ 0),\ (3,\ -2,\ -2) and\ (3,\ 1,\ 7)$.



103. Find the equation of the plane passing through the following points:

 $(-5, \ 0, \ -6), \ (-3, \ 10, \ -9) and \ (-2, \ 6, \ -6).$

Watch Video Solution

104. Find the equation of the plane passing through the following points:

```
(1,\ 1,\ 1),\ (1,\ -1,\ 2) and\ (\ -2,\ -2,\ 2) \cdot
```



105. Find the equation of the plane passing through the following points:

$$(2, 3, 4), (-3, 5, 1) and (4, -1, 2)$$

106. Find the equation of the plane passing through the following points:



Watch Video Solution



Watch Video Solution

108. Show that the following points are coplanar: (0, 4, 3), (-1, -5, -3), (-2, -2, 1) and (1, 1, -1).

109. Show that the point (0, -1, -1), (4 5, 1), (3, 9, 4) and (-4, 4, 4) are

coplanar and find the equation of the common plane.



110. Reduce the equation of the plane 2x + 3y - z = 6 to intercept form

and find its intercepts on the coordinate axes.

Watch Video Solution

111. Write the equation of the plane whose intercepts on the coordinate

axes are 2, -3 and 4.



112. Reduce the equations of the following planes in intercept form and

find its intercepts on the coordinate axes: 4x + 3y - 6z - 12 = 0



113. Reduce the equation of the plane 2x + 3y - 4 = 12 to intercept

form and find its intercepts on the coordinate axes.

Watch Video Solution

114. Reduce the equations of the following planes in intercept form and

find its intercepts on the coordinate axes: 2x - y + z = 5

Watch Video Solution

115. Find the equation of the plane passing through the point (2, 4, 6) and

making equal intercepts on the coordinate axes.
116. Find the equation in Cartesian form of the plane passing through the point (3, -3, 1) and normal to the line joining the points (3, 4, -1) and (2, -1, 5).

O Watch Video Solution	
-------------------------------	--

117. Find the vector equation of the plane whose Cartesian form of equals

3x - 4y + 2z = 5.

Watch Video Solution

118. Find a normal vector to the plane 2x - y + 2z = 5. Also, find a unit

vector normal to the plane.





Watch Video Solution

120. Find the angles at which the normal vector to the plane 4x + 8y + z = 5 is inclined to the coordinate axes.

Watch Video Solution

121. Find the vector equation of a plane passing through a point having position vector $2\hat{i} - \hat{j} + \hat{k}$ and perpendicular to the vector $4\hat{i} + 2\hat{j} - 3\hat{k}$.

Watch Video Solution

122. Find the Cartesian form of equation of a plane whose vector equation is : $\vec{r}(12\hat{i}-3\hat{j}+4\hat{k})+5=0$

123. Find the Cartesian form of equation of a plane whose vector equation is : $\vec{r}\left(-\hat{i}+\hat{j}+2\hat{k}
ight)=9$

Watch Video Solution

124. Find the vector equations of the coordinates planes.

Watch Video Solution

125. Find the vector equation of each one of following plane: 2x - y + 2z = 8





127. Find the vector equation of each one of following plane: x+y=3



128. Find the vector and Cartesian equations of a plane passing through the point (1, -1, 1) and normal to theline joining the point (1, 2, 5) and (-1, 3, 1).

Watch Video Solution

129. If \overrightarrow{n} is a vector of magnitude $\sqrt{3}$ and is equally inclined with an acute angle with the coordinate axes. Find the vector and Cartesian forms



Watch Video Solution

132. If the axes are rectangular and P is the point (2, 3, -1), find the equation of the plane through P at right angle to OP.

133. Find the intercepts made on the coordinate axes by the plane 2x + y - 2z = 3 and find also the direction cosines of the normal to the plane.

Watch Video Solution

134. Find the equation of the plane that bisects the line segment joining points (1, 2, 3) and (3, 4, 5) and is at right angle to it.



135. Show that the normal to the following planes are perpendicular to

each other.
$$x - y + z - 2 = 0$$
 and $3x + 2y - z + 4 = 0$

136. Show that the normal to the following planes are perpendicular to

each other.
$$\overrightarrow{r}\left(2\hat{i}-\hat{j}+3\hat{k}
ight)=5$$
 & $\overrightarrow{r}\left(2\hat{i}-2\hat{j}-2\hat{k}
ight)=5$

Watch Video Solution

137. Show that the equation of the planes are perpendicular to each

other.
$$\overrightarrow{r}.\left(2\hat{i}-\hat{j}+3\hat{k}
ight)=5$$
 and $\overrightarrow{r}.\left(2\hat{i}-2\hat{j}-2\hat{k}
ight)=5$

Watch Video Solution

138. Show that the normal vector to the plane 2x + 2y + 2z = 3 is equally inclined with the coordinate axes.



139. Find a vector of magnitude 26 units normal to the plane 12x - 3y + 4z = 1.

140. Find the equation of the plane which bisects the line segment joining the points (-1, 2, 3) and (3, -5, 6) at right angles.

Watch Video Solution

141. Find the vector and the Cartesian equation of the plane which pases through the point (5,2,-4) and perpendicular to the line with direction ratios (2,3,-1).

Watch Video Solution

142. If O be the origin and the coordinates of P be(1, 2, 3), then find the equation of the plane passing through P and perpendicular to OP. **143.** Find the vector equation of a plane at a distance of 5 units from the origin and has \hat{i} as the unit vector normal to it.



144. Reduce the equation of the plane x - 2y - 2z = 12 to normal form and hence find the length of the perpendicular for the origin to the plane. Also, find the direction cosines of the normal to the plane.

Watch Video Solution

145. Find the vector equation of a plane which is at a distance of 6 units from the origin and has 2, -1, 2 as the direction ratios of a normal to it. Also, find the coordinates of the foot of the normal drawn from the origin.

146. Find the vector equation of a plane which is at a distance of 3 units

from the origin and has \hat{k} as the unit vector normal to it.



148. Reduce the equation 2x - 3y - 6z = 14 to the normal form and hence fine the length of perpendicular from the origin to the plane. Also, find the direction cosines of the normal to the plane.



149. Write the normal form of the equation of the plane 2x - 3y + 6z + 14 = 0.

150. The direction ratios of the perpendicular from the origin to a plane are 12,-3,4 and the length of the perpendicular is 5. Find the equation of the plane.

Watch Video Solution

151. Find a normal vector to the plane x+2y+3z-6=0



152. Find the vector equation of the plane which is at a distance of $\frac{6}{\sqrt{29}}$ from the origin and its normal vector from the origin is $2\hat{i} - 3\hat{j} + 4\hat{k}$. Also find its cartesian form.



153. Find the distance of the plane 2x3y + 4z6 = 0 from the origin.



154. Find the vector equation of the plane passing thrugh the points (2,5,-3),(-2,-3,5),(5,3,-3).

Watch Video Solution

155. Find the vector equation of the plane passing through the points (1,

1, -1), (6, 4, -5) and (-4, -2, 3).

Watch Video Solution

156. Show that the planes 2x + 6y - 6z = 7 and 3x + 4y + 5z = 8 are

at right angles.

157. Find the vector equation of the plane passing through the points (2, 1, -1) and (-1, 3, 4) and perpendicular to the plane x - 2y + 4z = 10. Also show that the plane thus obtained contains the line $\overrightarrow{r} = -\hat{i} + 3\hat{j} + 4\hat{k} + \lambda \left(3\hat{i} - 2\hat{j} - 5\hat{k}\right)$.



Watch Video Solution



3x - 6y - 2z = 7 using vector method.



167. Show that the following planes are at right angle: x - 2y + 4z = 10 and 18x + 17y + 4z = 49.

168. Determine the value of λ for which the following plane are perpendicular to each other. $\overrightarrow{r}(\hat{i}+2\hat{j}+3\hat{k}) = 7 \text{ and } \overrightarrow{r}(\lambda\hat{i}+2\hat{j}-7\hat{k}) = 26.$ Watch Video Solution

169. Determine the value of λ for which the following plane are perpendicular to each other. 2x - 4y + 3z = 5 and $x + 2y + \lambda z = 5$

170. Determine the value of λ for which the following plane are perpendicular to each other. 3x - 6y - 2z = 7 and $2x + y - \lambda z = 5$



171. Obtain the equation of the plane passing through the point (1, -3, -2)

and perpendicular to the planes

x + 2y + 2z = 5 and 3x + 3y + 2z = 8.

Watch Video Solution

172. Find the equation of the plane through the points (2,2,1) and (9,3,6)

and perpendicular to the plane 2x + 6y + 6z = 1

173. Find the equation of the plane with intercept 3 on the y-axis and

parallel to ZOX plane.

Watch Video Solution

174. Find
$$rac{dy}{dx}$$
 if $x+2y=8.$

Watch Video Solution

175. Find the equation of the plane passing through (a, b, c) and parallel to the plane $\overrightarrow{r}is\hat{i}+\dot{\hat{j}}+\hat{k}=2.$

Watch Video Solution

176. Find the equation of the plane passing through the point (-1,3,2) and perpendicular to each of the planes x + 2y + 3z = 5 and 3x + 3y + z = 0 177. Find the vector equation of the plane through the points (2, 1, -1) and

(-1, 3, 4) and perpendicular to the plane x - y + 4z = 10.

Watch Video Solution

178. Find the vector equation of the following planes in scalar product

$$ext{form}\left(\overrightarrow{r}\stackrel{\cdot}{\overrightarrow{n}}=d
ight): \; \overrightarrow{r}=\left(2\hat{i}-\hat{k}
ight)+\lambda\hat{i}+\mu\Big(\hat{i}-2\hat{j}-\hat{k}\Big).$$

Watch Video Solution

179. Find the vector equation of the plane
$$\vec{r} = (1+s-t)\hat{i} + (2-s)\hat{j} + (3-2s+2t)\hat{k}$$
 in non-parametric form.

180. Find
$$rac{dy}{dx}$$
 if $y=e^{2x}$

Watch Video Solution

181. Find the vector equation of the following planes in scalar product

$${
m form}\left(\overrightarrow{r}. \ \overrightarrow{n} = d
ight) {:} r = \hat{i} - \hat{j} + \lambda \Big(\hat{i} + \hat{j} + \hat{k}\Big) + \mu \Big(-4\hat{i} - 2\hat{j} + 3\hat{k}\Big) +$$

Watch Video Solution

182. Find the Cartesian form of the equation of the following plane: $\vec{r} = (\hat{i} - \hat{j}) + s(\hat{i} + \hat{j} + 2\hat{k}) + t(\hat{i} + 2\hat{j} + \hat{k})$

Watch Video Solution

183. Find the vector equation of the following planes in non parametric

form:
$$ightarrow r = (\lambda - 2\mu) \hat{i} + (3-\mu) \hat{j} + (2\lambda + \mu) \hat{k}$$

184. Find the vector equation of the following planes in non parametric form: $\rightarrow r = \left(2\hat{i} + 2\hat{j} - \hat{k}\right) + \lambda\left(\hat{i} + 2\hat{j} + 3\hat{k}\right) + \mu\left(5\hat{i} - 2\hat{j} + 7\hat{k}\right)$.

Watch Video Solution

185. Find the equation of plane passing through the point $\hat{i} + \hat{j} + \hat{k}$ and parallel to the plane \overrightarrow{r} . $\left(2\hat{i} - \hat{j} + 2\hat{k}\right) = 5$.

Watch Video Solution

186. Find the equation of a plane containing the line of intersection of the

planes x + y + z - 6 = 0and2x + 3y + 4z + 5 = 0 passing through (1, 1, 1).

187. Direction ratios of the normal to the plane passing through the points (2, 1, 3) and the line of intersection of the planes x + 2y + z = 3 and 2x - y - z = 5 are (A) 13, 6, 1 (B) 4, 3, 2 (C) 4, 3, 2 (D) none

Watch Video Solution

188. Find the Cartesian as well as vector equations of the planes through

the intersection of the planes

 $\overrightarrow{r}\left(2\hat{i}+6\hat{j}
ight)+12=0~and~\overrightarrow{r}\left(3\hat{i}-\hat{j}-4\hat{k}
ight)=0$ which are at a unit

distance from the origin.

189. Find the equation of the plane which is parallel to 2x - 3y + z = 0

and which passes through (1, -1, 2).

190. Find the equation of the plane through (3, 4, -1) which is parallel to the plane $ightarrow r\Big(2\hat{i}-3\hat{j}+5\hat{k}\Big)+2=0.$



191. Find the equation of the plane passing through the line of intersection of the planes 2x - 7y + 4z - 3 = 0, 3x - 5y + 4z + 11 = 0 and the point (-2, 1, 3).

Watch Video Solution

192. Find the equation of the plane through the point $2\hat{i} + \hat{j} - \hat{k}$ and passing through the line of intersection of the plane $\vec{r} \cdot (\hat{i} + 3\hat{j} - \hat{k}) = 0$ and $\vec{r} \cdot (\hat{j} + 2\hat{k}) = 0$.

193. Find
$$rac{dy}{dx}$$
 if $4x+5y=8$

Watch Video Solution

194. Find the equation of the plane through the line of intersection of the

planes x + 2y + 3z + 4 = 0 and x - y + z + 3 = 0 and passing through the origin.

Watch Video Solution

195. Find the vector equation (in scalar product form) of the plane containing the line of intersection of the planes x - 3y + 2z - 5 = 0 and 2x - y + 3z - 1 = 0 and passing through (1, -2, 3).

196. Find the equation of the plane which is perpendicular to the plane 5x + 3y + 6z + 8 = 0 add which contails the line of intersection of the planes x + 2y + 3z - 4 = 0 and 2x + y - z + 5 = 0.

197. Find the equation of the plane through the line of intersection of the

planes
$$\overrightarrow{r}\left(\hat{i}+3\hat{j}
ight)+6=0$$
 and $\overrightarrow{r}\left(3\hat{i}-\hat{j}-4\hat{k}
ight)=0,$ which is at a

unit distance from the origin.

Watch Video Solution

198. Find the equation of the plane through the intersection of the planes

3x - y + 2z - 4 = 0 and x + y + z - 2 = 0 and the point (2,2,1).

199. Find the equation of the plane through the line of intersection of the planes x + y + z = 1 and 2x + 3y + 4z = 5 which is perpendicular to the plane x - y + z = 0

Watch Video Solution

200. Prove that if a plane has the intercepts a, b, c and is at a distance of p units from the origin, then $\frac{1}{a^2} + \frac{1}{b^2} + \frac{1}{c^2} = \frac{1}{p^2}$.

Watch Video Solution

201. If the points $(1, 1, \lambda)$ and (-3, 0, 1) be equidistant from the

plane
$$\overrightarrow{r}ig(3\hat{i}+4\hat{j}-12\hat{k}ig)+13=0$$
 find the value of λ_{\cdot}

202. Find the distance between the point P(6, 5, 9) and the plane determined by the points A(3, -1, 2), B(5, 2, 4) and C(-1, -1, 6).

Watch Video Solution

203. Find the equation of a plane passing through the point P(6, 5, 9)and parallel to the plane determined by the points A(3, -1, 2)B(5, 2, 4) and C(-1, -1, 6). Also find the distance of this plane from the point A.

Watch Video Solution

204. A variable plane is at a constant distance p from the origin and meets the coordinate axes in A, B, C. Show that the locus of the centroid of the tehrahedron $OABCisx^{-2} + y^{-2} + z^{-2} = 16p^{-2}$.

205. A variable plane at a constant distance p from the origin meets the coordinate axes in points A,B and C respectively. Through these points , planes are drawn parallel to the coordinate planes, show that locus of the point of intersection is $\frac{1}{x^2} + \frac{1}{y^2} + \frac{1}{z^2} = \frac{1}{p^2}$

Watch Video Solution

206. Find the distance of the point $2\hat{i} - \hat{j} - 4\hat{k}$ from the plane $\vec{r}\left(3\hat{i} - 4\hat{j} + 12\hat{k}\right) - 9 = 0.$

Watch Video Solution

207. Find the distance of the point (2, 3, -5) from the plane x + 2y - 2z - 9 = 0.

208. Show that the points (1, 1, 1) and (-3, 0, 1) are equidistant from the plane 3x + 4y - 12z + 13 = 0.



209. Find the equations of the plane parallel to the plane x - 2y + 2z - 3 = 0 and which are at a unit distance from the point (1, 1, 1).

Watch Video Solution

210. Find the distance of the point (2, 3, 5) from the xy-plane.



211. If the product of distances of the point (1, 1, 1) from the origin and

plane $x-y+z+\lambda=0$ be 5 then $\lambda=$



212. Find the distance between the point (7, 2, 4) and the plane determined by the points a(2, 5, -3), B(-2, -3, 5) and C(5, 3, -3).

Watch Video Solution

Watch Video Solution



214. Prove that the four points having position vectors are non-coplanar:

 $\hat{i}+2\hat{j}+3\hat{k},2~\hat{i}+\hat{j}+3\hat{k}~and~\hat{i}+\hat{j}+\hat{k}$

215. Find the equation of the plane mid parallel to the planes 2x - 2y + z + 3 = 0 and 2x - 2y + z + 9 = 0.

Watch Video Solution

216. Reduce the equation of line x - y + 2z = 5adn3x + y + z = 6 in symmetrical form. Or Find the line of intersection of planes x - y + 2z = 5and3x + y + z = 6.

Watch Video Solution

217. Find
$$rac{dy}{dx}$$
 if $x=ay+b$

Watch Video Solution

218. If the line $\rightarrow r = (\hat{i} - 2\hat{j} + \hat{k}) + \lambda(2\hat{i} + \hat{j} + 2\hat{k})$ is parallel to the plane $\rightarrow r.(3\hat{i} - 2\hat{j} + m\hat{k}) = 14$, find the value of m.

219. Find the equation of the plane passing through the line of intersection of the planes 2x + y - Z = 3,5x - 3y + 4z + 9 = 0 and parallel to the line $\frac{x-1}{2} = \frac{y-3}{4} = \frac{z-5}{5}$

Watch Video Solution

220. Find the equation of the plane passing through the intersection of

the planes $\overrightarrow{r}\left(\hat{i}+\hat{j}+\hat{k}
ight)=1 \ and \ \overrightarrow{r}\left(2\hat{i}+3\hat{j}-\hat{k}
ight)+4=0$ and

parallel to x-axis.

Watch Video Solution

221. Find the equation of the plane passing through the intersection of the planes 4x - y + z = 10 and x + y - z = 4 and parallel to the line with direction ratios proportional to 2, 1, 1.

222. Find the equation of the plane passing through the point A(1, 2, 1)and perpendicular to the line in joining the points P(1, 4, 2) and Q(2, 3, 5).

Watch Video Solution

223. Find an equation or the line that passes through the point P(2, 3, 1) and is parallel to the line of intersection o the planes x + 2y - 3z = 4 and x - 2y + z = 0.

Watch Video Solution

224. Find the angle between the line

$$\rightarrow r = \left(2\hat{i} + 3\hat{j} + 9\hat{k}\right) + \lambda\left(2\hat{i} + 3\hat{j} + 4\hat{k}\right)$$
 and the plane
 $\rightarrow r\left(\hat{i} + \dot{\hat{j}} + \hat{k}\right) = 5.$



Watch Video Solution

227. The line
$$\overrightarrow{r}=\hat{i}+\lambda\Big(2\hat{i}-m\hat{j}-3\hat{k}\Big)$$
 is parallel to the plane $\overrightarrow{r}\Big(m\hat{i}+3\hat{j}+\hat{k}\Big)=4$. Find m

Watch Video Solution

228. Find the vector equation of the line through the origin which is perpendicular to the plane $\overrightarrow{r}(\hat{i}+2\hat{j}+3\hat{k})=3.$

229. Find the equation of the plane passes through the point (2, 3, -4)

and (1, -1, 3) and parallel to x-axis.



230. Find the Cartesian equation of the plane passing through the points

 $A\ (0,0,0)$ and $b(3,\ -1,2)$ and parallel to the line $rac{x-4}{1}=rac{y+3}{-4}=rac{z+1}{7}$

Watch Video Solution

231. Find the vector and Cartesian equations of the line passing through

(1, 2, 3) and parallel to the planes

$$\overrightarrow{r}(\hat{i}-\hat{j}+2\hat{k}) = 5 \text{ and } \overrightarrow{r}(3\hat{i}+\hat{j}+\hat{k}) = 6.$$

232. Prove that the line of section of the planes 5x + 2y - 4z + 2 = 0 and 2x + 8y + 2z - 1 = 0 is parallel to the plane 4x - 2y - 5z - 2 = 0.

Watch Video Solution

233. Find the equation of the plane passing through the points (2, 2, -1) and (3, 4, 2) and parallel to the line whose direction ratios are (7, 0, 6)

Watch Video Solution

234. Find the coordinates of the point, where the line $\frac{x-2}{3} = \frac{y+1}{4} = \frac{z-2}{2}$ intersects the plane x - y + z - 5 = 0. Also find the angle between the line and the plane.
235. Find the vector and Cartesian forms of the equation of the plane passing through the point (1, 2, -4) and parallel to the lines $\vec{r} = (\hat{i} + 2\hat{j} - 4\hat{k}) + \lambda(2\hat{i} + 3\hat{j} + 6\hat{k})$ and $\vec{r} = (\hat{i} - 3\hat{j} + 5\hat{k}) + \mu(\hat{i} + A)$ Also find the distance of the point (9, -8, -10) from the plane thus obtained.

Watch Video Solution

236. Find the equation of the plane passing through the point (3,4,1) and

(0,1,0) and parallel to the line $rac{x+3}{2}=rac{y-3}{7}=rac{z-2}{5}$

Watch Video Solution

237. Find the coordinates of the point, where the line $\frac{x-2}{3} = \frac{y+1}{4} = \frac{z-2}{2}$ intersects the plane x - y + z - 5 = 0. Also find the angle between the line and the plane.

238. Find the vector equation of the line passing through (1, 2, 3) and

perpendicular to the plane
$$\
ightarrow rigg({\hat i}+2{\dot {\hat j}}-5{\hat k} igg) = 9.$$

Watch Video Solution

239. Find the vector equation of the line passing through (1, 2, 3) and

parallel to the planes
$$\overrightarrow{r}\left(\hat{i}-\hat{j}+2\hat{k}
ight)=5$$
 and $\overrightarrow{r}\left(3\hat{i}+\hat{j}+\hat{k}
ight)=6.$

Watch Video Solution

240. Find the value of λ such that the lines $\frac{x-2}{6} = \frac{y-1}{\lambda} = \frac{z+5}{-4}$ is

perpendicular to the plane 3x - y - 2z = 7.

Watch Video Solution

241. Find the equation of the plane passing through the points (-1, 2, 0), (2, 2, -1) and parallel to line $\frac{x-1}{1} = \frac{2y+1}{2} = \frac{z+1}{-1}$



A (3, 4, 1) and B(5, 1, 6) crosses the XY-plane.

Watch Video Solution

243. Find the coordinate of the point where the line through (5, 1, 6) and

(3, 4, 1) crosses the i. yz-plane ii. zx-plane.

Watch Video Solution

244. Find the coordinates of the point where the line through

(3, -4, -5)and (2, -3, 1)crosses the plane2x + y + z = 7.

245. Find the distance of the point P(3, 4, 4) from the point where the line joining the points A(3, -4, -5) and B(2, -3, 1) intersects the plane 2x + y + z = 7.

Watch Video Solution

246. Show that the lines
$$\frac{x-a+d}{\alpha-\delta} = \frac{y-a}{\alpha} = \frac{z-a-d}{\alpha+\delta}$$
 and $\frac{x-b+c}{\beta-\gamma} = \frac{y-b}{\beta} = \frac{z-b-c}{\beta+\gamma}$ are coplanar.
Watch Video Solution

247. If $4x + 4y - \lambda z = 0$ is the equations of the plane through the origin

that contains the line $rac{x-1}{2}=rac{y+1}{3}=rac{z}{4}, ext{ find the value of } \lambda \cdot$

248. If the lines $\frac{x-1}{2} = \frac{y+1}{3} = \frac{z-1}{4}$ and $\frac{x-3}{1} = \frac{y-k}{2} = \frac{z}{1}$

intersect, then find the value of k.

Watch Video Solution

249. Show that the lines $\vec{r} = (2\hat{j} - 3\hat{k}) + \lambda(\hat{i} + 2\hat{j} + 3\hat{k})$ and $\vec{r} = (2\hat{i} + 6\hat{j} + 3\hat{k}) + \mu(2\hat{i} + 3\hat{j} + 4\hat{k})$ are coplanar. Also, find the

equation of the plane containing them.

Watch Video Solution



Also, find the equation of the plane containing them.

251. The line through of the plane passing through the lines

$$\frac{x-4}{1} = \frac{y-3}{1} = \frac{z-2}{2} \text{ and } \frac{x-3}{1} = \frac{y-2}{-4} = \frac{z}{5} \text{ is}$$
Watch Video Solution

252. Show that the plane whose vector equation is $\overrightarrow{r}\hat{i} + 2\hat{j} = \hat{k} = 3$ contains the line whose vector equation is $\overrightarrow{r}\hat{i} + \hat{j} + \lambda\left(2\hat{i} + \hat{j} + 4\hat{k}\right)$.

Watch Video Solution

253. Find the vector equation of the plane passing through the points (3, 4, 2) and (7, 0, 6) and perpendicular to the plane 2x - 5y - 15 = 0. Also, show that the plane thus obtained contains the line $\vec{r} = \hat{i} + 3\hat{j} - 2\hat{k} + \lambda (\hat{i} - \hat{j} + \hat{k})$.

254. If the lines $\frac{x-1}{-3} = \frac{y-2}{-2k} = \frac{z-3}{2}$ and $\frac{x-1}{k} = \frac{y-2}{1} = \frac{z-3}{5}$ are perpendicular, find the value of k and hence find the equation of plane containing these lines.

Watch Video Solution

255. Find the vector equation of the plane passing through three points with position vectors $\hat{i} + \hat{j} - 2\hat{k}$, $2\hat{i} - \hat{j} + \hat{k}$ and $\hat{i} + 2\hat{j} + \hat{k}$. Also find the coordinates of the point of intersection of this plane and the line $\vec{r} = 3\hat{i} - \hat{j} - \hat{k} + \lambda (2\hat{i} - 2\hat{j} + \hat{k})$.

256. Show that the lines
$$\frac{x-5}{4} = \frac{y-7}{4} = \frac{z+3}{-5} \text{ and } \frac{x-8}{7} = \frac{y-4}{1} = \frac{z-5}{3} \text{ intersect}$$
each other **Video Solution**

257. Find the equation of a plane which passes through the point (3, 2, 0)

and contains the line
$$rac{x-3}{1}=rac{y-6}{5}=rac{z-4}{4}.$$

Watch Video Solution







263. Find the coordinates of the foot of the perpendicular drawn from the point (5, 4, 2) to the line $\frac{x+1}{2} = \frac{y-3}{3} = \frac{z-1}{-1}$. Hence or otherwise deduce the length of the perpendicular.

264. Find the coordinates of the foot of the perpendicular from the point

(1, 1, 2) to the plane 2x - 2y + 4z + 5 = 0. Also the find the length of

the perpendicular.

Watch Video Solution

265. Find the distance of the point (1, -2, 3) from the plane

x-y+z=5 measured parallel to the line $rac{x}{2}=rac{y}{3}=rac{z}{-6}.$

Watch Video Solution

266. Find a vector in the direction of $\overrightarrow{a} = 2\hat{i} - \hat{j} + 2\hat{k}$, which has magnitude of 6 units.

267. Find the co-ordinates of the foot of perpendicular and the length of perpendicular drawn from the point (2, 3, 7) to the plane 3x - y - z = 7.

268. Find the distance of the point with position vector $-\hat{i} - 5\hat{j} - 10\hat{k}$ from the point of intersection of the line $\vec{r} = (2\hat{i} - \hat{j} + 2\hat{k}) + \lambda(3\hat{i} + 4\hat{j} + 2\hat{k})$ with the plane $\vec{r}(\hat{i} - \hat{j} + \hat{k}) = 5.$

Watch Video Solution

269. Find the length and the foot of the perpendicular from the point (1, 1,

2) to the plane
$$\overrightarrow{r}\left(\hat{i}-2\hat{j}+4\hat{k}
ight)+5=0.$$

270. Find the coordinates of the foot of the perpendicular and the perpendicular distance of the point P(3,2,1) from the plane 2x - y + z + 1 = 0. Find also, the image of the point in the plane.

271. Find the direction cosines of the unit vector perpendicular to the plane $\rightarrow r 6 \hat{i} - 3 \hat{j} - 2 \hat{k} + 1 = 0$ passing through the origin.

Watch Video Solution

272. Find the coordinates of the foot of the perpendicular drawn from the

origin to the plane 2x - 3y + 4z - 6 = 0.

273. Write the equation of the plane parallel to XOY-plane and passing

through the point (2, -3, 5).

Watch Video Solution

274. Write the equation of the plane parallel to YOZ-plane and passing through (-4, 1, 0).

Watch Video Solution

275. Write the equation of the plane passing through points (a, 0, 0), (0, b, 0) and (0, 0, c).



276. Write the general equation of a plane parallel to X-axis.

277. Write the intercepts made by the plane 2x - 3y + 4z = 12 on the coordinate axes.



product form.



284. Write the position vector of the point where the line $\overrightarrow{r} = \overrightarrow{a} + \lambda \overrightarrow{b}$

meets the plane $\overrightarrow{r}\overset{\cdot}{\overrightarrow{n}}=0.$

Watch Video Solution

285. Write the value of k for which the line $\frac{x-1}{2} = \frac{y-1}{3} = \frac{z-1}{k}$ is perpendicular to the normal to the plane $\overrightarrow{r}\left(2\hat{i}+3\hat{j}+4\hat{k}\right) = 4$.

Watch Video Solution

286. Write the intercept cut off by the plane 2x + y - z = 5 on x-axis.

287. Find the length of the perpendicular drawn from the origin to the

plane 2x 3y + 6z + 21 = 0.

288. Write the vector equation of the line passing through the point (1, -2,

-3) and normal to the plane
$$\overrightarrow{r}\left(2\hat{i}+\hat{j}+2\hat{k}
ight)=5.$$

Watch Video Solution

289. Write the vector equation of the plane passing through the point

$$(a,b,c)$$
 and parallel to the plane $\overrightarrow{r}.\left(\hat{i}+\hat{j}+\hat{k}
ight)=2.$







none of these

Watch Video Solution

293. The image of the point (1, 3, 4) in the plane 2x - y + z + 3 = 0 is (3, 5, 2) b. (-3, 5, 2) c.(3, 5, -2) d. (3, -5, 2)

294. Find the vector equation of the following plane in scalar product

form:
$$\overrightarrow{r} = \left(\hat{i} - \hat{j}
ight) + \lambda \Big(\hat{i} + \hat{j} + \hat{k} \Big) + \mu \Big(\hat{i} - 2\hat{j} + 3\hat{k} \Big).$$

Watch Video Solution

295. The distance of the line $\overrightarrow{r} = 2\hat{i} - 2\hat{j} + 3\hat{k} + \lambda(\hat{i} - \hat{j} + 4\hat{k})$ from the plane $\overrightarrow{r}(\hat{i} + 5\hat{j} + \hat{k}) = 5$, is $\frac{5}{3\sqrt{3}}$ b. $\frac{10}{3\sqrt{3}}$ c. $\frac{25}{3\sqrt{3}}$ d. none of

these

Watch Video Solution

296. The equation of the plane through the line x + y + z + 3 = 0 = 2x - y + 3z + 1 and parallel to the line $\frac{x}{1} = \frac{y}{2} = \frac{z}{3}$ is a. x - 5y + 3 = 7 b. x - 5y + 3z = 7 c. x + 5y = 3z = 7 d. x + 5y + 3z = -7

297. The vector equation of the plane containing the line $\vec{r} = \left(-2\hat{i} - 3\hat{j} + 4\hat{k}\right) + \lambda\left(3\hat{i} - 2\hat{j} - \hat{k}\right)$ and the point $\hat{i} + 2\hat{j} + 3\hat{k}$ is $a. \vec{r}\left(\hat{i} + 3\hat{k}\right) = 10$ b. $\vec{r}\left(\hat{i} - 3\hat{k}\right) = 10$ c. $\vec{r}\left(3\hat{i} + \hat{k}\right) = 10$ d. none of these

Watch Video Solution

Watch Video Solution

298. A plane meets the coordinate axes at A, B, C such that the centroid of ΔABC is the point (a, b, c). If the equation of the plane is $\frac{x}{a} + \frac{y}{b} + \frac{z}{c} = k$, then k = 1 b. 2 c. 3 d. none of these

299. The distance between the point (3,4, 5) and the point where the line

 $rac{x-3}{1}=rac{y-4}{2}=rac{z-5}{2}$ meets the plane $x+y+z=17,\ is\ 1$ b. 2 c.

 $3 \,\mathrm{d.}\,\mathrm{none}\,\mathrm{of}\,\mathrm{these}$

300. A vector parallel to the line of intersection of the planes $\vec{r} = 3\hat{i} - \hat{j} + \hat{k} = 1 \text{ and } \vec{r} \left(\hat{i} + 4\hat{j} - 2\hat{k}\right) = 2 \text{ is } a. - 2\hat{i} + 7\hat{j} + 13\hat{k}$ b. $2\hat{i} + 7\hat{j} - 13\hat{k}$ c. -2i - 7j + 13k d. 2i + 7j + 13k



301. If plane passes through the point (1, 1,1) and is perpendicular to the line, $\frac{x-1}{3} = \frac{y-1}{0} = \frac{z-1}{4}$, then its perpendicular distance from the origin is

Watch Video Solution

302. The equation of the plane parallel to the lines x - 1 = 2y - 5 = 2z and 3x = 4y - 11 = 3z - 4 and passing through the point (2, 3, 3) is

303. The distance of the point (-1, -5, -10) from the point of intersection of the line $\overrightarrow{r} = 2\hat{i} - \hat{j} + 2\hat{k} + \lambda\left(3\hat{i} + 4\hat{j} + 12\hat{k}\right)$ and the plane $\overrightarrow{r}\left(\hat{i} - \hat{j} + \hat{k}\right) = 5$ is a. 9 b. 17 c. 13 d. none of these

Watch Video Solution

304. The equation of the plane through the intersection of the plane ax + by + cz + d = 0 and lx + my + n + p = 0 and parallel to the line y = 0, z = 0. (A)(bl - am)y + (cl - an)z + dl - ap = 0 (B)(am - bl)x + (mc - bn)z + md - bp = 0(c)(na - cl)d + (bn - cm)y + nd - cp = 0 (D) None of these

Watch Video Solution

305. The equation of the plane which cuts equal intersects of unit length on the coordinate axes is x+y+z=1 b. x+y+z=0 c. x+y-z=1 d. x+y+z=2