



MATHS

BOOKS - RD SHARMA MATHS (ENGLISH)

DATA HANDLING 2

Others

1. A batsman scored the following number of runs in six innings: 36, 35, 50, 46, 60, 55 Calculate the mean runs scored by him in an inning.

Watch Video Solution

2. If the heights of 5 persons are 144 cm, 152 cm, 151 cm,

158 cm and 155 cm respectively. Find the mean height.

Watch Video Solution	
----------------------	--

3. Find the arithmetic mean of first 6 natural numbers.

Watch Video Solution

4. Find the mean of the first five whole numbers

Watch Video Solution

5. The ages in years of 10 teachers of a school are: 32, 41,

28, 54, 35, 26, 23, 33, 38, 40

(i) What is the age of the oldest teacher and that of the

youngest teacher?

(ii) What is the range of the ages of the teachers?

(iii) What is the mean age of these teachers?

Watch Video Solution

6. The heights of 10 girls were measured in cm and the results are as follows: 135, 150, 139, 128, 151, 132, 146, 149, 143, 141.

(i) What is the height of the tallest girl?

(ii) What is the height of the shortest girl?

(iii) What is the range of the data?

Watch Video Solution
7. If the mean of is , find the value of
Watch Video Solution
8. If the mean of $6, 4, 7, p$ and 10 is 8 Find the value of p .
A. 11

B. 12

C. 13

D. 14

Answer: C



9. The mean of 10 numbers is 20. If 5 is subtracted from

every number, what will be the new mean?



10. The mean of 16 numbers is 8. If 2 is added to every

number, what will be the new mean?



11. If the mean of five observation x, x + 2, x + 4, x + 6, x + 8 is 11, find the mean of first three observations.



12. The mean of 40 observation was 160. It was detected on re-checking that the value 165 wrongly copied as 125 for computation of mean. Find correct mean.



13. Follo	wing table	shows	the poi	nts of	scores each
player pl	ays: Player	Gar	ne 1	Game	2 Game
3 Gam	1e 4 A	14	1	6	10
10 B	0		8	6	4
С	8	11	Did no	t play	13 Find the
average	scores of	three	players.	Who i	s the best
performe	er?				

Watch Video Solution

14. Ashish studies for 4 hours, 5 hours and 3 hours respectively on three consecutive days. How many hours does he study daily on an average?



15. A cricketer scores the following runs in eight innings: 58, 76, 40, 35, 46, 45, 0, 100. Find the mean score.



16. The marks (out of 100) obtained by a group of students in a science test are 85, 76, 90, 85, 39, 48, 56, 95, 81 and 75. Find the: (i) Highest and the lowest marks obtained by the students. (ii) Range of the marks obtained. (iii) Mean marks obtain



17. The enrolment in a school during six consecutive years was as follows: 1555, 1670, 1750, 2013, 2540, 2820 Find the mean enrolment of the school for this period



18. The rainfall (in mm) in a city on 7 days of a certain week was recorded as follows: (i) Find the range of the rainfall in the above data. (ii) Find the mean rainfall for the week. (iii) On how many days was the rainfall less than the mean rainfal



19. If the heights of 5 persons are 140 cm, 150 cm, 152 cm,

158 cm and 161 cm respectively, find the mean height.



20. Find the mean of 994, 996, 998, 1002 and 1000

Watch Video Solution

21. Find the mean of first five natural numbers.

Watch Video Solution

22. Find the mean of all factors of 10.

	Watch Video Solution
--	----------------------

23. Find the mean of first 10 even natural numbers.

A. 10


B. 11

C. 12

D. 13

Answer: B





babies in a hospital on a particular day: 3.4, 3.6, 4.2, 4.5,

3.9, 4.1, 3.8, 4.5, 4.4, 3.6. Find the mean .



27. The percentage of marks obtained by students of a class in mathematics are: 64, 36, 47, 23, 0, 19, 81, 93, 72, 35, 3, 1. Find their mean.


Watch Video Solution

28. The number of children in 10 families of a locality are

2,4,3,4,2,0,3,5,1,6. Find the mean number of children per family.



29. The mean of marks scored by 100 students was found to be 40. Later on it was discovered that a score



excluded, their mean is 25.Find the excluded number.

Watch Video Solution

31. The mean weight per student in a group of 7 students is 55 kg. The individual weights of 6 of them (in kg) are 52, 54, 53, 56 and 54. Find the weight of the seventh student.



32. The mean weight of 8 numbers is 15. If each number


is multiplied by 2, what will be the new mean?

> Watch Video Solution

33. The mean of 5 numbers is 18. If one number is excluded, their mean is 16. Find the excluded number.

Watch Video Solution

34. The mean of 200 items was 50. Later on, it was discovered that the two items were misread as 92 and 8 instead of 192 and 88. Find the correct mean.



36. The mean of 75 numbers is 35. If each number is

multiplied by 4, find the new mean.



37. Organise the following marks in a class assessment, in a tabular form.](i) Which number is the highest? (ii) Which number is the lowest? (iii) What is the range of the data? (iv) Find the arithmetic mean.



38. Given below are the ages of 25 students of class VIII

in a school. Prepare a discrete frequency distribution.

15,16,16,14,17,17,16,15,15,16,17,15,

17

16,16,14,16,15,14,17,15,16,15,14,15.



39. Find the mean of the following distribution:							
4	6	9	10	15	5	10	
10	7	8					
Watch Video Solution							

40. Following table shows the weight of 12 students:

Weight (in kgs) 67 70 72 73 75 Number of Students: 4 3 2

2 1 Find the mean weight of the students.



41. Find the mean of the following distribution:


10 30 50 70 89



42. If the mean of the following distribution is 6, find the value of x.

2		4	6	10	х	3	2
3	1		2				
	A. 27						
	B. 28						
	C. 29						
	D. 30						

Answer: A



44. A die was thrown 20 times and the following scores were recorded: 2, 1, 5, 2, 4, 3, 6, 1, 4, 2, 5, 1, 6, 2, 6, 3, 5, 4, 1 and 3. Prepare the frequency table of the scores on the upper face of the die

45. Following figures relate the weekly wages (in Rs.) of 15 workers in a factory: 300,250,200,250,200,150,350,200,250,200,150,300,150,200,250 Prepare a frequency table. What is the range in wages (in Rs.) How many workers are getting Rs. 350? How many workers are getting the minimum wages?



46. The following table shows the weights (in kg) of 15
workers in a factory: Weight (in kg): 60 63
66 72 75 Numbers of workers: 4 5
3 1 2 Calculate the mean weight.



47. The ages (in years) of 50 students of a class in a school are given below:
Age (in years): 14 15 16 17 18
Numbers of students: 15 14 10 8 3


Find the mean age.

Watch Video Solution

48. Calculate the mean for the following distribution:



V V	a	L	L	- V	1	u	C	U	2	/	u	L	J	L.		



25 7 5

Watch Video Solution

51. If the mean of the following data is 15, find

Watch Video	Solut	ion				
52. Find the value	of p	for the	e follo	wing di	stribut	ion
whose mean is 16.6		8	12	15		20
25 30	12	16	20	24	16	8
4						
Watch Video	Solut	ion				

53. Find the missing value of for the following distribution whose mean is 12.58 5 8

10	12		20	25	2	5	8
	22	7	4	2			
C	Wat	tch Vi	deo Solut	ion			
54.	Find	the	missing	frequency	for t	he followi	ng
dist	ributio	on wh	ose mean	is 7.68			
x : 3		5	7	9	11	13	
y:6		8	15	p	8	4	
	Wat	tch Vi	deo Solut	ion			


55. Find the value of p, if the mean of the followingdistribution is 20151719



56. Find the median of the data : 25, 34, 31, 23, 22, 26, 35, 28, 20, 32.


Watch Video Solution

57. The runs scored in a cricket match by 11 players is as follows: 6, 15, 120, 50, 100, 80, 10, 15, 8, 10, 15. Find the mean, mode and median of this data. Are the three same?




61. Find the median of the data: if is replaced by what

will be the new median.



64. Find the median of the following data



68. Find the median of the following data

Watch Video Solution
69. Find the median of the following data
Watch Video Solution
70. Numbers 50, 42, 35, $2x + 10$, $2x$, 8, 12, 11, 8, 6

are written in descending order and their median is 25, find x`.

A. 19

B. 20

C. 21

D. 22

Answer: C



71. Find the median of the following observations: If 92 is replaced by 99 and 41 by 43 in the above data, find the new median?



72. Find the median of the following data: 41, 43, 127, 99, 61, 92, 71, 58, 57 if 58 is replaced by 85, what will be the new median.

73. The weights (in kg) of 15 students are: 31,35,27,29,32,43,37,41,34,28,36,44,45,42,30. Find the median. If the weight 44kg is replaced by 46 kg and 27kg by 25 kg, find the new median.

Watch Video Solution

Watch Video Solution

74. The following observations have been arranged in ascending order. If the median of the data is 63, find the value of x. 29, 32, 48, 50, x, x + 2, 72, 78, 84, 95

Watch Video Solution


75. Find the mode of the following data 10, 5, 20, 25, 10, 13, 17, 13, 22, 13

A. 10

B. 13

C. 17

D. 22



1, 2, 3, 2, 6, 4, 3, 2, 1, 1, 4, 2, 1, 5, 3, 3, 2, 3, 2, 4, 2, 1, 2

Watch Video Solution

77. Find the mode of the data:

Watch Video Solution

78. The weight (in kg) of students of a class are: Find the mode and median of this data. Is there more than one mode?

Watch Video Solution

79. Find the mode and median of the following data:


Also, find the mean by using the empirical relation.

Watch Video Solution

80. Find the mode and median of the data: By using the

empirical relation also find the mean.





82. Find the mode of the data:



83. The runs scored in a cricket match by 11 players are as follows: Find the mean, mode and median of this data.

84. Find the mode of the following data:



85. Heights of 25 children (in cm) in a school are as given

below:168, 165, 163, 160, 163, 161, 162, 164, 163, 162, 164, 163,

160, 163, 163, 164, 163, 160, 165, 163, 162 What is the mode

of heights?



86. The scores in mathematics test (out of 25) of 15 students are as follows: Find the mode and median of this data. Are they same?

Watch Video Solution


87. Calculate the mean and median for the following data:
Marks: 10 11 12 13 14 16 19
20
Number of students: 3 5 4 5 2 3
2 1

Using empirical formula, find its mode.

88. The following table shows the weights of 12 persons.
Weight (in kg): 48 50 52 54 58
Number of persons: 4 3 2 2 1
Find the median and mean weights. Using empirical relation, calculate its mode.

89. If the mean of observations and isthen10(b) 15 12(d) 13







93. The mean of first seven even natural numbers is

- (a) 7
- (b) 8
- (c) 9
- (d) 6

Watch Video Solution

94. The mean of first six multiples of 5 is

(a) 3.5

(b) 18.5

(c) 17.5

(d) 30

O Watch Video Solution	

95. The mean of 5 numbers is 4. If 1 is added to each number , then the new mean is

(a) 4

(b) 5

(c) 3

(d) 5.5

96. If the sum of 10 observations is 95, then their mean is

A. 9.5

B. 10

C. 950

D. 95

Answer: A

Watch Video Solution


97. If the mean of observations is 12 and the sum of the observations is 132, then the value of number of terms

(a) 9

(b) 10

(c)11

(d) 12







100. The mean of a data is 15 and the sum of the observations is 195. The number of observations is

A. 13

B. 19

C. 16

D. 17

Answer: A

101. The median of 11 observations is 10. The number of

possible observations in the data which are less than 10

Watch Video Solution

102. If the mode of 22, 21, 23, 24, 21, 20, 23, 26, x and 26 is 23, then x =


A. 20

B. 21

C. 23

D. 24

Answer: C



104. The mean of is same as the mean of Then which of the following is correct? p=q=r (b) $q=r=s\;q=r$ (d) p=r+s

105. The mean of and isThen the median is19(b) 43 30(d)

None of these

Watch Video Solution

106. If the mean of 9, 10, 15, x, 6, 8 and 12 is 11 and is 11.

The median of the observations is

A. 4

B. 10

C. 13

D. 5

Answer: B
Vatch Video Solution
107. The mode of the unimodular data and is 10. The
value of is 10 (b) 9
8 (d) 11
Watch Video Solution
108. The mean weight of 21 students is 21 kg. If a student
weighing 21 kg is removed from the group, then the
mean of the remaining students is
(a) 20 kg

(b) 21 kg

(c) 19 kg

(d) 18 kg

Watch Video Solution

109. There are 7 observations in the data and their mean

is 11. If each observation is multiplied by 2, then the mean of new observations is

(a) 11

(b) 13

(c) 22

(d) 5.5

110. The mean of 10 observations is 15. If one observation

15 is added, then the new mean is

(a) 16

(b) 11

(c) 10

(d) 15

Watch Video Solution

111. If the median of 10, 12, x, 6, 18 is 10, then which of the following is correct. $6 \le x \le 10$ (b) x < 6 (c)x > 18 (d)

Either (a) or (b)

112. The mode of the data is 6. Which of the following

cannot be the value of ? 8

6

(b) 7

(d) 9

Watch Video Solution

113. For a frequency distribution, mean, median and mode are connected by the relation

A. Mode = 3 Mean - 2 median

B. Mode = 2 Median - 3 Mean

C. Mode = 3 Median - 2 Mean

D. Mode = 3 Median + 2 Mean

Answer: C

