



doubtnut

India's Number 1 Education App

MATHS

**BOOKS - SAI MATHS (TELUGU
ENGLISH)**

HYPERBOLIC FUNCTIONS

Problems

1. If $\cosh 2x = 199$, then $\coth x =$

A. $\frac{5}{3\sqrt{11}}$

B. $\frac{5}{6\sqrt{11}}$

C. $\frac{7}{3\sqrt{11}}$

D. $\frac{10}{3\sqrt{11}}$

Answer: d



Watch Video Solution

2. If $2 \sinh^{-1} \left(\frac{a}{\sqrt{1-a^2}} \right) = \log \left(\frac{1+x}{1-x} \right)$

then $x =$

A. a

B. $\frac{1}{a}$

C. $\sqrt{1 - a^2}$

D. $\frac{1}{\sqrt{1 - a^2}}$

Answer: a



View Text Solution

3. $\operatorname{sech}^{-1}\left(\frac{1}{2}\right) - \operatorname{cosech}^{-1}\left(\frac{3}{4}\right) =$

A. $\log_e(3(2 + \sqrt{3}))$

B. $\log_e \left(\frac{1 + \sqrt{3}}{3} \right)$

C. $\log_e \left(\frac{2 + \sqrt{3}}{3} \right)$

D. $\log_e \left(\frac{2 - \sqrt{3}}{3} \right)$

Answer: c



Watch Video Solution

4. $\tanh^{-1} \left(\frac{1}{2} \right) + \coth^{-1}(2)$ is equal to

A. $\frac{1}{2} \log 3$

- B. $\frac{1}{2}\log 6$
- C. $\frac{1}{2}\log 12$
- D. $\log 3$

Answer: d



View Text Solution

5. $x = \log\left(\frac{1}{y} + \sqrt{1 + \frac{1}{y^2}}\right) \Rightarrow y$ is equal to

- A. $\tanh x$
- B. $\coth x$

C. $\operatorname{sech} x$

D. $\operatorname{cosech} x$

Answer: d



View Text Solution

6. For $0 < x < \pi$, $\sin h^{-1}(\cot x)$ is equal to

A. $\log\left(\cot.\frac{x}{2}\right)$

B. $\log\left(\tan.\frac{x}{2}\right)$

C. $\log(1 + \cot x)$

D. $\log(1 + \tan x)$

Answer: a



View Text Solution

7. If $\tanh^{-1} x = a \log\left(\frac{1+x}{1-x}\right)$, $|x| < 1$,

then a is equal to

A. 1

B. 2

C. $\frac{1}{2}$

D. $\frac{1}{4}$

Answer: c



View Text Solution

8. $\sinh^{-1} 2 + \sinh^{-1} 3 = x \Rightarrow \cosh x$ is equal

to

A. $\frac{1}{2}(3\sqrt{5} + 2\sqrt{10})$

B. $\frac{1}{2}(3\sqrt{5} - 2\sqrt{10})$

C. $\frac{1}{2}(12 + 2\sqrt{50})$

D. $\frac{1}{2}(12 - 2\sqrt{50})$

Answer: c



View Text Solution

9. $\frac{1 + \tanh. \frac{x}{2}}{1 - \tanh. \frac{x}{2}}$ is equal to

A. e^{-x}

B. e^x

C. $2e^{\frac{x}{2}}$

D. $2e^{-\frac{x}{2}}$

Answer: b



View Text Solution

10. $\operatorname{sech}^{-1}(\sin \theta)$ is equal to

A. $\log \tan. \frac{\theta}{2}$

B. $\log \sin. \frac{\theta}{2}$

C. $\log \cos. \frac{\theta}{2}$

D. $\log \cot. \frac{\theta}{2}$

Answer: d



View Text Solution

11. $e^{\log(\cosh^{-1}(2))}$ is equal to

A. $\log(2 - \sqrt{3})$

B. $\log(\sqrt{3} - 2)$

C. $\log(2 + \sqrt{3})$

D. $\log(2 + \sqrt{5})$

Answer: c



View Text Solution

12. $2 \tanh^{-1} \left(\frac{1}{2} \right)$ is equal to

- A. 0
- B. $\log 2$
- C. $\log 3$
- D. $\log 4$

Answer: C



View Text Solution

13. If $x = \log \left[\cot \left(\frac{\pi}{4} + \theta \right) \right]$ then the value of \sinhx is

- A. $\tan 2\theta$
- B. $\tan 2\theta$
- C. $\cot 2\theta$
- D. $-\cot 2\theta$

Answer: b



[View Text Solution](#)

14. $\sinh^{-1}\left(2^{\frac{3}{2}}\right)$ is equal to

A. $\log(3 + \sqrt{8})$

B. $\log(3 - \sqrt{8})$

C. $\log(2 + \sqrt{18})$

D. $\log(\sqrt{8} + \sqrt{27})$

Answer: a



View Text Solution

15. $\sinh(ix)$ is equal to

A. $i \sin x$

B. $\sin ix$

C. $-i \sin x$

D. $i \sin ix$

Answer: a



View Text Solution

16. $\sinh^{-1} \left(\frac{x}{\sqrt{1 - x^2}} \right)$ is equal to

A. $\cot h^{-1} x$

B. $\sinh^{-1} x$

C. $-\tanh^{-1} x$

D. $\tanh^{-1} x$

Answer: d



Watch Video Solution