

## MATHS

## **BOOKS - CENGAGE MATHS (ENGLISH)**

## SOLUTIONS AND PROPERTIES OF TRIANGLE

Single Correct Answer Type

1. In a triangle  $ar{a}A=55^\circ, ar{a}B=15^\circ, ar{a}C=110^\circ.$  Then  $c^2-a^2$  is

equal to

A. ab

B. 2ab

C. -ab

D. none of these

#### Answer: A



**2.** In a triangle ABC if  $2a=\sqrt{3}b+c$ , then possible relation is

A. 
$$c^2 = a^2 + b^2 - ab$$
  
B.  $a^2 = b^2 + c^2$   
C.  $b^2 = a^2 + c^2 - ac\sqrt{3}$   
D.  $a = b = c$ 

#### Answer: B



**3.** A circle of area 20 sq. units is centered at the point O. Suppose  $\Delta ABC$  is inscribed in that circle and has area 8 sq. units. The central angles  $\alpha$ ,  $\beta$  and  $\gamma$  are as shown in the figure. The value of  $(\sin \alpha + \sin \beta + \sin \gamma)$  is equal to

A. 
$$\frac{4\pi}{5}$$
  
B.  $\frac{3\pi}{4}$   
C.  $\frac{2\pi}{5}$   
D.  $\frac{\pi}{4}$ 

Answer: A







#### Answer: D



6.  $\Delta ABC$  has different side lengths a,b,c. If  $a^2, b^2, c^2$  as sides form

another  $\Delta PQR$ , then  $\Delta ABC$  will always be

- A. acute angled triangle only
- B. obtuse angled triangle only
- C. sometimes acute or sometimes obtuse depending on values

of a,b nd c

D. none of these

#### Answer: A

Watch Video Solution

7. In  $\triangle ABC$ ,  $\angle B = \frac{\pi}{4}$ ,  $\angle C = \frac{\pi}{6}$ . D is a point on BC which divides it in the ratio 1: 3,  $\angle DAB = \beta$ , then

A. 
$$\left(\sec.\frac{\pi}{6}\right)AB + \cot\beta = \cot\left(\frac{\pi}{6}\right)AC + (\sqrt{3} - 5)$$
  
B.  $\left(\sec.\frac{\pi}{4}AB\cot\beta = \cot\left(\frac{\pi}{4}\right)AC(4\sqrt{3} - 5)$   
C.  $\left(\sec.\frac{\pi}{4}\right)AB + \cot\beta = \cot\left(\frac{\pi}{6}\right)AC + (4\sqrt{3} + 5)$ 

D. 
$$\left( \sec. \; rac{\pi}{6} 
ight) AB \coteta = \cotigg( rac{\pi}{4} igg) AC ig( \sqrt{3} + 5 igg)$$

#### Answer: B



#### Answer: C

**9.** Let side a,b and c of  $\triangle ABC$  be related by the relation a : b : c = 3 : 5 : 4. Altitudes AD,BE and CF are dropped on BC, CA and AB, respectively. If  $P_1D + P_2E + P_3F = 42$ , then the value of a + b + c is

A. 1200

B. 120

C. 12

D. none of these

#### Answer: B



10. Triangle ABC is right angle at A. The points P and Q are on hypotenuse BC such that BP = PQ = QC.if AP = 3 and AQ = 4, then length BC is equal to A.  $3\sqrt{5}$ 

B.  $5\sqrt{3}$ 

C.  $4\sqrt{5}$ 

D. 7

Answer: A



**11.** ABC is a right angled triangle of which A is the right angle, BD is drawn perpendicular to BC meets CA produced in D. If AB = 12, AC = 16, BC = 20, then BD =

16, BC = 20, then BD =

A. 15

B. 25

C. 10

D. 225

Answer: A

Watch Video Solution
<b>12.</b> In a $\Delta ABC$ , the median AD is perpendicular to AC. If b = 5 and c
= 11, then a =
A. 10
B. 12
C. 14
D. $\sqrt{221}$
Answer: C

**Watch Video Solution** 

**13.** ABC is an equilateral triangle where AB = a and P is any point in  $PA^2 + PB^2 + PC^2$ 

its plane such that PA = PB + PC. Then  ${PA^2 + PB^2 + PC^2\over a^2}$  is

A. 3  
B. 
$$\frac{\sqrt{3}}{4}$$
  
C.  $\frac{3}{4}$ 

D. 2

#### Answer: D

# **Watch Video Solution**

**14.** In 
$$\triangle ABC$$
 if  $\tan\left(\frac{A}{2}\right)\tan\left(\frac{B}{2}\right) + \tan\left(\frac{B}{2}\right)\tan\left(\frac{C}{2}\right) = \frac{2}{3}$ 

then a + c

B. 2b

C. 3b/2

D. 4b

Answer: B

Watch Video Solution

**15.** In a triangle ABC if  $\tan \frac{A}{2} \tan \frac{B}{2} = \frac{1}{3}$  and ab = 4, then the value of c can be

A. 1

 $\mathsf{B}.\,1.5$ 

C. 2.5

D. none of these

Answer: C

#### Watch Video Solution



- $\mathsf{A}.-1$
- B. 0
- C. 1
- D. 2

#### Answer: D



17. The perimeter of a triangle ABC right angled at C is 70 and the inradius is 6, then |a-b|=

A. 1

B. 2

C. 8

D. 9

#### Answer: A



**18.** The diagonals of a parallelogram are inclined to each other at an angle of  $45^{\circ}$ , while its sides a and b(a > 0) are inclined to each other at an angle of  $30^{\circ}$ , then the value of  $\frac{a}{b}$  is

A. 
$$\frac{3}{2}$$

B. 
$$\frac{3+\sqrt{5}}{2}$$
  
C.  $\frac{3+\sqrt{5}}{4}$   
D.  $\frac{\sqrt{5}+1}{2}$ 

#### Answer: D



19. In a triangle ABC if 
$$2\Delta^2=rac{a^2b^2c^2}{a^2+b^2+c^2}$$
 , then it is

A. equilateral

B. isosceles but not right angled

C. isosceles right angled

D. right angled

#### Answer: D

20. If in any triangle, the area  $\Delta ABC \leq rac{b^2+c^2}{\lambda}$  , then the largest

possible numerical value of  $\lambda$  is

- A. 1
- B. 2
- C. 3
- D. 4

#### Answer: D



**21.** In any triangle ABC, if  $2\Delta a - b^2 c = c^3$ , (where  $\Delta$  is the area of triangle), then which of the following is possible ?

A. B is obtuse

B. A is obtuse

C. C is obtuse

D. B is right angle

Answer: B

Watch Video Solution

22. In 
$$\Delta ABC, a^2(s-a) + b^2(s-b) + c^2(s-c) =$$

A.  $4R\Delta(\cos A + \sin B + \cos C)$ 

B.  $4R\Delta(\sin A + \sin B + \sin C)$ 

C. 
$$4R\Delta\left(1+4\sin.\frac{A}{2}\sin.\frac{B}{2}\sin.\frac{C}{2}\right)$$

D. none of these

#### Answer: C

Watch Video Solution

23. Let ABC be an equilateral triangle, let KLMN be a rectangle with K, L on BC , M on AC and N on AB. Suppose AN/NB=2 and the area of triangle BKN is 6. The area of the triangle ABC is -

A. 54

B. 108

C. 48

D. none of these

Answer: B

Watch Video Solution

**24.** ABC is an acute angled triangle with circumcenter O and orthocentre H. If AO=AH, then find the angle A.

A.  $\frac{\pi}{6}$ B.  $\frac{\pi}{4}$ C.  $\frac{\pi}{3}$ D.  $\frac{\pi}{2}$ 

#### Answer: C

Watch Video Solution

25. In a triangle ABC if 
$$\angle ABC = 60^\circ$$
, then  $\left(\frac{AB - BC + CA}{r}\right)^2 =$ 

A. 10

B. 11

C. 12

D. 14

Answer: C

Watch Video Solution

**26.** The area of an acute triangle ABC is  $\Delta$ , the area of its pedal triangle is 'p', where  $\cos B = \frac{2p}{\Delta}$  and  $\sin B = \frac{2\sqrt{3}p}{\Delta}$ . The value of  $8(\cos^2 A \cos B + \cos^2 C)$  is

A. 1

B. 2

C. 3

D. none of these

Answer: C



27. In a triangle ABC, D is a point on BC such that AD is the internal

bisector of  $\angle A$ . Let  $\angle B = 2 \angle C$  and CD = AB. Then  $\angle A$  is

A.  $18^{\circ}$ 

B.  $36^{\circ}$ 

C.  $54^{\circ}$ 

D.  $72^{\circ}$ 

#### Answer: D



28. In  $\triangle ABC$ , circumrdius is 3 inradius is 1.5 units. The value of a $a\cot^2 A + b^2\cot^3 B + c^3\cot^4 C$  is

A.  $13\sqrt{3}$ 

B.  $11\sqrt{6}$ 

C. 21

D. none of these

Answer: A



#### 29. AD, BE, CF are internal angular bisectors of $\Delta ABC$ and I is the

incentre.

$$a(b+c)\mathrm{sec.}\; rac{A}{2}ID+b(a+c)\mathrm{sec.}\; rac{B}{2}IE+c(a+b)\mathrm{sec.}\; rac{C}{2}IF=kabc$$

lf

, then the value of k is

A. 1

B. 2

C. 3

D. 4

Answer: B

Watch Video Solution

**30.** In  $\triangle ABC$  it is given distance between the circumcentre (O) and orthocentre (H) is  $R\sqrt{1-8\cos A\cos B\cos C}$ . If Q is the midopoint of OH, then AQ is

A. 
$$\frac{R}{2}\sqrt{1+8\cos A\sin B\sin C}$$
  
B.  $R\sqrt{1+8\cos A\sin B\sin C}$   
C.  $2R\sqrt{1+8\cos A\sin B\sin C}$   
D.  $\frac{R}{2}\sqrt{1+8\sin A\cos B\cos C}$ 

Answer: A



**31.** In any  $\Delta ABC$  line joiningcircumcentre (O) and incentre (I) is parallel to AC, then OI is equal to

A. 
$$R \left| \tan\left(\frac{A-C}{2}\right) \right|$$
  
B.  $R \left| \tan(A-C) \right|$   
C.  $R \left| \sec\left(\frac{A-C}{2}\right) \right|$   
D.  $R \left| \sec(A-C) \right|$ 

#### Answer: A



**32.** Let the incircle of a  $\Delta ABC$  touches sides BC, CA and AB at D,E

and F, respectively. Let area of  $\Delta ABC$  be  $\Delta$  and thatof DEF be  $\Delta$  '.

If a, b and c are side of DetlaABC, then the value of  $abc(a + b + c)\frac{\Delta'}{\Delta^3}$  is A.1 B.2 C.3 D.4

#### Answer: D



33. Let H be the orthocentre of triangle ABC. Then angle subtended

by side BC at the centre of incircle of  $\Delta CHB$  is

A. 
$$rac{A}{2}+90^{\circ}$$
  
B.  $rac{B+C}{2}+90^{\circ}$ 

$$\mathsf{C}.\,\frac{B-C}{2}+90^\circ$$

D. none of these

Answer: B

Watch Video Solution

34. If in a triangle ABC,  $r_1 + r_2 + r_3 = 9r$ , then the triangle is

necessarily

A. right angled

B. equilateral

C. obtuse angled

D. none of these

Answer: B



**35.** In triangle ABC,  $r = \frac{R}{6}$  and  $r_1 = 7r$ . Then the measure of angle A =

A. 
$$\frac{\pi}{12}$$
  
B.  $\frac{\pi}{6}$   
C.  $\frac{\pi}{4}$   
D.  $\frac{\pi}{3}$ 

#### Answer: D

Watch Video Solution

36. 
$$(r_2+r_3)\sqrt{rac{rr_1}{r_2r_3}}=$$

A. a

B.b

C. c

D. bc

Answer: A

Watch Video Solution

37. In 
$$\Delta ABC$$
, right angled at A,  $\cos^{-1} \left( rac{R}{r_2 + r_3} 
ight)$  is

A.  $30^{\,\circ}$ 

 $\mathrm{B.\,60}^{\,\circ}$ 

C.  $90^{\circ}$ 

D.  $45^{\,\circ}$ 

#### Answer: B

**38.** In  $\triangle ABC$  if  $r_1 = 2r_2 = 3r_3$  and D is the mid point of BC then  $\cos \angle ADC$  is (a)  $\frac{7}{25}$  (b)  $-\frac{7}{25}$  (c)  $\frac{24}{25}$  (d)  $-\frac{24}{25}$ 

A. 
$$\frac{7}{25}$$
  
B.  $-\frac{7}{25}$   
C.  $\frac{24}{25}$   
D.  $-\frac{24}{25}$ 

#### Answer: D



**39.** In the ambiguous case if the remaining angles of a triangle with given a, b, A and  $B_1, B_2, C_1, C_2$  then  $\frac{\sin C_1}{\sin B_1} + \frac{\sin C_2}{\sin B_2} =$ 

A. 2 cos A

B. 2 sin B

C. 2 tan A

D. 2 cot A

Answer: A



**40.** Two sides of a triangle are of lengths  $\sqrt{6}$  and 4 and the angle opposite to smaller side is 30. How many such triangles are possible? Find the length of their third side and area.

A. 0

B.1

C. 2

D. infinite

Answer: C

### Watch Video Solution

41. If circumradius of triangle is 2, then the maximum value of  $\frac{abc}{a+b+c}$  is A. 1 B. 2 C. 3

D. 4

Answer: D

**42.** Let ABC and AB'C be two non-congruent triangles with sides BC=B'C=5, AC=6, and  $\angle A$  is fixed. If  $A_1$  and  $A_2$  are the area of the two triangles ABC and AB'C, then the value of  $\frac{A_1^2 + A_2^2 - 2A_1A_2\cos 2A}{(A_1 + A_2)^2}$  is

A. 9/36

B. 25/36

C.25/16

D. 16/25

Answer: B



Multiple Correct Answers Type

**1.** Let a,b,c be the sides of a triangle ABC, a=2c,cos(A-C)+cos B=1. then the value of C is

A.  $\pi/6$ 

B.  $\pi/3$ 

C.  $2\pi/3$ 

D.  $5\pi/6$ 

Answer: A::D



2. If A, B, C are the angles of a triangle such that  $\sin^2 A + \sin^2 B = \sin^2 C$ , then

A. sin A + sin B >1

B. tan A tan B = 1

C. sin A + sin B = 1

D. tan A. tan B < 1

Answer: A::B

Watch Video Solution

3. In  $\Delta ABC,$   $\angle C=2 \angle A$  and AC=2BC. Then which of the following is/are True ?

A. Angles A,B,C are in arithmetic progression

B. Angles A,C,B are in arithmetic progression

C.  $\Delta ABC$  is a right angled isosceles triangle

D.  $BC^2 + CA^2 + AB^2 = 8R^2$ , where R is the circum-radius of

#### $\Delta ABC$

Watch Video Solution

**4.**  $\triangle$ ABC is isosceles with AB=AC=7cm and BC=9cm. The height AD from A to BC, is 6cm. Find the area of  $\triangle$ ABC. What will be the height from C to AB i.e., CE?

Watch Video Solution

5. If in a triangle ABC, heta is the angle determined by  $\cos heta=\left(a-b
ight)/c$ , then

A. 
$$\frac{(a+b)\sin\theta}{2\sqrt{ab}} = \frac{\cos(A-B)}{2}$$
B. 
$$\frac{(a+b)\sin\theta}{2\sqrt{ab}} = \frac{\cos(A+B)}{2}$$
C. 
$$\frac{c\sin\theta}{2\sqrt{ab}} = \frac{\cos(A-B)}{2}$$

D. 
$$\frac{c\sin\theta}{2\sqrt{ab}} = \frac{\cos(A+B)}{2}$$

#### Answer: A::D



**6.** Let a,b,c be the sides BC, CA, AB of  $\Delta ABC$  on xy plane. If abscissa and ordinate of vertices of the triangle are integers and R is the circumradius, then 2R can be equal to

A. 
$$\frac{8}{9}abc$$

B. abc

C. 
$$\frac{9}{8}abc$$
  
D.  $\frac{abc}{2}$ 

Answer: A::B::D

7. In a  $\triangle ABC$ , if  $\tan \frac{A}{2} = \frac{5}{6}$ ,  $\tan \frac{B}{2} = \frac{20}{37}$ , then which of the following is/are correct ?

A.  $\angle B > \angle C$ B.  $\angle B < \angle C$ C. a > b > c

D. a < b < c

Answer: A::C

Watch Video Solution

8. If area of  $\Delta ABC(\Delta)$  and angle C are given and if c opposite to

given angle is minimum, then

A. 
$$a=\sqrt{rac{2\Delta}{\sin C}}$$

B. 
$$b=\sqrt{rac{2\Delta}{\sin C}}$$
  
C.  $a=rac{4\Delta}{\sin C}$   
D.  $b=rac{4\Delta}{\sin^2 C}$ 

#### Answer: A::B



**9.** Let 'P' be an interior point of  $\triangle ABC$ . If  $\angle A = 45^{\circ}$ ,  $\angle B = 60^{\circ}$ and  $\angle C = 75^{\circ}$ . If X=area of  $\triangle PBC$ , Y = area of  $\triangle PAC$  and Z = area of  $\triangle PAB$ , then which of the following ratios is/are true ?

A. If P is the centroid, then X : Y : Z is 1 : 1 : 1

B. If P is the incentre, then X : Y : Z is  $2 : \sqrt{6} : \left(\sqrt{3} + 1 
ight)$ 

C. If P the orthocentre, then X : Y : Z is  $1 : \sqrt{3} : \left(2 + \sqrt{3}\right)$ 

D. If P is the circumcentre, then X : Y : Z is  $2:\sqrt{3}:1$ 

#### Answer: A::B::C::D



10. Let 'l' is the length of median from the vertex A to the side BC of

a  $\Delta ABC$ . Then

A. 
$$4l^2 = 2b^2 + 2c^2 - a^2$$

$$\mathsf{B}.\,4l^2=b^2+c^2+2bc\cos A$$

$$\mathsf{C.}\,4l^2=a^2+4bc\cos A$$

D. 
$$4l^2=(2s-a)^2{
m sin}^2rac{A}{2}$$

#### Answer: A::B::C::D

Watch Video Solution

**11.** A circle having centre as O' and radius r' touches the incircle of  $\Delta ABC$  externally at. F, where F is on BC and also touches its circumcircle internally at G. It O is the circumcentre of  $\Delta ABC$  and I is its incentre, then

A. OO'=R-r'

B. Perpendicular distance from O to line joining IO' is  $\left| \frac{b-c}{2} \right|$ 

C. Projection of OO' on line joining IO'=r'+R cos A

D. 
$$r' = rac{\Delta}{a} an^2 A$$

Answer: A::B::C::D



12. In triangle ABC, if  $r_1 + r_2 = 3R$  and  $r_2 + r_3 = 2R$ , then

A. 
$$\angle A = 90^{\circ}$$

B.  $\angle B = 45^{\circ}$ 

C.  $\angle C = 60^{\circ}$ 

D. triangle ABC is right angled isosceles

#### Answer: A::C

Watch Video Solution

**13.** The radii  $r_1$ ,  $r_2$ ,  $r_3$  of the escribed circles of the triangle ABC are in H.P. If the area of the triangle is  $24cm^2 and$  its perimeter is 24cm, then the length of its largest side is 10 (b) 9 (c) 8 (d) none of these

A. The length of longest side of triangle ABC is equal to 10B. The radius of circle inscribed in triangle ABC is equal to 4.C. The circumradius of triangle ABC is equal to 5.

D. The sides of triangle ABC are in A.P.

Answer: A::C::D



**Comprehension Type** 

**1.** Let ABC be a triangle in which the line joining the circumecentre and incentre is parallel to base BC of the triangle. Then answer the following questions :

Then range of  $\angle A$  is

A. 
$$\left[\frac{\pi}{6}, \frac{\pi}{3}\right]$$
  
B.  $\left[\frac{\pi}{3}, \frac{\pi}{2}\right)$   
C.  $\left[\frac{\pi}{3}, \frac{2\pi}{3}\right] = \left\{\frac{\pi}{3}\right\}$   
D.  $\left[0, \frac{\pi}{2}\right]$ 

#### Watch Video Solution

**2.** Let ABC be a triangle in which the line joining the circumecentre and incentre is parallel to base BC of the triangle. Then answer the following questions :

If ODEI is a square where O and I stands for circumcentre and incentre, respectively and D and E are the point of perpendicular from O and I on the base BC, then

A. 
$$rac{r}{R}=rac{3}{8}$$
  
B.  $rac{r}{R}=2-\sqrt{3}$   
C.  $rac{r}{R}=\sqrt{2}-1$   
D.  $rac{r}{R}=rac{1}{4}$ 

Answer: C



**3.** Let ABC be a triangle in which the line joining the circumecentre and incentre is parallel to base BC of the triangle. Then answer the following questions :

If  $\angle A = 60^\circ$  , then  $\Delta ABC$  is

A. isoceles

B. right angled

C. right angled isosceles

D. equilateral

Answer: D

Watch Video Solution

4. Incircle of  $\Delta ABC$  touches AB, BC, CA at R, P, Q, respectively. If

 $rac{2}{AR} + rac{5}{BP} + rac{5}{CQ} = rac{6}{r}$  and the perimeter of the triangle is the

smallest integer, then answer the following questions :

 $\Delta ABC$  is

A. scalene

B. .isosceles

C. equilateral

D. right angled

#### Answer: B



5. Incircle of  $\Delta ABC$  touches AB, BC, CA at R, P, Q, respectively. If  $\frac{2}{AR} + \frac{5}{BP} + \frac{5}{CQ} = \frac{6}{r}$  and the perimeter of the triangle is the smallest integer, then answer the following questions :

The inradius of incircle of  $\Delta ABC$  is

A. 4 B. 3 C. 2 D. 1

#### Answer: C

Watch Video Solution

6. Incircle of  $\Delta ABC$  touches AB, BC, CA at R, P, Q, respectively. If  $\frac{2}{AR} + \frac{5}{BP} + \frac{5}{CQ} = \frac{6}{r}$  and the perimeter of the triangle is the smallest integer, then answer the following questions :

The area of  $\Delta ABC$  is

A. 15 sq. units

B. 21 sq. units

C. 24 sq. units

D. 27 sq. units

Answer: D

**Watch Video Solution**