



BIOLOGY

BOOKS - NCERT BIOLOGY (ENGLISH)

ANATOMY OF FLOWERING PLANTS

Mcqs

1. A transverse section of stem is stained first with safranin and then with fast green following the usual schedule of double staining for the preparation of a

permanent slide. What would be the colour of the stained xylem and phloem

- A. Red and green
- B. Green and red
- C. Organ and yellow
- D. Purple and orange

Answer: A



Watch Video Solution

2. Match the following and choose the correct option from below

- | | |
|---------------------|------------------------------|
| A. Meristem | i. Photosynthesis storage |
| B. Parenchyma | ii. Mechanical support |
| C. Collenchyma | iii. Actively dividing cells |
| D. Sclerenchyma | iv. Stomata |
| E. Epidermal tissue | v. Sclereids |

A. A B C D E
 1 3 5 2 4

B. A B C D E
 3 1 2 5 4

C. A B C D E
 2 4 5 1 3

D. A B C D E
 5 4 3 2 1

Answer: B



Watch Video Solution

3. Match the following and choose the correct option from below.

A. Cuticle -(i). Guard cells

B. Bulliform cells -(ii). Single layer

C. Stomata -(iii). Waxy layer

D. Epidermis-(iv). Empty colourless cell

Options

A. A B C D
 3 4 1 2

B. A B C D
 1 2 3 4

C. A B C D
 3 2 4 1

D. A B C D
 3 2 1 4

Answer: A



[Watch Video Solution](#)

4. Identify the tissue system from among the following

A. Parenchyma

B. Xylem

C. Epidermis

D. Phloem

Answer: C



[Watch Video Solution](#)

5. Cells of this tissue are living and show angular wall thickening. They also provide mechanical support. The tissue is

A. xylem

B. sclerechyma

C. collenchyma

D. epidermis

Answer: C



Watch Video Solution

6. Epiblema of roots is equivalent to

- A. pericycle
- B. endodermis
- C. epidermis
- D. stele

Answer: C



[View Text Solution](#)

7. A conjoint and open vascular bundle will be observed in the transverse section of

A. monocot root

B. monocot stem

C. dicot root

D. dicot stem

Answer: D



View Text Solution

8. Interfascicular cambium are formed due to

A. cell division

B. cell differentiation

C. cell dedifferentiation

D. redifferentiation

Answer: C



Watch Video Solution

9. Phellogen and phellem respectively denote

A. cork and cork cambium

B. cork cambium and cork

C. secondary cortex and cork

D. cork and secondary cortex

Answer: B



Watch Video Solution

10. In which of the following pairs of parts of a flowering plant epidermis is absent

- A. Root tip and shoot tip
- B. Shoot bud and floral bud
- C. Ovule and seed
- D. Petiole and pedicel

Answer: A



Watch Video Solution

11. How many shoot apical meristems are likely to be present in a twig of a plant possessing, 4 branches and 26 leaves

A. 26

B. 1

C. 5

D. 30

Answer: C



12. A piece of wood having no vessels must be belonging to a. teak b. mango c. pine d. palm

A. teak

B. mango

C. pine

D. palm

Answer: C



Watch Video Solution

13. A plant tissue, when stained , showed the presence of hemicellulose and pectin in cell wall of its cells. The tissue represents

- A. collenchyma
- B. sclerenchyma
- C. xylem
- D. meristem

Answer: A



Watch Video Solution

14. Fibres are likely to be absent in a) primary phloem

b) secondary phloem

A. secondary phloem

B. secondary xylem

C. primary phloem

D. leaves

Answer: D



Watch Video Solution

15. When we peel the skin of a potato tuber, we remove

A. periderm

B. epidermis

C. cuticle

D. sapwood

Answer: A



Watch Video Solution

16. A vesselless piece of stem possessing prominent sieve tubes would belong to

A. Pinus

B. Eucalyptus

C. Grass

D. Trochodendron

Answer: D



Watch Video Solution

17. Which one of the following cells types always divides by anticlinal cell division?

A. Fusiform initial cells

B. Root cap

C. Protoderm

D. Phellogen

Answer: D



Watch Video Solution

18. What is the fate of primary xylem in a dicot root showing extensive secondary growth?

- A. It is retained in the centre of the axis
- B. It gets crushed
- C. May or may not get crushed
- D. It gets surrounded by primary phloem

Answer: A



Watch Video Solution

Very Short Answer

1. Product of photosynthesis is transported from the leaves to various parts of the plants and stored in some cell before being utilised. What are the cells/tissues that store them ?



[Watch Video Solution](#)

2. Protoxylem is the first formed xylem. If the protoxylem lies next to phloem what kind of arrangement of xylem would you call it ?



[Watch Video Solution](#)

3. What is the function of phloem parenchyma ?



[Watch Video Solution](#)

4. What is present on the surface of the leaves which helps the plant prevent loss of water but is absent in roots ?



[Watch Video Solution](#)

5. What is the epidermal cell modification in plants which prevent water loss ?



[Watch Video Solution](#)

6. What part of the plant would show the following ?

(a) Radial vascular bundle

(b) Polyarch xylem

(c) Well develop pith



[Watch Video Solution](#)

7. What are the cells that make the leaves curl in plants during water stress ?



[Watch Video Solution](#)

8. What constitutes the cambial ring ?



[Watch Video Solution](#)

9. Give on basic functional difference between phellogen and phelloderm.



[Watch Video Solution](#)

10. Arrange the following in the sequence you would find them in a plant starting from the periphery- phellem, phellogen, phelloderm.



[Watch Video Solution](#)

11. If one debarks a tree, what parts of the plant is being removed ?



[Watch Video Solution](#)

12. The cross-section of a plant material showed the following features when viewed under the microscope

(a) The vascular bundles were radially arranged

(b) Four xylem strands with extrach condition of protoxylem. To which organ should it be assigned ?



[Watch Video Solution](#)

13. What do hardwood and softwood stand for ?



[Watch Video Solution](#)

Short Answer

1. While eating peach or pear it is usually seen that some stone like structures get entangled in the teeth, what are these stone like structures called ?



[Watch Video Solution](#)

2. What is the commercial source of cork ? How is it formed in the plant ?



[Watch Video Solution](#)

3. Below is a list of plant. From which part of the plant these are obtained.

(a) Coir

(b) hemp

(c) cotton

(d) jute.



[Watch Video Solution](#)

4. What are the characteristic differences found in the vascular tissue of gymnosperms and angiosperms ?



[Watch Video Solution](#)

5. Epidermal cells are often modified to perform specialised functions in plants. Name some of them and function they perform.



[Watch Video Solution](#)

6. The lawn grass (*Cyndon dactylon*) needs to be removed frequently to prevent its overgrowth. Which

tissue is responsible for its rapid growth ?



[Watch Video Solution](#)

7. Plants require water for their survival. But when watered excessively, plants die. Discuss.



[Watch Video Solution](#)

8. A transverse section of the trunk of a tree shows concentric rings which are known as growth rings. How are these rings formed ? What is the significance of these rings ?



[Watch Video Solution](#)

9. Trunks of some of the aged tree species appear to be composed of several fused trunks. Is it a physiological or anatomical abnormality? Explain in detail.

 [Watch Video Solution](#)

10. What is the difference between lenticels and stomata?

 [Watch Video Solution](#)

11. Write the precise function of

(a) sieve tube

(b) interfascicular cambium

(c) collenchyma

(d) aerenchyma.



Watch Video Solution

12. The stomatal pore is guarded by two kidney shaped guard cells. Name the epidermal cells surrounding the guard cells. How does a guard cell differ from an epidermal cell ? Use a diagram to illustrate your answer.

 [Watch Video Solution](#)

13. Point out the differences in the anatom of leaf of peepal (*Ficus religiosa*) and maize (*Zea mays*). Draw the diagrams and label the differences.

 [Watch Video Solution](#)

14. Palm is a monocotyledonous plant, yet it increases in girth. Why and how ?

 [Watch Video Solution](#)

1. The arrangement of ovules within the ovary is known as placentation. What does the term placenta refer to ? Draw various types of placentations in the flower as seen TS and VS



[Watch Video Solution](#)

2. Deciduous plants shed their leaves during hot summer or in autumn. This process of shedding of leaves is called abscission. Apart from physiological changes what anatomical mechanism is involved in the abscission of leaves.



[Watch Video Solution](#)

 [Watch Video Solution](#)

3. Is Pinus an evergreen tree ? Comment.

 [Watch Video Solution](#)

4. Assume that a pencil box held in your hand, represents a plant cell. In how many possible planes can it be cut ? Indicate these cuts with the help of line drawings ?

 [Watch Video Solution](#)

5. Each of the following terms has some anatomical significance. What do these terms mean ? Explain with the help of line diagrams

- (a) Plasmadesmoses/Plasmodesmata
- (b) Middle lamella
- (c) Secondary wall

 [Watch Video Solution](#)

6. Distinguish between the following

- (a) Exarch and endarch condition of protoxylem
- (b) Stele and vascular bundle
- (c) Protoxylem and metaxylem

(d) Interfascicular cambium and intrafascicular cambium

(e) Open and closed vascular bundles

(f) Stem hair and root hair.



Watch Video Solution