

MATHS

BOOKS - DEEPTI MATHS (TELUGU ENGLISH)

RELATIONS

Exercise

1. If $A = \{1, 2, 3\}$, $B = \{x, y\}$ then $A \times B =$

A. $\{1, 2, 3, X, Y\}$

B. $\{(1, X), (2, Y), (1, Y)\}$

C. $\{(X, A), (Y, B), (X, 3)\}$

D. $\{(1, X), (1, Y), (2, X), (2, Y), (3, X), (3, Y)\}$

Answer: D



Watch Video Solution

2. If $A = \left\{ 2\frac{x}{x} \in N \text{ and } x < 3 \right\}$, $B = \{x/x^2 - 4x + 3 = 0 \text{ and } x > 1\}$ $A \times B =$

$$\left\{ 2\frac{x}{x} \in N \text{ and } x < 3 \right\}, B = \{x/x^2 - 4x + 3 = 0 \text{ and } x > 1\}$$

then $A \times B =$

A. $\{(4,3),(2,3)\}$

B. $\{(2,4),(2,3)(4,3)\}$

C. $\{(1,4),(2,3),(2,2)\}$

D. $\{(1,2),(1,3)(2,3)\}$

Answer: A



View Text Solution

3. If $A = \{1, 2, 3\}$, $B = \{x\}$ then $(A \times B) \cup (B \times A) =$

A. $\{(1, x), (2, x), (3, x)\}$

B. $\{(x, 1), (x, 2), (x, 3)\}$

C. $\{(1, x), (2, x), (3, x), (x, 1), (x, 2), (x, 3)\}$

D. NONE

Answer: C



[Watch Video Solution](#)

4. If two sets P and Q , $n(P) = 5$, $n(Q) = 4$ then $n(P \times Q) =$

A. 20

B. 9

C. 25

D. $5/4$

Answer: A



Watch Video Solution

5. If $A = \{1, 2, 3, 4, 5\}$, $B = \{p, q, r, s\}$ then $n(A \times B) =$

A. 8

B. 4

C. 20

D. 5^4

Answer: C



Watch Video Solution

6. If $A = \{1,3,5,7\}$, $B = \{a,b,c\}$, then $n(A \times B) =$

A. 3

B. 4

C. 12

D. 7

Answer: C



[Watch Video Solution](#)

7. If $A = \{1,2,3,4,5\}$, $B = \{a,b,c\}$, then $n(B \times A) =$

A. 5

B. 3

C. 15

D. 125

Answer: C



Watch Video Solution

8. If $n(A \times B) = 15$, $n(A) = 3$ then $n(B) =$

A. 12

B. 5

C. 45

D. 3

Answer: B



[Watch Video Solution](#)

9. Let A and B be two sets containing 2 elements and 4 elements respectively the number of subsets of $A \times B$ having 3 or more elements is

A. 219

B. 211

C. 256

D. 220

Answer: A



[Watch Video Solution](#)

10. If $n(A)=n$ then $n\{(x,y,z),x,y,z \in A, x \neq y, y \neq z, z \neq x\} =$

A. n^3

B. $n(n - 1)^2$

C. $n^2(n - 2)$

D. $n^3 - 3n^2 + 2n$

Answer: D



View Text Solution

11.

$$A = \{(x, y) : y = e^x, x \in R\}, B = \{(x, y) : y = e^{-x}, x \in R\}$$

then

A. $A \cup B = \emptyset$

B. $A \cup B \neq \emptyset$

C. $A \cup B = \mathbb{R}^2$

D. none

Answer: B



Watch Video Solution

12.

$$A = \{(x, y) : y = e^x, x \in \mathbb{R}\}, B = \{(x, y) : y = x, x \in \mathbb{R}\}$$

then

A. $B \subset A$

B. $A \subset B$

C. $A \cap B = \emptyset$

D. $A \cup B = A$

Answer: C



Watch Video Solution

13. Let $X = \{1,2,3,4,5\}$ then the number of different ordered pairs (Y,Z) that can be formed such that $Y \subset X, Z \subset X$ and $Y \cap Z$ is empty is

A. 2^5

B. 5^3

C. 5^2

D. 3^5

Answer: D

 [Watch Video Solution](#)

14. If $A=\{2,3,5\}$, $B=\{4,6,8\}$, then the relation from A in to B is

A. $\{(2,4),(3,5),(5,6)\}$

B. $\{(2,4),(5,8),(6,5)\}$

C. $\{(2,4),(3,6),(2,6)\}$

D. $\{(2,5),(3,6)\}$

Answer: C

 [Watch Video Solution](#)

15. Domain of $\{(1,x),(2,y),(3,x),(4,z)\}$ is

A. $\{1,2,3,4\}$

B. $\{x,y,z\}$

C. $\{1,2,4,x,y,z\}$

D. $\{1,x\}$

Answer: A



Watch Video Solution

16. Range of $\{(1,x),(1,y),(2,x),(2,y),(3,z)\}$ is

A. $\{1,2,3\}$

B. $\{x,y,z\}$

C. $\{1,x\}$




D. $\{1,2,3,x,y,z\}$

Answer: B



Watch Video Solution

17. Inverse relation of $\{(1, 2), (1, 3), (2, 3)\}$ is



A. $\{(1,2),(1,3),(2,3)\}$

B. $\{(2,1),(3,1),(3,2)\}$

C. \emptyset

D. $\{(-1,2),(-1,-3),(-2,-3)\}$

Answer: B



[Watch Video Solution](#)

18. Which of the above is many to many relation ?

A. f

B. g

C. h

D. q

Answer: D



[Watch Video Solution](#)

19. Which of the above is one to one relation ?

A. f

B. g

C. h

D. q

Answer: A



Watch Video Solution

20. Which of the above is one to many relation ?

If $A = \{1, 2, 3\}$, $B = \{a, b, c\}$, $f = \{(1, a), (1, b), (1, c)\}$, $g = \{(1, a), (3, c), (2, b)\}$, $h = \{(1, a), (2, b), (3, a)\}$, $q = \{(1, a), (2, a), (3, b), (1, b), (3, a)\}$ then

A. f

B. g

C. h

D. q

Answer: A



Watch Video Solution

21. Which of the above is one to one relation ?

A. f

B. g

C. h

D. q

Answer: B



Watch Video Solution

22. Which of the above is many to many relation ?

A. f

B. g

C. h

D. q

Answer: A



[Watch Video Solution](#)

23. Which of the above is many to one relation

A. f

B. g

C. h

D. q

Answer: C



Watch Video Solution

24. Which of the above is many to many relation ?

A. f

B. g

C. h

D. q

Answer: D



Watch Video Solution

25. If $A=\{1,2,3\}$, $f=\{(1,1),(1,2),(2,1)\}$ then on A , f is

A. reflexive

B. symmetric

C. antisymmetric

D. equivalence

Answer: B



Watch Video Solution

26. If $A=\{1,2,3\}$, $f=\{(1,1),(2,2),(3,3)\}$ then on A , f is

A. reflexive

B. symmetric

C. antisymmetric

D. equivalence

Answer: A



Watch Video Solution

27.

Let

$$R = \{(3, 3), (6, 6), (9, 9), (12, 12), (6, 12), (3, 9), (3, 12), (3, 6)\}$$

be a relation on the set $A = \{3, 6, 9, 12\}$. The relation is

A. reflexive and transitive only

B. reflexive only

C. an equivalence relation

D. reflexive and symmetric only

Answer: A



Watch Video Solution

28. The relation \perp is

A. reflexive

B. symmetric

C. transitive

D. equivalence

Answer: B



Watch Video Solution

29. The relation $>$ is

- A. reflexive
- B. symmetric
- C. transitive
- D. equivalence

Answer: C



Watch Video Solution

30. The relation \parallel is

- A. reflexive

B. symmetric

C. transitive

D. equivalence

Answer: D



Watch Video Solution

31. For , $n, m \in \mathbb{N}, n \mid m$ means that n is a factor of m the relation is

A. reflexive and symmetric

B. transitive and symmetric

C. reflexive and symmetric

D. R is reflexive and transitive

Answer: D



[Watch Video Solution](#)

32. Let $x, y \in Z$ and suppose that a relation R on Z is defined by $x R y$ if and only if $x \leq y$ then

- A. R is partial order
- B. R is an equivalence relation
- C. R is reflexive and symmetric
- D. R is symmetric and transitive

Answer: A



[Watch Video Solution](#)

33. The relation "son of" is

- A. reflexive
- B. symmetric
- C. transitive
- D. none

Answer: D



Watch Video Solution

34. In the set of all triangles "similarity is

- A. reflexive
- B. symmetric
- C. transitive

D. equivalence

Answer: D



Watch Video Solution

35. A and B are two sets having 3 and 4 elements respectively and having 2 elements in common. The number of relations which can be defined from A to B is

A. 2^5

B. $2^{10} - 1$

C. $2^{12} - 1$

D. none of these

Answer: D

 Watch Video Solution

36. If the relation $R:A \rightarrow B$ where $A = \{1, 2, 3, 4\}$ and $B = \{1,3,5\}$ is defined by $R = \{(x, y), x < y, x \in A, y \in B\}$ then $RO R^{-1}$ is

- A. $\{(1,3),(1,5),(2,3),(2,5),(3,5),(4,5)\}$
- B. $\{(3,1),(5,1),(2,3),(2,5),(3,5),(4,5)\}$
- C. $\{(3,3),(3,5),(5,3),(5,5)\}$
- D. none of these

Answer: C

 Watch Video Solution

37. Let $R = \{(x, y) : x, y \in A, x + y = 5\}$ where $A = \{1, 2, 3, 4, 5\}$ then

- A. R is not reflexive, but symmetric and not transitive
- B. R is an equivalence symmetric but transitive
- C. R is not reflexive not symmetric but bit transitive
- D.

Answer: A



[Watch Video Solution](#)

38. Let R be relation on a set A such that $R = R^{-1}$ then R is

- A. reflexive
- B. symmetric

C. transitive

D. an equivalence relation

Answer: B



Watch Video Solution

39. For $x, y \in \mathbb{R}$ define a relation R by $x R y$ if and only if $x - y + \sqrt{2}$ is an irrational number. Then R is

A. Reflexive

B. Symmetric

C. Transitive

D. none of these

Answer: A



[Watch Video Solution](#)

40. If R and S are two symmetric relation then

A. $R \circ S$ is symmetric relation

B. $S \circ R$ is a symmetric relation

C. $R \circ S^{-1}$ is symmetric relation

D. $R \circ S$ is a symmetric relation if and onlyb if $R \circ S S \circ R$

Answer: D



[View Text Solution](#)

41. f is a relation on the set R of real numbers defined (a,b)

$\in f \rightarrow 1 + ab > 0$ then f is

- A. transitive , reflexive but not symmetric
- B. reflexive symmetric but not transitive
- C. reflexive symmetric transitive
- D. not reflexive not symmetric not transitive

Answer: B



[Watch Video Solution](#)

42. Let W denote the words in the english dictionery define the relation R by $R: \{(x, y) \in W \times W \mid \text{the words } x \text{ and } y \text{ have at least one letter in common}\}$ Then R is

- A. reflexive symmetric and transitive
- B. reflexive not symmetric and transitive

C. not reflexive symmetric and transitive

D. reflexive symmetric and not transitive

Answer: D



[Watch Video Solution](#)

43. If $A = \{1, 2, 3\}$ the number of reflexive relations in A is

A. 9

B. 3

C. 64

D. 25

Answer: C



[Watch Video Solution](#)

44. If $A = \{1, 2, 3\}$ the number of symmetric relations in A is

A. 3

B. 8

C. 324

D. 64

Answer: D



[Watch Video Solution](#)

45. Let $R = \{(1, 3), (4, 2), (2, 4), (2, 3), (3, 1)\}$ be a relation on the set $A = \{1, 2, 3, 4\}$. The relation R is

A. a function

B. reflexive

C. not symmetric

D. transitive

Answer: D



Watch Video Solution

46. The set $S = \{1, 2, 3, \dots, 12\}$ is to be partitioned into three sets

A, B, C of equal size. Thus

$A \cup B \cup C = S, A \cap B = B \cap C = A \cap C = \varnothing$ the number

of ways to partition S is

A. $\frac{12!}{3!(4!^3)}$

B. $\frac{12!}{3!(4!^4)}$

C. $\frac{12!}{4!^3}$

D. $\frac{12!}{3!^4}$

Answer: C



Watch Video Solution

47. Let R be the relation on the set \mathbb{R} of all real numbers defined by $a R b$ if $|a - b| \leq 1$. Then R is

A. reflexive and symmetric

B. symmetric only

C. transitive only

D. anti-symmetric only

Answer: A



[Watch Video Solution](#)

48. The relation "less than " in the set of natural numbers is

- A. only symmetric
- B. only transitive
- C. only reflexive
- D. equivalence relation

Answer: B



[Watch Video Solution](#)

49. Let N denote the set of all natural numbers and R be the relation on $N \times N$ defined by $(a,b)R (c,d)$ if $ad(b+c)=bc(a+d)$

then R is

- A. symmetric only
- B. reflexive only
- C. transitive only
- D. an equivalence relation

Answer: D



Watch Video Solution