



## BIOLOGY

### NCERT - FULL MARKS BIOLOGY(TAMIL)

### ANATOMY OF FLOWERING PLANTS

#### Question

1. State the location and function of different types of meristem.



Watch Video Solution

2. Cork cambium forms tissues that form the cork. Do you agree with this statement? Explain.



[Watch Video Solution](#)

3. Explain the process of secondary growth in stems of woody angiosperm with help of schematic diagrams. What is the significance?



[Watch Video Solution](#)

4. Draw illustrations to bring out anatomical difference between

(a) Monocot root and dicot root

(b) Monocot stem and dicot stem



[Watch Video Solution](#)

5. Cut a transverse section of young stem of a plant from your school garden and observe it under the microscope. How would you

ascertain whether it is a monocot stem or dicot stem? Give reasons.



**Watch Video Solution**

6. The transverse section of a plant material shows the following anatomical features, (a) the vascular bundles are conjoint, scattered and surrounded by clerenchymatous undler sheaths (b) phloem parenchyma is absent. What will you identify it as?



**Watch Video Solution**

7. Why are xylem and phloem called complex tissues?



**Watch Video Solution**

8. What is stomatal apparatus? Explain the structure of stomata with a labelled diagram.



**Watch Video Solution**

**9.** Name the three basic tissue systems in the flowering plants. Give the tissue names under each system.



**Watch Video Solution**

**10.** How is the study of plant anatomy useful to us?



**Watch Video Solution**

**11.** What is periderm? How does periderm formation take place in dicot stem?



**Watch Video Solution**

**12.** Describe the internal structure of a dorsiventral leaf with the help of labelled diagrams.



**Watch Video Solution**